

**Safety Data Sheet**

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)  
Issue date: 7/7/2025 Revision date: 10/7/2025 Supersedes: 9/16/2025 Version: 5.0

**SECTION 1 Identification****1.1. Product identifier**

Product form : Mixture  
Product name : Anti-Wear ISO 32 Hydraulic Oil  
Part Number : 10403

**1.2. Other means of identification**

No additional information available

**1.3. Recommended use of the chemical and restrictions on use**

Use of the substance/mixture : Lubricating oil  
Recommended use : Hydraulic oil  
Restrictions on use : No additional information available

**1.4. Supplier's details**

Lucas  
47112  
T 800-342-2512  
[sds@lucasoil.com](mailto:sds@lucasoil.com) - [www.LucasOil.com](http://www.LucasOil.com)

**1.5. Emergency phone number**

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week  
Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924  
International: 1-813-248-0585  
(collect calls accepted)

**SECTION 2 Hazard Identification****2.1. Classification of the substance or mixture****GHS US classification**

|   |      |  |
|---|------|--|
| Reproductive toxicity, Category 2                                 | H361 | Suspected of damaging fertility or the unborn child. |
| Hazardous to the aquatic environment — Acute Hazard, Category 3   | H402 | Harmful to aquatic life.                             |
| Hazardous to the aquatic environment — Chronic Hazard, Category 3 | H412 | Harmful to aquatic life with long lasting effects.   |

Full text of H statements : see section 16

**2.2. Label elements****GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning  
Hazard statements (GHS US) : H361 - Suspected of damaging fertility or the unborn child  
H402 - Harmful to aquatic life  
H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (GHS US) : P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing.

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier  | %         | GHS US classification   |
|---|---------------------|-----------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic                | CAS-No.: 64742-54-7 | 80 - 100* | Asp. Tox. 1, H304   |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | CAS-No.: 68411-46-1 | 0.1 - 1*  | Repr. 2, H361<br>Aquatic Acute 3, H402<br>Aquatic Chronic 3, H412 |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

|   |   |
|---|---|
| First-aid measures general                    | : If medical advice is needed, have product container or label at hand. IF exposed or concerned: Get medical advice/attention.  |
| First-aid measures after inhalation           | : Remove person to fresh air and keep comfortable for breathing. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Call a poison center/doctor/physician if you feel unwell. |
| First-aid measures after skin contact         | : Wash skin with plenty of water and soap. Take off contaminated clothing. Get medical attention if symptoms occur. Wash skin with plenty of water.   |
| First-aid measures after eye contact          | : Remove contact lenses, if present and easy to do. Continue rinsing. When in doubt or if symptoms are observed, get medical advice. Rinse eyes with water as a precaution.   |
| First-aid measures after ingestion            | : Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.  |
| Personal protection for first-aid responders. | : First aid workers will be equipped with suitable personal protective equipment.   |

### 4.2. Most important symptoms/effects, acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  |
| Symptoms/effects after skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use.        |
| Symptoms/effects after eye contact  | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

|                                  |  |
|----------------------------------|--|
| Symptoms/effects after ingestion | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. |
| Chronic symptoms                 | : Suspected of damaging fertility or the unborn child.   |

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

|                                   |                          |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Specific hazards arising from the chemical

|  |  |
|--|--|
| Fire hazard                                      | : No fire hazard. In case of fire and/or explosion do not breathe fumes. |
| Explosion hazard                                 | : No direct explosion hazard.  |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.          |

### 5.3. Special protective equipment and precautions for fire-fighters

|                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Evacuate area. Eliminate all ignition sources if safe to do so. Exercise caution when fighting any chemical fire. Fight fire from safe distance and protected location. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.  |

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |   |
|------------------|---|
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. |
|------------------|---|

#### For non-emergency personnel

|                      |  |
|----------------------|--|
| Protective equipment | : Wear recommended personal protective equipment.                                    |
| Emergency procedures | : Ventilate spillage area. Avoid breathing vapors. Avoid contact with skin and eyes. |

#### For emergency responders

|                           |   |
|---------------------------|---|
| Protective equipment      | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures      | : Evacuate unnecessary personnel. Stop leak if safe to do so.   |
| Environmental precautions | : Avoid release to the environment.   |

### 6.2. Methods and materials for containment and cleaning up

|                         |  |
|-------------------------|--|
| For containment         | : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.  |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Move containers from fire area if it can be done without personal risk. Take up liquid spill into absorbent material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Clean contaminated surfaces with an excess of water. Notify authorities if product enters sewers or public waters. |
| Other information       | : Dispose of materials or solid residues at an authorized site.  |

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

|                                   |  |
|-----------------------------------|--|
| Precautions for safe handling     | : Ensure good ventilation of the work station. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Avoid breathing vapors. Avoid contact with skin and eyes. Avoid contact during pregnancy/while nursing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. |
| Hygiene measures                  | : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.   |
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use.   |

#### 7.2. Conditions for safe storage, including incompatibilities

|                        |  |
|------------------------|--|
| Technical measures     | : Keep in a cool, well-ventilated place away from heat.  |
| Storage conditions     | : Store in a well-ventilated place. Keep cool. Keep only in original container. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Store locked up. |
| Incompatible materials | : Direct sunlight.   |
| Packaging materials    | : Store always product in container of same material as original container.  |

### SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Handle in accordance with good industrial hygiene and safety procedures. Ensure exposure is below occupational exposure limits (where available). Ensure good ventilation of the work station. |
| Environmental exposure controls  | : Avoid release to the environment.  |

#### 8.3. Individual protection measures, such as personal protective equipment

##### Personal protective equipment:

Wear recommended personal protective equipment.

|  |
|--|
| <b>Hand protection:</b>  |
| Protective gloves  |
| <b>Eye protection:</b>   |
| If there is a risk of liquid being splashed : Safety glasses     |
| <b>Skin and body protection:</b>                                 |
| Wear suitable protective clothing                                |
| <b>Respiratory protection:</b>                                   |
| [In case of inadequate ventilation] wear respiratory protection. |

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### Personal protective equipment symbol(s):



## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

|   |  |
|---|--|
| Physical state                                  | : Liquid   |
| Color   | : Mixture contains one or more component(s) which have the following color(s):<br>Light yellow Colourless Colourless to light yellow Yellow to brown Yellow  |
| Odor  | : There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure.<br>Mixture contains one or more component(s) which have the following odor:<br>Mild odour Irritating/pungent odour Aromatic odour Pleasant odour Petroleum-like odour Sweet odour Ammonia odour Odourless Asphyxiating odour |
| Odor threshold                                  | : No data available  |
| pH  | : No data available  |
| Melting point                                   | : Not applicable   |
| Freezing point                                  | : No data available  |
| Boiling point                                   | : No data available  |
| Flash point                                     | : > 200 °C   |
| Flammability (solid, gas)                       | : Not applicable.  |
| Vapor pressure                                  | : No data available  |
| Relative vapor density at 20°C                  | : No data available  |
| Relative density                                | : 0.85   |
| Density   | : 7.098 lb/gal   |
| Solubility                                      | : No data available  |
| Partition coefficient n-octanol/water (Log Pow) | : No data available  |
| Auto-ignition temperature                       | : No data available  |
| Decomposition temperature                       | : No data available  |
| Viscosity, kinematic                            | : 35.2 mm <sup>2</sup> /s @ 40 ° C   |
| Explosion limits                                | : No data available  |
| Particle characteristics                        | : Particle size : Not Applicable   |

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                    |                             |
|--------------------|-----------------------------|
| LD50 dermal rabbit | > 5000 mg/kg Source: IUCLID |
|--------------------|-----------------------------|

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

|               |   |
|---------------|---|
| LD50 oral rat | > 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
|---------------|---|

|                 |  |
|-----------------|--|
| LD50 dermal rat | > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rat, Male / female, Experimental value, Skin) |
|-----------------|--|

Skin corrosion/irritation : Not classified

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

|    |                             |
|----|-----------------------------|
| pH | 5.1 – 6.2 (1 %, 20 - 25 °C) |
|----|-----------------------------|

Serious eye damage/irritation : Not classified

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

|    |                             |
|----|-----------------------------|
| pH | 5.1 – 6.2 (1 %, 20 - 25 °C) |
|----|-----------------------------|

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

|                         |   |
|-------------------------|---|
| NOAEL (animal/male, F1) | 54 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 443 (Extended One-Generation Reproductive Toxicity Study) |
|-------------------------|---|

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                          |  |
|--------------------------|--|
| LOAEL (oral,rat,90 days) | 125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
|--------------------------|--|

|   |   |
|---|---|
| NOAEC (inhalation,rat,dust/mist/fume,90 days) | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) |
|---|---|

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

| <b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b> |   |
|---|---|
| NOAEL (oral,rat,90 days)  | 25 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |

Aspiration hazard : Not classified

| <b>Anti-Wear ISO 32 Hydraulic Oil</b> |                                  |
|---------------------------------------|----------------------------------|
| Viscosity, kinematic                  | 35.2 mm <sup>2</sup> /s @ 40 ° C |

| <b>Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)</b> |                       |
|--|-----------------------|
| Viscosity, kinematic   | 18 mm <sup>2</sup> /s |
| Hydrocarbon  | Yes                   |
| Aliphatic, alicyclic or aromatic hydrocarbon                               | Yes                   |

| <b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b> |  |
|---|--|
| Viscosity, kinematic  | 353 mm <sup>2</sup> /s (40 °C, OECD 114: Viscosity of Liquids) |

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.

Symptoms/effects after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

Chronic symptoms : Suspected of damaging fertility or the unborn child.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

| <b>Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)</b> |                            |
|--|----------------------------|
| LC50 - Fish [1]  | > 5000 mg/l                |
| EC50 - Crustacea [1]   | > 1000 mg/l Source: IUCLID |
| EC50 96h - Algae [1]   | > 1000 mg/l Source: IUCLID |

| <b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)</b> |   |
|---|---|
| LC50 - Fish [1]   | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Nominal concentration)                |
| EC50 - Crustacea [1]  | 51 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)          |
| EC50 72h - Algae [1]  | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)   |
| ErC50 algae   | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### 12.2. Persistence and degradability

#### Anti-Wear ISO 32 Hydraulic Oil

|                               |   |
|-------------------------------|---|
| Persistence and degradability | Biodegradability in water: no data available. |
|-------------------------------|---|

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |
|-------------------------------|------------------------|

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

|                               |                                     |
|-------------------------------|-------------------------------------|
| Persistence and degradability | Not readily biodegradable in water. |
|-------------------------------|-------------------------------------|

### 12.3. Bioaccumulative potential

#### Anti-Wear ISO 32 Hydraulic Oil

|                           |   |
|---------------------------|---|
| Bioaccumulative potential | No data available concerning bioaccumulation. |
|---------------------------|---|

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|   |                        |
|---|------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 3.9 – 6 Source: IUCLID |
|---|------------------------|

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

|                |   |
|----------------|---|
| BCF - Fish [1] | 1730 (42 day(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across, GLP) |
|----------------|---|

|   |   |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | 6.66 (Experimental value, OECD 123: Partition Coefficient (1-Octanol/Water): Slow-Stirring Method, 23 °C) |
|---|---|

|                           |   |
|---------------------------|---|
| Bioaccumulative potential | Potential for bioaccumulation (500 ≤ BCF ≤ 5000). |
|---------------------------|---|

### 12.4. Mobility in soil

#### Anti-Wear ISO 32 Hydraulic Oil

|                |                                      |
|----------------|--------------------------------------|
| Ecology - soil | No additional information available. |
|----------------|--------------------------------------|

#### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

|                  |                        |
|------------------|------------------------|
| Mobility in soil | 60460 Source: EPISUITE |
|------------------|------------------------|

|  |  |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.754 – 8.947 (log Koc, SRC PCKOCWIN v2.0, QSAR) |
|--|--|

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

## SECTION 13 Disposal considerations

|  |   |
|--|---|
| Regional waste regulation                  | : Disposal must be done according to official regulations.                                    |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.                                    |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.                                    |
| Additional information                     | : Do not re-use empty containers.   |

## SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

| DOT                                     | TDG           | IMDG          | IATA          |
|---|---------------|---------------|---------------|
| <b>14.1. UN number</b>                  |               |               |               |
| Not regulated for transport             |               |               |               |
| <b>14.2. Proper Shipping Name</b>       |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

#### DOT

Not regulated

#### TDG

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

## SECTION 15 Regulatory information

### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

##### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. State regulations



#### WARNING:

This product can expose you to Cumene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 10/7/2025  
Issue date : 7/7/2025  
Data sources : Supplier's safety documents.  
Training advice : Training staff on good practice.

### Full text of hazard classes and H-statements

|      |   |
|------|---|
| H304 | May be fatal if swallowed and enters airways        |
| H361 | Suspected of damaging fertility or the unborn child |
| H402 | Harmful to aquatic life                             |
| H412 | Harmful to aquatic life with long lasting effects   |

### Abbreviations and acronyms

|         |   |
|---------|---|
| ACGIH   | American Conference of Government Industrial Hygienists   |
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE     | Acute Toxicity Estimate   |
| BCF     | Bioconcentration factor   |
| BLV     | Biological limit value  |
| BOD     | Biochemical oxygen demand (BOD)   |
| CAS-No. | Chemical Abstract Service number  |
| CLP     | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |
| COD     | Chemical oxygen demand (COD)  |
| CSA     | Chemical safety assessment  |
| DMEL    | Derived Minimal Effect level  |

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

| Abbreviations and acronyms |  |
|----------------------------|--|
| DNEL                       | Derived-No Effect Level  |
| EC-No.                     | European Community number  |
| EC50                       | Median effective concentration   |
| ED                         | Endocrine disruptor  |
| EN                         | European Standard  |
| EWC                        | European waste catalogue   |
| IARC                       | International Agency for Research on Cancer                                  |
| IATA                       | International Air Transport Association                                      |
| IMDG                       | International Maritime Dangerous Goods                                       |
| LC50                       | Median lethal concentration  |
| LD50                       | Median lethal dose   |
| LOAEL                      | Lowest Observed Adverse Effect Level   |
| Log Kow                    | Partition coefficient n-octanol/water (Log Kow)                              |
| Log Pow                    | Partition coefficient n-octanol/water (Log Pow)                              |
| MAK                        | maximum workplace concentration  |
| NOAEC                      | No-Observed Adverse Effect Concentration                                     |
| NOAEL                      | No-Observed Adverse Effect Level   |
| NOEC                       | No-Observed Effect Concentration   |
| N.O.S.                     | Not Otherwise Specified  |
| OECD                       | Organization for Economic Co-operation and Development                       |
| OEL                        | Occupational Exposure Limit  |
| OSHA                       | Occupational Safety & Health Administration                                  |
| PBT                        | Persistent Bioaccumulative Toxic   |
| PNEC                       | Predicted No-Effect Concentration  |
| PPE                        | Personal protection equipment  |
| RID                        | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                        | Safety Data Sheet  |
| STP                        | Sewage treatment plant   |
| TF                         | Technical function   |
| ThOD                       | Theoretical oxygen demand (ThOD)   |
| TLM                        | Median Tolerance Limit   |
| TWA                        | Time Weighted Average  |
| VOC                        | Volatile Organic Compounds   |
| vPvB                       | Very Persistent and Very Bioaccumulative                                     |
| UFI                        | Unique Formula Identifier  |

Safety Data Sheet (SDS), USA

# Anti-Wear ISO 32 Hydraulic Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.