

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Mixture
Trade name	: RED N TACKY SPRAY GREASE
Product code	: 11025

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Lubricants and additives
------------------------------	----------------------------

1.3. Details of the supplier of the safety data sheet

Lucas Oil Products
302 N Sheridan Street
Corona, CA 92880
T 800.342.2512 - F 951.270.1902
www.lucasoil.com

1.4. Emergency telephone number

Emergency number	: For Chemical Emergency Call ChemTel 24hr/day 7days/week Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924 International: 1-813-248-0585 (collect calls accepted)
------------------	--

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GHS US classification**

Flammable aerosols, Category 1	H222 Extremely flammable aerosol.
Gases under pressure : Liquefied gas	H280 Contains gas under pressure; may explode if heated.
Serious eye damage/eye irritation, Category 2	H319 Causes serious eye irritation.
Germ cell mutagenicity, Category 1B	H340 May cause genetic defects.
Carcinogenicity, Category 1A	H350 May cause cancer.
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336 May cause drowsiness or dizziness.

Full text of H- and EUH-statements: see section 16

2.2. Label elements

No labeling obligation.

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H222 - Extremely flammable aerosol
H280 - Contains gas under pressure; may explode if heated
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H340 - May cause genetic defects
H350 - May cause cancer

Precautionary statements (GHS US)

: P201 - Obtain special instructions
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 - If exposed or concerned: Get medical advice/attention.
P312 - Call a POISON CONTROL CENTER, doctor, if you feel unwell.
P337+P313 - If eye irritation persists: Get medical advice or attention.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P410+P403 - Protect from sunlight. Store in a well-ventilated place.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Red Grease - LIX Hi-Temp ISO 220 -- Red N Tacky NLGI #2		30 – 50	Not classified
Methyl Acetate	(CAS-No.) 79-20-9	30 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Distillates (Petroleum), Hydrotreated Heavy Naphthenic	(CAS-No.) 64742-52-5	10 – 30	Carc. 1B, H350
Petroleum Gases, Liquefied, Sweetened	(CAS-No.) 68476-86-8	10 – 30	Flam. Gas 1, H220 Press. Gas (Comp.), H280
Ethene/ Hexadiene/ Propene, Terpolymers	(CAS-No.) 25038-37-3	< 1	Not classified
Distillates (Petroleum), Hydrotreated Light Naphthenic	(CAS-No.) 64742-53-6	0.065 – 0.091	Not classified
2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar'	(CAS-No.) 92257-31-3	0.065 – 0.091	Not classified
Methyl derivatives			

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

: Direct contact with the eyes is likely to be irritating. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: May cause genetic defects.

Symptoms/effects after inhalation

: Shortness of breath. May cause cancer by inhalation. May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Extremely flammable aerosol.

Explosion hazard

: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

Other information

: Aerosol Level 2.

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust,fume,gas,mist,vapor spray.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Using a clean shovel, put the material in a dry container and cover without compressing it.

Methods for cleaning up : Absorb remaining liquid with sand or inert absorbent and remove to safe place. Clean up any spills as soon as possible, using an absorbent material to collect it. On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not spray on an open flame or other ignition source. Obtain special instructions . Do not handle until all safety precautions have been read and understood. Eliminate all ignition sources if safe to do so. Avoid breathing dust,fume,gas,mist,vapor spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash affected areas thoroughly after handling. Always wash hands after handling the product. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

LUCAS RED N TACKY GREASE AEROSOL 11 OZ.

No additional information available

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

No additional information available

Red Grease - LIX Hi-Temp ISO 220 -- Red N Tacky NLGI #2

No additional information available

Methyl Acetate (79-20-9)

No additional information available

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA	200 ppm
---------------	---------

ACGIH OEL STEL	250 ppm
----------------	---------

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)	
No additional information available	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	3 mg/m ³ (Respirable fraction)
Distillates (Petroleum), Hydrotreated Light Naphthenic (64742-53-6)	
No additional information available	
2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar' Methyl derivatives (92257-31-3)	
No additional information available	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.14 mg/m ³ 0.008 ppm
ACGIH OEL STEL	0.42 mg/m ³ Absorbed via skin 0.02 ppm
Petroleum Gases, Liquefied, Sweetened (68476-86-8)	
No additional information available	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1000 ppm Listed under Aliphatic hydrocarbon gases alkane C1-C4
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	1800 mg/m ³ 1000 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (TWA)	1800 mg/m ³ 1000 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Ensure good ventilation of the work station. Local exhaust ventilation, vent hoods.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses. Face shield. Avoid all unnecessary exposure.

Hand protection:

Gloves. Wear protective gloves

Eye protection:

Face shield. Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Semi-solid. Gel Like.

Color : Dark red.

Odor : Characteristic.

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 88 °C (Lowest component)
Flash point	: -9 °C (Lowest component)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: No data available
Vapor pressure	: < 0.13 kPa
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.9 g/ml
Solubility	: Not soluble in water alone.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: 19 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Toxic fume. . Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Methyl Acetate (79-20-9)

LD50 oral rat	6482 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	6482 mg/kg body weight

Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)

LD50 oral rat	> 7500 mg/kg (Rat, Oral)
---------------	--------------------------

2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar' Methyl derivatives (92257-31-3)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.

Methyl Acetate (79-20-9)

STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not applicable
Viscosity, kinematic	: 19 mm ² /s
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: May cause genetic defects.
Symptoms/effects after inhalation	: Shortness of breath. May cause cancer by inhalation. May cause drowsiness or dizziness.

SECTION 12: Ecological information

12.1. Toxicity

Methyl Acetate (79-20-9)

LC50 - Fish [1]	250 – 350 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	1027 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 algae	> 120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

LUCAS RED N TACKY GREASE AEROSOL 11 OZ.

Persistence and degradability	Not established.
-------------------------------	------------------

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Persistence and degradability	Not established.
-------------------------------	------------------

Red Grease - LIX Hi-Temp ISO 220 -- Red N Tacky NLGI #2

Persistence and degradability	Not established.
-------------------------------	------------------

Methyl Acetate (79-20-9)

Persistence and degradability	Readily biodegradable in water. Inherently biodegradable. Highly mobile in soil. Not established.
-------------------------------	---

Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)

Persistence and degradability	Biodegradability in water: no data available. Not established.
-------------------------------	--

Distillates (Petroleum), Hydrotreated Light Naphthenic (64742-53-6)

Persistence and degradability	Not established.
-------------------------------	------------------

2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar' Methyl derivatives (92257-31-3)

Persistence and degradability	Not established.
-------------------------------	------------------

Petroleum Gases, Liquefied, Sweetened (68476-86-8)

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

LUCAS RED N TACKY GREASE AEROSOL 11 OZ.

Bioaccumulative potential	Not established.
---------------------------	------------------

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Bioaccumulative potential	Not established.
---------------------------	------------------

Red Grease - LIX Hi-Temp ISO 220 -- Red N Tacky NLGI #2

Bioaccumulative potential	Not established.
---------------------------	------------------

Methyl Acetate (79-20-9)

Partition coefficient n-octanol/water (Log Pow)	0.18 (Experimental value, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500). Not established.

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)

Bioaccumulative potential : No bioaccumulation data available. Not established.

Distillates (Petroleum), Hydrotreated Light Naphthenic (64742-53-6)

Bioaccumulative potential : Not established.

2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar' Methyl derivatives (92257-31-3)

Bioaccumulative potential : Not established.

Petroleum Gases, Liquefied, Sweetened (68476-86-8)

Bioaccumulative potential : Not established.

12.4. Mobility in soil

Methyl Acetate (79-20-9)

Surface tension : 24 mN/m (20 °C)

Organic Carbon Normalized Adsorption Coefficient (Log Koc) : 0.18 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)

Ecology - soil : Highly mobile in soil.

12.5. Other adverse effects

Effect on global warming : No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national, international regulations.

Additional information : Flammable vapors may accumulate in the container.

Ecological information : Avoid release to the environment.

SECTION 14: Transport information


Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : UN1950 Aerosols (Flammable, (each not exceeding 1L capacity)), 2.1, Limited Quantity

UN-No.(DOT) : UN1950

Proper Shipping Name (DOT) : Aerosols



Flammable, (each not exceeding 1L capacity)

Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : LTD QTY - Limited quantity

Other information : No supplementary information available.


Transport by sea

UN-No. (IMDG) : UN1950

Proper Shipping Name (IMDG) : Aerosols

Class (IMDG) : 2.1 - Flammable gases

Hazard labels (IMDG) : LTD QTY - Limited Quantity



Air transport

UN-No. (IATA) : UN1950

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IATA)	: Aerosols
Class (IATA)	: 2.1 - Gases : Flammable
Hazard labels (IATA)	: LTD QTY - Limited Quantity



SECTION 15: Regulatory information

15.1. US Federal regulations

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Methyl Acetate (79-20-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
--------------------------	---

Distillates (Petroleum), Hydrotreated Light Naphthenic (64742-53-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar' Methyl derivatives (92257-31-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Petroleum Gases, Liquefied, Sweetened (68476-86-8)

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Fire hazard Sudden release of pressure hazard
-------------------------------------	---

15.2. International regulations

CANADA

Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)

Listed on the Canadian DSL (Domestic Substances List)

Methyl Acetate (79-20-9)

Listed on the Canadian DSL (Domestic Substances List)

Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)

Listed on the Canadian DSL (Domestic Substances List)

Distillates (Petroleum), Hydrotreated Light Naphthenic (64742-53-6)

Listed on the Canadian DSL (Domestic Substances List)

2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar' Methyl derivatives (92257-31-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

No additional information available

15.3. US State regulations

LUCAS RED N TACKY GREASE AEROSOL 11 OZ.()	
U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	No

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LUCAS RED N TACKY GREASE AEROSOL 11 OZ.()				
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No			
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No			
Distillates (Petroleum), Hydrotreated Heavy Naphthenic (64742-52-5)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
Red Grease - LIX Hi-Temp ISO 220 -- Red N Tacky NLGI #2				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
Methyl Acetate (79-20-9)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
Ethene/ Hexadiene/ Propene, Terpolymers (25038-37-3)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
Distillates (Petroleum), Hydrotreated Light Naphthenic (64742-53-6)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
2-Naphthalenol, 1-((4-(phenylazo)phenyl)azo)-,ar-heptyl ar',ar' Methyl derivatives (92257-31-3)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
Petroleum Gases, Liquefied, Sweetened (68476-86-8)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	No	No	No	
Methyl Acetate (79-20-9)				
State or local regulations				
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations				
U.S. - New Jersey - Right to Know Hazardous Substance List				
U.S. - New York City - Right to Know Hazardous Substances List				
U.S. - Pennsylvania - RTK (Right to Know) List				

SECTION 16: Other information

Other information : None.

Full text of hazard classes and H-statements:

H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated

RED N TACKY SPRAY GREASE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects.
H350	May cause cancer.

The Supplier identified in Section 1 of this SDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product

Disclaimer: The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.