



# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)  
Issue date: 8/12/2025 Revision date: 1/21/2026 Supersedes: 8/12/2025 Version: 2.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : Junior Dragster Synthetic SAE 5W-20 Engine Oil  
Part Number : 10471

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Lubricating oil

#### 1.4. Supplier's details

Lucas Oil Products, Inc.  
3199 Harrison Way NW  
Corydon, IN 47112  
USA  
T 800-342-2512  
[sds@lucasoil.com](mailto:sds@lucasoil.com) - [www.LucasOil.com](http://www.LucasOil.com)

#### 1.5. Emergency phone number

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week  
Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924  
International: 1-813-248-0585  
(collect calls accepted)

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

|   |      |                                      |
|---|------|--------------------------------------|
| Serious eye damage/eye irritation, Category 2 | H319 | Causes serious eye irritation.       |
| Skin sensitization, Category 1                | H317 | May cause an allergic skin reaction. |
| Full text of H statements : see section 16    |      |                                      |

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning  
Hazard statements (GHS US) : H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
Precautionary statements (GHS US) : P261 - Avoid breathing dust, fume, gas, mist, vapors, spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.  
P302+P352 - If on skin: Wash with plenty of water.

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.  
P337+P313 - If eye irritation persists: Get medical advice or attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %          | GHS US classification   |
|---|----------------------|------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based                                  | CAS-No.: 72623-87-1  | 30 - 60*   | Asp. Tox. 1, H304   |
| 1-Decene, homopolymer, hydrogenated   | CAS-No.: 68037-01-4  | 15 - 40*   | Asp. Tox. 1, H304   |
| Reaction products of 1-decene, 1-dodecene and 1-octene, hydrogenated                                  | CAS-No.: 163149-28-8 | 15 - 40*   | Asp. Tox. 1, H304   |
| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts   | CAS-No.: 68649-42-3  | 1 - 5*     | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319   |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts                           | CAS-No.: 68457-79-4  | 1 - 5*     | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Acute 3, H402<br>Aquatic Chronic 3, H412 |
| Distillates (petroleum), hydrotreated heavy paraffinic  | CAS-No.: 64742-54-7  | 1 - 5*     | Asp. Tox. 1, H304   |
| Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-κappaS,κappaS']dioxodi-mu-thioxodi-, (Mo-Mo) | CAS-No.: 72030-25-2  | 0.5 - 1.5* | Skin Irrit. 2, H315<br>Skin Sens. 1, H317   |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

|   |  |
|---|--|
| First-aid measures after skin contact         | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.   |
| First-aid measures after eye contact          | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion            | : Call a poison center/doctor/physician if you feel unwell.  |
| Personal protection for first-aid responders. | : First aid workers will be equipped with suitable personal protective equipment.  |

### 4.2. Most important symptoms/effects, acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects after inhalation   | : None under normal conditions.        |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact  | : Eye irritation.                      |
| Symptoms/effects after ingestion    | : None under normal conditions.        |

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

|                                   |                          |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

### 5.2. Specific hazards arising from the chemical

|  |                                |
|--|--------------------------------|
| Fire hazard                                      | : No fire hazard.              |
| Explosion hazard                                 | : No direct explosion hazard.  |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

### 5.3. Special protective equipment and precautions for fire-fighters

|                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.              |

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |   |
|------------------|---|
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. |
|------------------|---|

#### For non-emergency personnel

|                      |   |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment.   |
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |

#### For emergency responders

|                           |   |
|---------------------------|---|
| Protective equipment      | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures      | : Evacuate unnecessary personnel. Stop leak if safe to do so.   |
| Environmental precautions | : Avoid release to the environment.   |

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

### 6.2. Methods and materials for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk. |
| Methods for cleaning up | : Take up liquid spill into absorbent material.   |
| Other information       | : Dispose of materials or solid residues at an authorized site.   |

For further information refer to section 13.

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

|                                   |   |
|-----------------------------------|---|
| Precautions for safe handling     | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.   |
| Hygiene measures                  | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use.  |

### 7.2. Conditions for safe storage, including incompatibilities

|                     |   |
|---------------------|---|
| Technical measures  | : Keep in a cool, well-ventilated place away from heat.                     |
| Storage conditions  | : Keep cool. Protect from sunlight.   |
| Packaging materials | : Always store product in container of same material as original container. |

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### 1-Decene, homopolymer, hydrogenated (68037-01-4)

##### USA - ACGIH® - Threshold Limit Values

|                 |  |
|-----------------|--|
| ACGIH® TLV® TWA | 5 mg/m <sup>3</sup> (Inhalable fraction) |
|-----------------|--|

### 8.2. Appropriate engineering controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls  | : Avoid release to the environment.            |

### 8.3. Individual protection measures, such as personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

### Personal protective equipment symbol(s):



## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

|   |   |
|---|---|
| Physical state                                  | : Liquid  |
| Color   | : Mixture contains one or more component(s) which have the following color(s):<br>Colourless Colourless to yellow Amber dark green White to grey White On exposure to light: yellow   |
| Odor  | : There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure.<br>Mixture contains one or more component(s) which have the following odor:<br>Aromatic odour Solvent-like odour Characteristic odour Odourless Almost odourless Phenol odour |
| Odor threshold                                  | : No data available   |
| pH  | : No data available   |
| Melting point                                   | : Not applicable  |
| Freezing point                                  | : No data available   |
| Boiling point                                   | : No data available   |
| Flash point                                     | : > 200 °C  |
| Flammability (solid, gas)                       | : Not applicable.   |
| Vapor pressure                                  | : No data available   |
| Relative vapor density at 20°C                  | : No data available   |
| Relative density                                | : 0.875   |
| Density   | : 7.311 lb/gal  |
| Solubility                                      | : No data available   |
| Partition coefficient n-octanol/water (Log Pow) | : No data available   |
| Auto-ignition temperature                       | : No data available   |
| Decomposition temperature                       | : No data available   |
| Viscosity, kinematic                            | : 49.45 mm²/s @ 40 °C   |
| Explosion limits                                | : No data available   |
| Particle characteristics                        | : No data available   |

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

|                    |   |
|--------------------|---|
| LD50 oral rat      | > 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 oral          | 5000 mg/kg  |
| LD50 dermal rabbit | > 2000 mg/kg Source: IUCLID   |
| LD50 dermal        | 5000 mg/kg  |
| ATE US (oral)      | 5000 mg/kg body weight  |
| ATE US (dermal)    | 5000 mg/kg body weight  |

#### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

|                       |   |
|-----------------------|---|
| LD50 oral rat         | 3195 mg/kg Source: ECHA                     |
| LD50 dermal rabbit    | > 3160 mg/kg Source: ECHA                   |
| LC50 Inhalation - Rat | > 5 mg/l air Animal: rat, Guideline: other: |
| ATE US (oral)         | 3195 mg/kg body weight                      |

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                    |                             |
|--------------------|-----------------------------|
| LD50 dermal rabbit | > 5000 mg/kg Source: IUCLID |
|--------------------|-----------------------------|

#### 1-Decene, homopolymer, hydrogenated (68037-01-4)

|                 |   |
|-----------------|---|
| LD50 dermal rat | > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
|-----------------|---|

#### Reaction products of 1-decene, 1-dodecene and 1-octene, hydrogenated (163149-28-8)

|                                   |   |
|-----------------------------------|---|
| LD50 oral rat                     | > 5000 mg/kg Source: ECHA   |
| LD50 dermal rat                   | > 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LD50 dermal rabbit                | > 3000 mg/kg Source: ECHA   |
| LC50 Inhalation - Rat (Dust/Mist) | > 5.2 mg/l Source: ECHA   |

#### Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)

|                    |  |
|--------------------|--|
| LD50 oral rat      | 3600 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))             |
| LD50 dermal rabbit | > 20000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal) |

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| <b>Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)</b> |  |
|---|--|
| ATE US (oral)   | 3600 mg/kg body weight   |
| Skin corrosion/irritation   | : Not classified   |
| <b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>               |  |
| pH  | 5.5 – 7.5 Concentration: 1 vol%  |
| <b>Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)</b> |  |
| pH  | No data available in the literature  |
| Serious eye damage/irritation   | : Causes serious eye irritation.   |
| <b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>               |  |
| pH  | 5.5 – 7.5 Concentration: 1 vol%  |
| <b>Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)</b> |  |
| pH  | No data available in the literature  |
| Respiratory or skin sensitization   | : May cause an allergic skin reaction.   |
| Germ cell mutagenicity  | : Not classified   |
| Carcinogenicity   | : Not classified   |
| Reproductive toxicity   | : Not classified   |
| <b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>               |  |
| NOAEL (animal/female, F0/P)   | 300 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:   |
| NOAEL (animal/female, F1)   | 1000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:  |
| STOT-single exposure  | : Not classified   |
| STOT-repeated exposure  | : Not classified   |
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)</b>        |  |
| LOAEL (oral, rat, 90 days)  | 125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days)  | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)                                  |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)</b>                      |  |
| LOAEL (oral, rat, 90 days)  | 125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation, rat, dust/mist/fume, 90 days)  | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)                                  |
| Aspiration hazard   | : Not classified   |
| <b>Junior Dragster Synthetic SAE 5W-20 Engine Oil</b>   |  |
| Viscosity, kinematic  | 49.45 mm <sup>2</sup> /s @ 40 ° C  |
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)</b>        |  |
| Viscosity, kinematic  | 12 mm <sup>2</sup> /s  |
| Hydrocarbon   | Yes  |
| <b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>               |  |
| Viscosity, kinematic  | 9 – 15 mm <sup>2</sup> /s Temp.: 'other' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)'  |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)</b>                      |  |
| Viscosity, kinematic  | 18 mm <sup>2</sup> /s  |

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)</b>  |   |
|---|---|
| Hydrocarbon   | Yes   |
| Aliphatic, alicyclic or aromatic hydrocarbon  | Yes   |
| <b>Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)</b>   |   |
| Viscosity, kinematic  | 264.8 mm <sup>2</sup> /s (40 °C, ASTM D445: Capillary viscometer)   |
| Symptoms/effects after inhalation   | : None under normal conditions.   |
| Symptoms/effects after skin contact   | : May cause an allergic skin reaction.  |
| Symptoms/effects after eye contact  | : Eye irritation.   |
| Symptoms/effects after ingestion  | : None under normal conditions.   |
| <b>SECTION 12 Ecological information</b>  |   |
| <b>12.1. Ecotoxicity</b>  |   |
| Ecology - general   | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.                |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic)   | : Not classified  |
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)</b>  |   |
| LC50 - Fish [1]   | > 5000 mg/l Source: IUCLID  |
| EC50 - Crustacea [1]  | > 1000 mg/l Source: IUCLID  |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)</b>  |   |
| LC50 - Fish [1]   | > 5000 mg/l   |
| EC50 - Crustacea [1]  | > 1000 mg/l Source: IUCLID  |
| EC50 96h - Algae [1]  | > 1000 mg/l Source: IUCLID  |
| <b>Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)</b>   |   |
| LC50 - Fish [1]   | 46 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinodon variegatus, Semi-static system, Marine water, Experimental value, GLP) |
| <b>12.2. Persistence and degradability</b>  |   |
| <b>Junior Dragster Synthetic SAE 5W-20 Engine Oil</b>   |   |
| Persistence and degradability   | Not rapidly degradable  |
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)</b>  |   |
| Persistence and degradability   | Not rapidly degradable  |
| <b>Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)</b>   |   |
| Persistence and degradability   | Not rapidly degradable  |
| <b>Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-<i>kappa</i>S,<i>kappa</i>S']dioxodi-mu-thioxodi-, (Mo-Mo) (72030-25-2)</b> |   |
| Persistence and degradability   | Not rapidly degradable  |
| <b>Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)</b>  |   |
| Persistence and degradability   | Not rapidly degradable  |

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| 1-Decene, homopolymer, hydrogenated (68037-01-4)   |   |
|--|---|
| Persistence and degradability  | Biodegradability in water: no data available. |
| Reaction products of 1-decene, 1-dodecene and 1-octene, hydrogenated (163149-28-8)       |   |
| Persistence and degradability  | Not rapidly degradable                        |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4) |   |
| Persistence and degradability  | Not readily biodegradable in water.           |

### 12.3. Bioaccumulative potential

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)        |   |
|--|---|
| Partition coefficient n-octanol/water (Log Pow)  | 3.9 – 6 Source: IUCLID  |
| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)               |   |
| Partition coefficient n-octanol/water (Log Pow)  | 14.876 Source: ECHA   |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)                      |   |
| Partition coefficient n-octanol/water (Log Pow)  | 3.9 – 6 Source: IUCLID  |
| 1-Decene, homopolymer, hydrogenated (68037-01-4)   |   |
| Bioaccumulative potential  | No bioaccumulation data available.  |
| Reaction products of 1-decene, 1-dodecene and 1-octene, hydrogenated (163149-28-8)       |   |
| Partition coefficient n-octanol/water (Log Pow)  | 5   |
| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4) |   |
| Partition coefficient n-octanol/water (Log Pow)  | 0.69 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 21.8 °C) |
| Bioaccumulative potential  | Low potential for bioaccumulation (Log Kow < 4).  |

### 12.4. Mobility in soil

| Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4) |   |
|--|---|
| Surface tension  | 61.1 mN/m (21 °C, 1.25 g/l, EU Method A.5: Surface tension) |
| Ecology - soil   | No (test)data on mobility of the substance available.       |

### 12.5. Other adverse effects

|                              |                  |
|------------------------------|------------------|
| Ozone                        | : Not classified |
| Fluorinated greenhouse gases | : No             |

## SECTION 13 Disposal considerations

|  |   |
|--|---|
| Regional waste regulation                  | : Disposal must be done according to official regulations.  |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions.   |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations.  |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations.  |
| Additional information                     | : Do not re-use empty containers.   |
| Ecological waste information               | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

### SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

| DOT                                     | TDG           | IMDG          | IATA          |
|---|---------------|---------------|---------------|
| <b>14.1. UN number</b>                  |               |               |               |
| Not regulated for transport             |               |               |               |
| <b>14.2. Proper Shipping Name</b>       |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

#### DOT

Not regulated

#### TDG

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

### SECTION 15 Regulatory information

#### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

|                                     |                    |           |
|-------------------------------------|--------------------|-----------|
| 1-Decene, homopolymer, hydrogenated | CAS-No. 68037-01-4 | 15 - 40*% |
|-------------------------------------|--------------------|-----------|

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

### 15.2. International regulations

#### CANADA

##### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Listed on the Canadian DSL (Domestic Substances List)

##### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

Listed on the Canadian DSL (Domestic Substances List)

##### Molybdenum, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-kappaS,kappaS']dioxodi-mu-thioxodi-, (Mo-Mo) (72030-25-2)

Listed on the Canadian DSL (Domestic Substances List)

##### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on the Canadian DSL (Domestic Substances List)

##### Reaction products of 1-decene, 1-dodecene and 1-octene, hydrogenated (163149-28-8)

Listed on the Canadian DSL (Domestic Substances List)

##### Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

##### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts (68457-79-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Revision date : 1/21/2026

Issue date : 8/12/2025

#### Full text of hazard classes and H-statements

|      |  |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
|------|--|

# Junior Dragster Synthetic SAE 5W-20 Engine Oil

## Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| Full text of hazard classes and H-statements |   |
|--|---|
| H315   | Causes skin irritation                            |
| H317   | May cause an allergic skin reaction               |
| H318   | Causes serious eye damage                         |
| H319   | Causes serious eye irritation                     |
| H402   | Harmful to aquatic life                           |
| H412   | Harmful to aquatic life with long lasting effects |

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.