



RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)
Issue date: 3/10/2025 Revision date: 1/8/2026 Supersedes: 7/25/2025 Version: 5.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : RED "N" TACKY® Grease
Part Number : 10574

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Lubricants, Greases and Release Products

1.4. Supplier's details

Lucas Oil Products, Inc.
3199 Harrison Way NW
Corydon, IN 47112
USA
T 800-342-2512
sds@lucasoil.com - www.LucasOil.com

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week
Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924
International: 1-813-248-0585
(collect calls accepted)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin sensitization, Category 1 H317 May cause an allergic skin reaction.
Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US)

: Warning

Hazard statements (GHS US)

: H317 - May cause an allergic skin reaction

Precautionary statements (GHS US)

: P261 - Avoid breathing dust, fume, gas, mist, vapors, spray.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.

P302+P352 - If on skin: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|--|---------------------|---------|--|
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | CAS-No.: 68584-23-6 | 7 - 13* | Skin Sens. 1B, H317 |
| Sulfonic acids, petroleum, calcium salts | CAS-No.: 61789-86-4 | 1 - 5* | Skin Sens. 1B, H317 |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | CAS-No.: 70024-69-0 | 1 - 5* | Skin Sens. 1B, H317 |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | CAS-No.: 36878-20-3 | 1 - 5* | Aquatic Chronic 4, H413 |
| Calcium metaborate | CAS-No.: 13701-64-9 | 1 - 5* | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general

: If you feel unwell, seek medical advice.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

: Rinse eyes with water as a precaution.

First-aid measures after ingestion

: Call a poison center/doctor/physician if you feel unwell.

Personal protection for first-aid responders.

: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation

: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.

Symptoms/effects after skin contact

: May cause an allergic skin reaction.

Symptoms/effects after eye contact

: None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion

: None under normal conditions.

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.
Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| | |
|-----------------------------------|---|
| Hygiene measures | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use. |

7.2. Conditions for safe storage, including incompatibilities

| | |
|---------------------|---|
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Keep cool. Protect from sunlight. |
| Packaging materials | : Always store product in container of same material as original container. |

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

| | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls | : Avoid release to the environment. |

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|----------------|--|
| Physical state | : Solid |
| Color | : Mixture contains one or more component(s) which have the following color(s): White Pure substance: colourless to white Unpurified: grey-blue or red Unpurified: grey-brown Pure substance: white Unpurified: yellow to brown Colourless to white Light yellow Colourless On exposure to light: yellow |
| | |
| | |
| | |

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| | |
|---|--|
| Odor | : There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odor: Odourless Mild odour Vinegar odour Tar odour Characteristic odour Almost odourless Phenol odour |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : > 200 °C |
| Flammability (solid, gas) | : Non flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20°C | : No data available |
| Relative density | : 0.898 |
| Density | : 7.5 lb/gal |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : 150 mm ² /s @ 40 ° C |
| Explosion limits | : Not applicable |
| Particle characteristics | : Particle size : Not Applicable |

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

| | |
|-------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Acute toxicity (inhalation) : Not classified

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

| | |
|---------------|--|
| LD50 oral rat | > 16000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other: |
|---------------|--|

| | |
|--------------------|--|
| LD50 dermal rabbit | > 4000 mg/kg body weight Animal: rabbit, Guideline: other: |
|--------------------|--|

Sulfonic acids, petroleum, calcium salts (61789-86-4)

| | |
|---------------|--|
| LD50 oral rat | > 16000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other: |
|---------------|--|

| | |
|-----------------|--|
| LD50 dermal rat | > 2000 mg/kg Source: International Uniform Chemical Information Database |
|-----------------|--|

| | |
|--------------------|--|
| LD50 dermal rabbit | > 4000 mg/kg body weight Animal: rabbit, Guideline: other: |
|--------------------|--|

| | |
|-----------------------|---|
| LC50 Inhalation - Rat | > 1.9 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity) |
|-----------------------|---|

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

| | |
|---------------|--|
| LD50 oral rat | > 16000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other: |
|---------------|--|

| | |
|--------------------|--|
| LD50 dermal rabbit | > 4000 mg/kg body weight Animal: rabbit, Guideline: other: |
|--------------------|--|

| | |
|-----------------------|---|
| LC50 Inhalation - Rat | > 1.9 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity) |
|-----------------------|---|

| | |
|-----------------------------------|-------------------------|
| LC50 Inhalation - Rat (Dust/Mist) | > 1.9 mg/l Source: ECHA |
|-----------------------------------|-------------------------|

Calcium metaborate (13701-64-9)

| | |
|---------------|---|
| LD50 oral rat | > 2600 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)) |
|---------------|---|

| | |
|--------------------|--|
| LD50 dermal rabbit | > 2000 mg/kg body weight Animal: rabbit, Guideline: other: |
|--------------------|--|

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)

| | |
|---------------|---|
| LD50 oral rat | > 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
|---------------|---|

Skin corrosion/irritation : Not classified

Sulfonic acids, petroleum, calcium salts (61789-86-4)

| | |
|----|---|
| pH | 8 |
|----|---|

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

| | |
|----|-----------------------|
| pH | 8.1 Source: ECHA Chem |
|----|-----------------------|

Serious eye damage/irritation : Not classified

Sulfonic acids, petroleum, calcium salts (61789-86-4)

| | |
|----|---|
| pH | 8 |
|----|---|

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

| | |
|----|-----------------------|
| pH | 8.1 Source: ECHA Chem |
|----|-----------------------|

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

Calcium metaborate (13701-64-9)

| | |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

STOT-repeated exposure : Not classified

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
|--|---|
| NOAEL (oral, rat, 90 days) | 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| NOAEL (oral, rat, 90 days) | 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Aspiration hazard | : Not classified |
| RED "N" TACKY® Grease | |
| Viscosity, kinematic | 150 mm ² /s @ 40 ° C |
| Symptoms/effects after inhalation | : None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : None under normal conditions. Dust from this product may cause eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |
| SECTION 12 Ecological information | |
| 12.1. Ecotoxicity | |
| Ecology - general | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| LC50 - Fish [1] | 10000 mg/l Source: ECHA |
| EC50 72h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
| EC50 - Crustacea [1] | > 1000 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
|--|---|
| LC50 - Fish [1] | > 10000 mg/l Source: ECHA |
| EC50 - Crustacea [1] | > 1000 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| Calcium metaborate (13701-64-9) | |
| LC50 - Fish [1] | 79.7 mg/l Test organisms (species): Pimephales promelas |
| LC50 - Fish [2] | 74 mg/l Test organisms (species): Limanda limanda |
| EC50 72h - Algae [1] | 66 mg/l Test organisms (species): Phaeodactylum tricornutum |
| EC50 72h - Algae [2] | 54 mg/l Test organisms (species): Phaeodactylum tricornutum |
| NOEC chronic fish | 6.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d' |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
| LC50 - Fish [1] | > 0.0013 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |
| 12.2. Persistence and degradability | |
| RED "N" TACKY® Grease | |
| Persistence and degradability | Not rapidly degradable |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| Persistence and degradability | Not rapidly degradable |
| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
| Persistence and degradability | Not rapidly degradable |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| Persistence and degradability | Not rapidly degradable |
| Calcium metaborate (13701-64-9) | |
| Persistence and degradability | Not rapidly degradable |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
| Persistence and degradability | Not rapidly degradable |
| 12.3. Bioaccumulative potential | |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| Partition coefficient n-octanol/water (Log Pow) | > 4.46 Source: ECHA |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| Partition coefficient n-octanol/water (Log Pow) | > 5.47 Source: ECHA |

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

12.4. Mobility in soil

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)

| | |
|------------------|---------------------------|
| Mobility in soil | 35900000 Source: EPISUITE |
|------------------|---------------------------|

12.5. Other adverse effects

| | |
|------------------------------|------------------|
| Ozone | : Not classified |
| Fluorinated greenhouse gases | : No |

SECTION 13 Disposal considerations

| | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| Ecological waste information | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

| DOT | TDG | IMDG | IATA |
|---|---------------|---------------|---------------|
| 14.1. UN number | | | |
| Not regulated for transport | | | |
| 14.2. Proper Shipping Name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | |

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

TDG

Not regulated

RED "N" TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

Listed on the Canadian DSL (Domestic Substances List)

Sulfonic acids, petroleum, calcium salts (61789-86-4)

Listed on the Canadian DSL (Domestic Substances List)

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

Listed on the Canadian DSL (Domestic Substances List)

Calcium metaborate (13701-64-9)

Listed on the Canadian DSL (Domestic Substances List)

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. State regulations



This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

Revision date : 1/8/2026
Issue date : 3/10/2025

RED “N” TACKY® Grease

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS 2024)

| Full text of hazard classes and H-statements | |
|---|--|
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H413 | May cause long lasting harmful effects to aquatic life |

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.