

Safety Data Sheet

according to NOM-018-STPS-2015

Issue date: 3/10/2025 Revision date: 1/8/2026 Supersedes: 7/25/2025 Version: 5.0

SECTION 1: Identification of the hazardous chemical or mixture and of the supplier or manufacturer**1.1. GHS product identifier**

Product form : Mixture
Product name : RED "N" TACKY® Grease
Part Number : 30005

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Lubricants, Greases and Release Products

1.4. Supplier's details

Lucas Oil Products, Inc.
3199 Harrison Way NW
Corydon, IN 47112
USA
T 800-342-2512

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week
Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924
International: 1-813-248-0585
(collect calls accepted)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GHS MX classification**

Skin sensitization, Category 1 H317 May cause an allergic skin reaction.
Full text of H statements : see section 16

2.2. Label elements**GHS MX labelling**

Hazard pictograms (GHS MX) :



Signal word (GHS MX) : Warning
Hazard statements (GHS MX) : H317 - May cause an allergic skin reaction
Precautionary statements (GHS MX) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

2.3. Other hazards which do not result in classification

Adverse physicochemical, human health and environmental effects : May cause an allergic skin reaction

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS MX classification |
|--|---------------------|-------------|--|
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | CAS-No.: 68584-23-6 | ≥ 5 – < 20 | Skin Sens. 1B, H317 |
| Sulfonic acids, petroleum, calcium salts | CAS-No.: 61789-86-4 | ≥ 1 – < 5 | Skin Sens. 1B, H317 |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | CAS-No.: 70024-69-0 | ≥ 0.1 – < 5 | Skin Sens. 1B, H317 |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | CAS-No.: 36878-20-3 | ≥ 1 – < 5 | Aquatic Chronic 4, H413 |
| Calcium metaborate | CAS-No.: 13701-64-9 | < 5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |

SECTION 4: First aid measures

4.1. Description of necessary first aid measures

First-aid measures general : If you feel unwell, seek medical advice.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders. : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact : May cause an allergic skin reaction.
Symptoms/effects after eye contact : None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.
Unsuitable extinguishing media : Do not use a heavy water stream.

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

5.2. Specific hazards arising from the chemical

| | |
|--|--------------------------------|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Special protective actions for fire-fighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Measures to be taken in case of accidental spillage or accidental leakage

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|---|
| General measures | : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage. |
|------------------|---|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Using a clean shovel, put the material in a dry container and cover without compressing it. |
| Methods for cleaning up | : Mechanically recover the product. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-----------------------------------|---|
| Additional hazards when processed | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Precautions for safe handling | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. |
| Hygiene measures | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|---|
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Keep cool. Protect from sunlight. |
| Packaging materials | : Always store product in container of same material as original container. |

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.
Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s)



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Color : No data available
Odor : No data available
Odor threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : Not applicable
Boiling point : No data available
Flash point : > 200 °C
Flammability (solid, gas) : Non flammable
Auto-ignition temperature : Not applicable
Decomposition temperature : No data available
Vapor pressure : No data available
Relative vapor density at 20°C : No data available
Relative density : 0.898
Density : 7.5 lb/gal
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available
Viscosity, kinematic : 150 mm²/s @ 40 °C
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : Not applicable
Particle size : Not Applicable

9.2. Other information

No additional information available

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6)

| | |
|--------------------|--|
| LD50 oral rat | > 16000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other: |
| LD50 dermal rabbit | > 4000 mg/kg body weight Animal: rabbit, Guideline: other: |

Sulfonic acids, petroleum, calcium salts (61789-86-4)

| | |
|-----------------------|---|
| LD50 oral rat | > 16000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other: |
| LD50 dermal rat | > 2000 mg/kg Source: International Uniform Chemical Information Database |
| LD50 dermal rabbit | > 4000 mg/kg body weight Animal: rabbit, Guideline: other: |
| LC50 Inhalation - Rat | > 1.9 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity) |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0)

| | |
|-----------------------------------|---|
| LD50 oral rat | > 16000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other: |
| LD50 dermal rabbit | > 4000 mg/kg body weight Animal: rabbit, Guideline: other: |
| LC50 Inhalation - Rat | > 1.9 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity) |
| LC50 Inhalation - Rat (Dust/Mist) | > 1.9 mg/l Source: ECHA |

Calcium metaborate (13701-64-9)

| | |
|--------------------|---|
| LD50 oral rat | > 2600 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)) |
| LD50 dermal rabbit | > 2000 mg/kg body weight Animal: rabbit, Guideline: other: |

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
|--|---|
| LD50 oral rat | > 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| Skin corrosion/irritation | : Not classified. |
| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
| pH | 8 |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| pH | 8.1 Source: ECHA Chem |
| Serious eye damage/irritation | : Not classified |
| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
| pH | 8 |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| pH | 8.1 Source: ECHA Chem |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| Calcium metaborate (13701-64-9) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
| NOAEL (oral,rat,90 days) | 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal,rat/rabbit,90 days) | > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
| NOAEL (oral,rat,90 days) | 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal,rat/rabbit,90 days) | > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| NOAEL (oral,rat,90 days) | 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal,rat/rabbit,90 days) | > 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
| Aspiration hazard | : Not classified |
| RED "N" TACKY® Grease | |
| Viscosity, kinematic | 150 mm ² /s @ 40 ° C |

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|--|
| Ecology - general | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
|---|---|
| LC50 - Fish [1] | 10000 mg/l Source: ECHA |
| EC50 72h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
|--|---|
| EC50 - Crustacea [1] | > 1000 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
|--|---|
| LC50 - Fish [1] | > 10000 mg/l Source: ECHA |
| EC50 - Crustacea [1] | > 1000 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) |

| Calcium metaborate (13701-64-9) | |
|--|--|
| LC50 - Fish [1] | 79.7 mg/l Test organisms (species): Pimephales promelas |
| LC50 - Fish [2] | 74 mg/l Test organisms (species): Limanda limanda |
| EC50 72h - Algae [1] | 66 mg/l Test organisms (species): Phaeodactylum tricorutum |
| EC50 72h - Algae [2] | 54 mg/l Test organisms (species): Phaeodactylum tricorutum |
| NOEC chronic fish | 6.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d' |

| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
|--|--|
| LC50 - Fish [1] | > 0.0013 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |

12.2. Persistence and degradability

| RED "N" TACKY® Grease | |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
|---|------------------------|
| Persistence and degradability | Not rapidly degradable |
| Sulfonic acids, petroleum, calcium salts (61789-86-4) | |
| Persistence and degradability | Not rapidly degradable |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| Persistence and degradability | Not rapidly degradable |
| Calcium metaborate (13701-64-9) | |
| Persistence and degradability | Not rapidly degradable |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
| Persistence and degradability | Not rapidly degradable |

12.3. Bioaccumulative potential

| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6) | |
|---|---------------------|
| Partition coefficient n-octanol/water (Log Pow) | > 4.46 Source: ECHA |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0) | |
| Partition coefficient n-octanol/water (Log Pow) | > 5.47 Source: ECHA |

12.4. Mobility in soil

| Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3) | |
|---|---------------------------|
| Mobility in soil | 35900000 Source: EPISUITE |

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| Product/Packaging disposal recommendations | : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations. |
| Ecological waste information | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |

SECTION 14: Transport information

In accordance with NOM / UN RTDG / IMDG / IATA

| NOM | UN RTDG | IMDG | IATA |
|-----------------|----------------|---------------|---------------|
| 14.1. UN number | | | |
| Not applicable | Not applicable | Not regulated | Not regulated |

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

| NOM | UN RTDG | IMDG | IATA |
|---|----------------|---------------|---------------|
| 14.2. Proper Shipping Name | | | |
| Not applicable | Not applicable | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | |
| Not applicable | Not applicable | Not regulated | Not regulated |
| 14.4. Packing group | | | |
| Not applicable | Not applicable | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | |
| Not applicable | Not applicable | Not regulated | Not regulated |
| No supplementary information available | | | |

14.6. Special precautions for user

NOM

Not applicable

UN RTDG

Not applicable

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

No additional information available

International regulations

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (68584-23-6):

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Sulfonic acids, petroleum, calcium salts (61789-86-4):

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0):

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Calcium metaborate (13701-64-9):

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

RED "N" TACKY® Grease

Safety Data Sheet

according to NOM-018-STPS-2015

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3):

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: Other information including those related to the preparation and updating of safety data sheets

Issue date : 3/10/2025

Revision date : 1/8/2026

Supersedes : 7/25/2025

Full text of hazard classes and H-statements

| | |
|------|--|
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation. |
| H413 | May cause long lasting harmful effects to aquatic life |

Safety Data Sheet (SDS), Mexico

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.