

SECTION 1: Identification of the hazardous chemical or mixture and of the supplier or manufacturer**1.1. GHS product identifier**

Product form : Mixture
Product name : Synthetic SAE 20W-50 Motor Oil
Part Number : 30055

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Lubricating oil
Recommended use : Automotive products

1.4. Supplier's details

Lucas Oil Products, Inc.
3199 Harrison Way NW
Corydon, IN, 47112
USA
T 800-342-2512

1.5. Emergency phone number

Emergency number : For Chemical Emergency Call ChemTel 24hr/day 7days/week
Within USA, Canada, Puerto Rico and US Virgin Islands: 1-800-255-3924
International: 1-813-248-0585
(collect calls accepted)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GHS MX classification**

Not classified

2.2. Label elements**GHS MX labelling**

No labeling applicable

2.3. Other hazards which do not result in classification

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

SECTION 3: Composition/Information on ingredients**3.1. Substances**

Not applicable

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

3.2. Mixtures

| Name | Product identifier | % | GHS MX classification |
|--|---------------------|-------------|-----------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | CAS-No.: 72623-87-1 | ≥ 60 – < 80 | Asp. Tox. 1, H304 |
| Distillates (petroleum), hydrotreated heavy paraffinic | CAS-No.: 64742-54-7 | ≥ 1 – < 5 | Asp. Tox. 1, H304 |

SECTION 4: First aid measures

4.1. Description of necessary first aid measures

| | |
|---|---|
| First-aid measures general | : If you feel unwell, seek medical advice. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician. |
| First-aid measures after skin contact | : Get medical attention if symptoms occur. Wash skin with plenty of water. |
| First-aid measures after eye contact | : Remove contact lenses, if present and easy to do. Continue rinsing. When in doubt or if symptoms are observed, get medical advice. Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Rinse mouth out with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Call a poison center/doctor/physician if you feel unwell. |
| Personal protection for first-aid responders. | : First aid workers will be equipped with suitable personal protective equipment. |

4.2. Most important symptoms/effects, acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use. |
| Symptoms/effects after skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use. |
| Symptoms/effects after eye contact | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| Symptoms/effects after ingestion | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

| | |
|--|--|
| Fire hazard | : No fire hazard. In case of fire and/or explosion do not breathe fumes. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. |

5.3. Special protective actions for fire-fighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Evacuate area. Eliminate all ignition sources if safe to do so. Fight fire from safe distance and protected location. Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

SECTION 6: Measures to be taken in case of accidental spillage or accidental leakage

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up : Take up liquid spill into absorbent material. Move containers from fire area if it can be done without personal risk. Take up liquid spill into absorbent material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Clean contaminated surfaces with an excess of water.
Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Do not breathe vapors. Avoid contact with skin and eyes.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep only in original container. Keep container tightly closed. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers.
Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

8.2. Appropriate engineering controls

| | |
|----------------------------------|--|
| Appropriate engineering controls | : Handle in accordance with good industrial hygiene and safety procedures. Ensure exposure is below occupational exposure limits (where available). Ensure good ventilation of the work station. |
| Environmental exposure controls | : Avoid release to the environment. |

8.3. Individual protection measures, such as personal protective equipment (PPE)

| | |
|-------------------------------|--|
| Personal protective equipment | : Wear recommended personal protective equipment. |
| Hand protection | : Protective gloves |
| Eye protection | : If there is a risk of liquid being splashed : Safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment |

Personal protective equipment symbol(s)



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-------------------------------------|
| Physical state | : Liquid |
| Color | : Colorless |
| Odor | : characteristic |
| Odor threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : > 200 °C |
| Flammability (solid, gas) | : Not applicable |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20°C | : No data available |
| Relative density | : 0.856 |
| Density | : 7.148 lb/gal |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Partition coefficient n-octanol/water (Log Kow) | : No data available |
| Viscosity, kinematic | : 145.4 mm ² /s @ 40 ° C |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Explosion limits | : No data available |
| Particle size | : Not Applicable |

9.2. Other information

No additional information available

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

| | |
|--------------------|---|
| LD50 oral | 5000 mg/kg |
| LD50 oral rat | > 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal | 5000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg Source: IUCLID |

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

| | |
|--------------------|-----------------------------|
| LD50 dermal rabbit | > 5000 mg/kg Source: IUCLID |
|--------------------|-----------------------------|

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

| | |
|---|--|
| LOAEL (oral,rat,90 days) | 125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation,rat,dust/mist/fume,90 days) | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) |

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|---|--|
| LOAEL (oral,rat,90 days) | 125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEC (inhalation,rat,dust/mist/fume,90 days) | > 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study) |

Aspiration hazard : Not classified

| Synthetic SAE 20W-50 Motor Oil | |
|--------------------------------|-----------------------------------|
| Viscosity, kinematic | 145.4 mm ² /s @ 40 ° C |

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
|---|-----------------------|
| Viscosity, kinematic | 12 mm ² /s |
| Hydrocarbon | Yes |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|---|-----------------------|
| Viscosity, kinematic | 18 mm ² /s |
| Hydrocarbon | Yes |
| Aliphatic, alicyclic or aromatic hydrocarbon | Yes |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
|---|----------------------------|
| LC50 - Fish [1] | > 5000 mg/l Source: IUCLID |
| EC50 - Crustacea [1] | > 1000 mg/l Source: IUCLID |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|---|----------------------------|
| LC50 - Fish [1] | > 5000 mg/l |
| EC50 - Crustacea [1] | > 1000 mg/l Source: IUCLID |
| EC50 96h - Algae [1] | > 1000 mg/l Source: IUCLID |

12.2. Persistence and degradability

| Synthetic SAE 20W-50 Motor Oil | |
|--------------------------------|---|
| Persistence and degradability | Biodegradability in water: no data available. |

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) | |
|---|------------------------|
| Persistence and degradability | Not rapidly degradable |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|---|------------------------|
| Persistence and degradability | Not rapidly degradable |

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

12.3. Bioaccumulative potential

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6 Source: IUCLID

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Partition coefficient n-octanol/water (Log Pow) 3.9 – 6 Source: IUCLID

12.4. Mobility in soil

Synthetic SAE 20W-50 Motor Oil

Ecology - soil No additional information available.

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Regional waste regulation : Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with NOM / UN RTDG / IMDG / IATA

| NOM | UN RTDG | IMDG | IATA |
|---|---------------|---------------|---------------|
| 14.1. UN number | | | |
| Not regulated for transport | | | |
| 14.2. Proper Shipping Name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | |

14.6. Special precautions for user

NOM

Not regulated

UN RTDG

Not regulated

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7):

Listed in the INSQ (National Inventory of Chemical Substances)

International regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1):

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7):

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16: Other information including those related to the preparation and updating of safety data sheets

Issue date : 4/14/2025
Revision date : 8/26/2025
Supersedes : 4/14/2025

Full text of hazard classes and H-statements

| | |
|------|--|
| H304 | May be fatal if swallowed and enters airways |
|------|--|

Abbreviations and acronyms

| | |
|---------|---|
| ACGIH | American Conference of Government Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

| Abbreviations and acronyms | |
|----------------------------|--|
| COD | Chemical oxygen demand (COD) |
| CSA | Chemical safety assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| ED | Endocrine disruptor |
| EN | European Standard |
| EWC | European waste catalogue |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) |
| MAK | maximum workplace concentration |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| N.O.S. | Not Otherwise Specified |
| OECD | Organization for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| OSHA | Occupational Safety & Health Administration |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| PPE | Personal protection equipment |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TF | Technical function |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| TWA | Time Weighted Average |
| VOC | Volatile Organic Compounds |

Synthetic SAE 20W-50 Motor Oil

Safety Data Sheet

according to NOM-018-STPS-2015

Abbreviations and acronyms

| | |
|------|--|
| vPvB | Very Persistent and Very Bioaccumulative |
| UFI | Unique Formula Identifier |

Data sources : Supplier's safety documents.
Training advice : Training staff on good practice.

Safety Data Sheet (SDS), Mexico

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.