



# LUCAS OIL<sup>®</sup>



PROTECT • PREVENT • OPTIMIZE • RESTORE • CLEAN

## FULL LINE PRODUCT CATALOG

**ENGINE OIL ADDITIVES**

Oil additives help reduce friction and wear, prolonging the lifespan of engine components and promoting smoother operation. Lucas additives can improve fuel economy, enhance engine cleanliness by preventing deposits, and provide better protection against oxidation and corrosion, improving overall vehicle performance and efficiency. With specialized blends for applications like engine break-in, high mileage, heavy-duty, or imports, find the best additive for your needs.

Heavy Duty Oil Stabilizer	8
Pure Synthetic Oil Stabilizer	8
Engine Oil Stop Leak	8
Low Viscosity Stabilizer	9
High Mileage Oil Stabilizer	9
Engine Oil Stop Leak Top Off Additive	9
Complete Engine Treatment	9

**FUEL TREATMENTS**

Our easy-to-use pour-in solutions optimize a vehicle's performance and fuel efficiency. With a powerful blend of additives, Lucas fuel treatments clean and lubricate a fuel system, improving fuel economy and reducing emissions.

Upper Cylinder Lubricant Fuel Treatment	12
Deep Clean® Fuel System Cleaner	12
Diesel Deep Clean®	12
Complete Fuel System Renewal Kit	13
High Mileage Fuel Treatment	13
Octane Booster	13
Cetane Power Booster	13
Safeguard® Ethanol Fuel Conditioner	14
Fuel Stabilizer	14
Anti-Gel Cold Weather Diesel Treatment	14
Lucas Emissions Clear™	14

**PROBLEM SOLVERS & UTILITY**

These problem-solving products are made to tackle your toughest automotive or equipment issues. Whether you're dealing with a leak, squawky transmission, fuel system complications, power steering problems, sticky shifting, reduced fuel efficiency, flat tire or more, Lucas products are trusted by millions of drivers to get back on the road with confidence. If your vehicle has a problem, try Lucas first.

Synthetic Brake Fluid DOT 3 & DOT 4	18
Power Steering Fluid with Conditioners	18
Power Steering Fluid	18
5th Wheel & Slider Lube	18
Power Steering Stop Leak	19
Transmission Fix	19
Super Coolant	19
TB Zinc Plus Engine Break-In Oil Additive	19
Hub Oil	20
Penetrating Oil	20
Tool Box Buddy	20
Air Tool Lubricant	20
Chain Lubricant	21
Chain Lube Aerosol	21
Multi-Purpose Parts Cleaner & Degreaser	21
Brake Parts Cleaner	21
Sure Start Premium Starting Fluid	22
Tire Inflator	22

**GEAR OIL & TRANSMISSION**

Formulated with highest quality additives and available in several different weights, Lucas gear oil offers exceptional protection against wear, heat, and corrosion, ensuring prolonged gear life. Trusted in industrial, heavy duty, and high-performance markets for superior shifting and durability.

Heavy Duty Gear Oils	24
Pure Synthetic Gear Oils	24
Industrial Gear Oils	24
"Sure Shift" Semi-Synthetic ATF	25
Synthetic Multi-Vehicle ATF	25
Full Synthetic Multi-Vehicle Low Viscosity ATF	25
Synthetic Multi-Vehicle CVT Fluid	25
Full Synthetic Multi-Vehicle ATF	26
Hydrostatic Transmission Fluid Synthetic Blend SAE 20W-50	26
Pure Synthetic 50 WT. Transmission Oil	27
Anti-Squawk/Anti-Shudder Additive	27
Automatic Transmission Fluid Conditioner	27

**GREASE**

Our high-quality grease provides exceptional protection and long-lasting performance, ensuring smooth operation and reduced friction. Featuring formulas fortified with superior water resistance, anti-wear agents, rust and oxidation inhibitors, Lucas Oil Grease keeps your machinery running smoothly, preventing wear and extending equipment life.

Red "N" Tacky® Grease	30
Red "N" Tacky® Spray Grease	30
Red "N" Tacky®/5th Wheel Lube	30
Multi-Purpose Grease Combo Pack	30
White Lithium Grease	30
X-TRA Heavy Duty Grease	31

Heavy Duty Mining & Construction Grease	31
Marine Grease	31

**HEAVY DUTY TRUCKING**

We understand the challenges that heavy-duty truckers and freight operators face every day. That's why we have developed a range of top-quality oil additives specifically designed to meet the demanding needs of the trucking industry. With Lucas products, you can enhance the fuel efficiency, performance and reliability of your heavy-duty fleets, ensuring they go the extra mile without the extra budget.

SAE 15W-40 Magnum CI-4 High TBN CI-4	34
Synthetic Blend SAE 10W-30 FA-4 MAX FE Heavy Duty Motor Oil	34
Heavy Duty CK-4 Motor Oils	35

**HYDRAULICS**

These highly effective additives and fluids provide excellent wear protection in hydraulic systems. Designed to meet or exceed the most stringent OEM standards, Lucas hydraulic fluids ensure smooth machine operation, reduce friction and extend the lifespan of critical hydraulic parts, increasing fluid life, stopping leaks and increasing hydraulic pressure.

Hydraulic Oil Booster & Stop Leak	38
Universal Hydraulic & Transmission Fluid	38
Synthetic Universal Hydraulic & Transmission Fluid	38
Anti-Wear Hydraulic Oils	39
Multi-Viscosity AW ISO 32 Hydraulic Oil	39
R&O Hydraulic Oils	40
Heavy Duty Trans & Drive Train Oils	40
Synthetic Non-Conductive Anti-Wear Hydraulic Oils	41
Synthetic Compressor Oils	41

**MOTOR OIL**

The ultimate performance and protection for all engine types – this advanced, comprehensive line of the highest-quality motor oils provides superior lubrication, reduces friction and wear, while maximizing engine performance and fuel efficiency. Fortified with a precise blend of additives that provide better thermal stability, oxidation resistance, and viscosity control, ensuring optimal lubrication even under extreme operating conditions.

Synthetic API SP Motor Oils	44
High Mileage Synthetic Blend Motor Oils	44
Conventional API SP Motor Oils	45
Hot Rod & Classic Oils	45
High Performance European Synthetic Motor Oils	46

**TYPICAL ZINC VALUES**

Typical Zinc Values Chart	47
---------------------------	----

**MOTORCYCLE**

When it's time to ride, Lucas keeps you moving. Our dedicated motorcycle product line offers riders a range of premium oils, fuel additives, and lubricants for any two-wheeled adventure. With Lucas products in the tank, expect better engine performance, extended lifespan, improved fuel efficiency and effortless maintenance, allowing you the peace of mind to disconnect and just ride.

High Performance Motorcycle Oils	50
SxS/UTV 4-Stroke Engine Oils	50
SxS/UTV Command Drive Front Differential Fluid	51
SxS Transmission Fluid	51
SXS/UTV Multi-Purpose Gearcase and Differential Fluid	51
Semi-Synthetic SAE 10W-40 ATV/UTV Engine Oil	52
Primary Chaincase Oil	52
Synthetic SAE 50 WT. V-Twin Oil	52
Synthetic SAE 75W-140 V-Twin Gear Oil	52
Motorcycle Oil Stabilizer	53

Synthetic Fork Oils	53
High Performance Foam Filter Oil	53
Contact Cleaner Aerosol	53

**2-CYCLE OILS**

The perfect companion for small engines, ensuring optimal performance in motorcycles, ATVs, karts, watercraft, outboard motors, lawn equipment, and additional two-stroke engines providing superior lubrication, reducing smoke, and extending the life of equipment overall. Add Lucas for a smooth, reliable operation every time.

Semi-Synthetic TC-W3® 2-Cycle Land & Sea™	55
Semi-Synthetic 2-Cycle Oil	55
Synthetic 2-Cycle Snowmobile Oil	55

**MARINE**

Get ready for the water with Lucas's wide range of high-performance marine oils, additives and appearance products. Engineered to optimize engine performance and protection in marine environments, our meticulously crafted oil and fuel additives are designed to keep your vessel running smoothly.

Marine Engine Oils	58
Outboard & Inboard Marine Engine Oils	58
Heavy Duty Marine Diesel Engine Oils SAE 15W-40	58
Marine 2-Cycle Oil	59
M8 Marine Gear Oils	59
Synthetic Marine ATF Type FA	59
Fishing Reel Oil	59
Marine Fuel Treatment	60
Marine Grease	60
Slick Mist® Marine Speed Wax	60

**OUTDOOR**

Whether you're in the backcountry tailing an 8-pointer or gearing up the ATV or boat for the weekend, be ready with Lucas's adventure-forward oils and additives. Find high-performance, all-weather-ready engine oils, firearm cleaners and more to keep your outdoor equipment in safe and reliable working order.

Hunting Gun Oil	64
Extreme Duty Gun Oil	64
Extreme Duty CLP	64
Extreme Duty Gun Grease	64
Gun Metal Polish & Tumbler Media Additive	65
Extreme Duty Bore Solvent & Ultrasonic Gun Cleaner	65
Extreme Duty Gun Cleaner	65
Applicator Bottle	65

**RACING**

The Lucas Racing Only product line embodies the expertise and precision of the Lucas R&D team, drawing on more than 30 years of racing experience. Optimizing the delicate balance of power and durability in high-performance engines, the Racing Only line empowers teams to achieve the best competitive edge possible through a comprehensive selection of expertly crafted motor oils, gear oils, additives and more.

Synthetic Racing Engine Oils	68
Conventional Racing Engine Oils	68
Semi-Synthetic Racing Engine Oils	69
Synthetic SAE 5W-20 Jr. Dragster Racing Engine Oil	69
Synthetic FL-0 Low Viscosity Racing Engine Oil	69
Assembly Lube	70
Racing Assembly Grease	70
L-Series Racing Gear Oils	70

Synthetic SAE 140 & 250 Racing Gear Oils	71
Semi-Synthetic Type F Automatic Transmission Fluid	71
Engine Break-In Oils	71

**APPEARANCE**

Enhance the look of your vehicle with Lucas appearance products. From high-gloss tire shine to ceramic speed wax, our products deliver professional-grade results that are easy to achieve. Restore shine, clean, and protect against UV damage with detailers that provide a long-lasting finish and are excellent on cars, trucks, and boats and safe for use on vinyl wraps, decals, leather, plastic or aluminum surfaces.

Slick Mist® Ceramic Speed Wax	74
Slick Mist® Speed Wax	74
Slick Mist® Interior Detailer	74
Slick Mist® Tire & Trim Shine	74
Slick Mist® Detailing Kit	75
Metal Polish	75

**Bag in a Box**

Lucas Oil Bag in a Box oil program is specifically designed to be used by dealerships, auto repair shops, and quick lubes for their ability to carry multiple oil grades and specialty items for faster lube servicing and dispensing. The packaging is 100% recyclable with an eco-friendly design that reduces waste by using less plastic and utilizing every drop from the oil. Most common motor oils are available in Bag in a Box.

Bag in a Box System	78
---------------------	----

**MARKETING MATERIALS**

Promotional Items, Display Kits and Rack, Catalogs, TDS Booklet, Brochures, Pamphlets & Demonstrator	80
--	----

# ENGINE OIL ADDITIVES



Oil additives help reduce friction and wear, prolonging the lifespan of engine components and promoting smoother operation. Lucas additives can improve fuel economy, enhance engine cleanliness by preventing deposits, and provide better protection against oxidation and corrosion, improving overall vehicle performance and efficiency. With specialized blends for applications like engine break-in, high mileage, heavy-duty, or imports, find the best additive for your needs.

**IMPROVE FUEL ECONOMY • ENHANCE ENGINE CLEANLINESS • IMPROVING OVERALL VEHICLE PERFORMANCE AND EFFICIENCY**

## HEAVY DUTY OIL STABILIZER

Lucas Heavy Duty Oil Stabilizer is the #1 heavy duty and high performance oil supplement in the world. It eliminates dry starts and resists thermal breakdown for total protection in new engines. It stops smoking, knocking and oil consumption in worn engines. It raises oil pressure, adds lubricity, lowers oil temperatures and stops leaks. It also extends oil life by at least 50%. Use it in any manual transmission or differential to stop wear, leaks, heat, noise and hard shifting. This product safely blends with all petroleum products, even synthetics. It will not void new car warranties.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10001	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10015
10002	4X1	1 Gallon	33 lbs	60 Cases	55 GAL DRUM 10091



## PURE SYNTHETIC OIL STABILIZER

Lucas Pure Synthetic Oil Stabilizer is perfect for use in new equipment that requires synthetic oils or any equipment that needs enhanced performance. It's the perfect addition to race cars, new cars and four-cylinder cars. Controls heat and wear in motorcycles, air-cooled engines and all drive-train components. This product greatly reduces friction, improving vehicle performance and fuel economy. *Light enough for an import, tough enough for a semi.*

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10130	12X1	1 Quart	25 lbs	70 Cases	55 GAL DRUM 10134
10131	4X1	1 Gallon	33 lbs	60 Cases	



## ENGINE OIL STOP LEAK

Lucas Engine Oil Stop Leak is a unique formulation of Lucas additives and base stocks designed to stop leaks in engines. It is also an exceptional additive for worn and older engines, reducing engine noise and oil consumption while raising oil pressure. It contains no harmful solvents and can actually extend engine oil life by 50% or more.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10278	12X1	1 Quart	25 lbs	70 Cases	330 GAL TOTE 11134
10279	4X1	1 Gallon	33 lbs	60 Cases	



## LOW VISCOSITY STABILIZER

Lucas Low Viscosity Stabilizer is a new oil additive product specifically designed to amplify the life and performance of a modern engine that uses lower viscosity engine oils. The product improves fuel economy and power by reducing the level of friction which improves any premium quality motor oil. It is a multi-functional oil additive which reduces friction for more power and fuel economy, improves dispersancy to fight carbon deposits, sludge and varnish and contains antioxidants to help motor oil resist thermal breakdown. Above all, it reduces wear, extending the life of the engine.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11097	12X1	12 OZ	10.5 lbs	150 Cases



## HIGH MILEAGE OIL STABILIZER

Lucas High Mileage Oil Stabilizer is a 100% petroleum product - developed in the laboratory and tested in the field for maximum reliability. It is a specially blended formulation of premium base oils and petroleum extractives for use in a wide range of engine and gear box applications. It is meant to be used as an additive to existing engine or transmission oils. It creates a coating that clings to metallic surfaces, eliminating dry starts that create the most damage and wear in an older engine. This product is for use in ALL engine-driven vehicles, and HIGHLY RECOMMENDED for recreational vehicles, farm equipment, industrial equipment as well as construction and military vehicles and equipment.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10118	12X1	1 Quart	25 lbs	70 Cases



## ENGINE OIL STOP LEAK TOP OFF ADDITIVE

Lucas Engine Oil Stop Leak Top Off Additive is a long lasting product designed for high mileage engines. It conditions seals and o-rings to stop oil leaks and slow oil consumption. Contains state-of-the-art components to reduce friction and wear and extend engine life. Effective seal conditioning agents are used to condition hard and shrunken seals and gaskets. 1 quart treats up to 6 quart capacity. It mixes with all engine oils, conventional and synthetic and at any viscosity grade.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11100	6X1	1 Quart	13 lbs	168 Cases



## COMPLETE ENGINE TREATMENT

Lucas Complete Engine Treatment is a unique formulation that cleans and lubricates multiple systems in your vehicle. When added to fuel, it cleans and lubricates all components from the fuel tank to the cylinders. It removes deposits, protects against corrosion and helps the fuel to burn more completely, which helps to lower emissions, improves fuel mileage and increases power. When added to your oil, Lucas Complete Engine Treatment cleans your engine and forms a protective barrier against heat and friction, improves oil flow in cold weather and extends oil life. Contains no alcohol. *For All Engines and Oil Types.*

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10016	12X1	1 Pint	14 lbs	126 Cases



# FUEL TREATMENTS



Our pour-in solutions optimize a vehicle's performance and fuel efficiency. With a powerful blend of additives, Lucas fuel treatments clean and lubricate a fuel system, improving fuel economy and reducing emissions.



**IMPROVE FUEL ECONOMY • REDUCE EMISSIONS • CLEAN AND LUBRICATE FUEL SYSTEM**

## UPPER CYLINDER LUBRICANT FUEL TREATMENT

Lucas Upper Cylinder Lubricant Fuel Treatment is formulated for gasoline and diesel engines. It contains no harmful solvents or alcohol. This product is a blend of heat resistant, super slick oils and additives with a high detergent action that cleans as it lubricates the fuel system. It also causes the fuel to burn more efficiently for greater fuel economy and fewer emissions. It negates the harmful effects of "reformulated gasoline" especially in older automobiles and 2-cycle engines. Use in diesel engines to neutralize the harmful effects of ultra low sulfur diesel fuel. This product WILL raise MPG.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10020	24X1	5.25 OZ	10 lbs	224 Cases	5 GAL PAIL 10080
10003	12X1	1 Quart	25 lbs	70 Cases	55 GAL DRUM 10090
10013	4x1	1 Gallon	33 lbs	60 Cases	
CONCENTRATE					330 GAL TOTE 10515



## COMPLETE FUEL SYSTEM RENEWAL KIT

The Lucas Complete Fuel System Renewal Kit is your all-in-one system maintenance solution! Just follow the 4 easy steps to eliminate gum, varnish, particulate matter and corrosion from all lines and components. This kit restores maximum power and efficiency to your engine for a smooth, reliable ride. There's no more effective way to restore your vehicle's performance. For any gasoline vehicle.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	QTY. PER PALLET
10966	6X1	10 lbs	175 Cases



## HIGH MILEAGE FUEL TREATMENT

Lucas High Mileage Fuel Treatment is created specifically to restore lost power and performance in high-mileage vehicles. It cleans and lubricates fuel system components, removes valve deposits, lessens oil contamination and stops knocking and hesitation. It works great in modern port-injected engines, maintaining maximum flow and providing lubrication to critical parts.

*Oxygen-sensor safe. Contains No Alcohol.*

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10977	24X1	5.25 OZ	10 lbs	224 Cases



## DEEP CLEAN® FUEL SYSTEM CLEANER

Lucas Deep Clean® Fuel System Cleaner lubricates and cleans the entire fuel system, reduces green house gas emissions (carbon monoxide, hydrocarbons, NOx), increases power and acceleration, and improves MPG. This product is alcohol free and oxygen sensor safe. Deep Clean®, a REAL fuel system cleaner.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10669	24X1	5.25 OZ	10 lbs	224 Cases	55 GAL DRUM 10575
10512	12X1	1 Pint	13 lbs	132 Cases	



## OCTANE BOOSTER

Lucas Octane Booster is a GENUINE Performance Enhancer! Tested and proven to deliver three times more boost than most other brands. Stops knocks and raises MPG in high compression engines. Safe for any gasoline engine. Not recommended in 2-stroke engines. Available in a 2 oz. motorcycle size.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10725	18X1	2 OZ	3.6 lbs	252 Cases
10930	24x1	5.25 OZ	10 lbs	224 Cases
10026	12X1	15 OZ	12.5 lbs	132 Cases



## DIESEL DEEP CLEAN®

Lucas Diesel Deep Clean® is a new Lucas technology developed to reduce the cost and hassle of particulate filter maintenance. It's an excellent preventative maintenance product. It causes the fuel to burn much cleaner, thus eliminating a lot of particulate matter that would otherwise go into the exhaust system causing "regens." It cleans out much of the matter already trapped in the filter. This eliminates exhaust back pressure allowing the engine to run easier and cooler as well as lowering the aggravation and down time associated with particulate filters.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10872	12X1	1 Pint	13 lbs	132 Cases
10873	6X1	2 Quarts	24 lbs	80 Cases



## CETANE POWER BOOSTER

Lucas Cetane Power Booster is a diesel fuel supplement that contains effective lubricants for the engine's high-pressure fuel injection pump. Expect cleaner exhaust, longer filter life, easier start ups and smoother idle, as well as, more power, more MPG and longer engine life. It adds much needed cleaners and lubricants to the diesel fuel and reduces wear by more than 27% in unadditized diesel fuel. It lubricates rings and cylinders for longer engine life and it maintains peak performance by reducing injector coking and internal injector deposits.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11031	12X1	1 Pint	13 lbs	132 Cases
11032	6X1	2 Quarts	24 lbs	80 Cases



### SAFEGUARD® ETHANOL FUEL CONDITIONER

Lucas Safeguard® Ethanol Fuel Conditioner was specially developed to prevent corrosion and degradation in ethanol based fuels caused by fuel separation. It protects your motor oil from the harmful side effects of alcohol combustion. It can be used in E-10, E-15, E-85, pure alcohol or any alcohol gasoline combination, even pure gasoline. For use in 2 and 4 stroke engines.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10670	24X1	5.25 OZ	10 lbs	224 Cases
10576	12X1	1 Pint	13 lbs	132 Cases

### FUEL STABILIZER

Lucas Fuel Stabilizer is the best solution to prevent fuel breakdown during storage. It cleans, lubricates and maintains fuel systems and compression rings. Prevents fuel degradation that causes gum and varnish deposits. Safe for all fuel systems and to use in all grades of gasoline and in all 2 and 4-stroke engines. **GASOLINE & ETHANOL**



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10314	12X1	8 OZ	7 lbs	256 Cases	55 GAL DRUM 10326
10302	12X1	1 Pint	13 lbs	132 Cases	

### ANTI-GEL COLD WEATHER DIESEL TREATMENT

Lucas Anti-Gel Cold Weather Diesel Treatment was especially designed to prevent cold filter plugging, fuel thickening and gelling in ULSD, diesel and bio-diesel fuels. The product is manufactured with the highest quality components to provide maximum performance. It contains REAL water dispersants to effectively remove moisture from the entire fuel system. Contains no alcohol, will not void OEM warranties and has no harmful effects on diesel particulate filters.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10865	12X1	1 Quart	25 lbs	70 Cases
10866	6X1	2 Quarts	24 lbs	80 Cases

### LUCAS EMISSIONS CLEAR™

Lucas Emissions Clear™ Fuel and Exhaust System Cleaner is designed to enhance engine performance and keep your emissions system operating at its peak for the life of the vehicle. Engineered to be easily integrated into routine vehicle maintenance or before a vehicle inspection, expect to avoid costly emission system repairs and increased efficiency. Lucas Emissions Clear™ is a one tank treatment and provides a thorough clean out, compatible with any gasoline engine which highlights its versatility and reliability.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10715	8X1	16 OZ	N/A	N/A

# MORE MILES. MORE SMILES.



- CLEANS & LUBRICATES**  
Increases the life of pumps and injectors
- TUNE-UP IN A BOTTLE**  
High detergent action allows for maximum efficiency
- INCREASED POWER AND MPGs**  
Burn fuel and excess exhaust emissions more thoroughly

- AS EASY AS ...
- POUR DIRECTLY INTO FUEL TANK.**
  - DRIVE!**

**TREATMENT RATE**

- 5.25oz Bottle - treats up to **25 gallons of fuel**
- 1 Quart/32oz Bottle - treats up to **100 gallons of fuel**
- 1 Gallon/128oz Bottle - treats up to **400 gallons of fuel**
- 2-3 oz for every 10 gallons of gasoline or diesel fuel**

Exceeding the recommended dosage is not harmful to your vehicle.



# PROBLEM SOLVERS & UTILITY



These problem-solving products are made to tackle your toughest automotive or equipment issues. Whether you're dealing with a leak, squawky transmission, fuel system complications, power steering problems, sticky shifting, reduced fuel efficiency, flat tire or more, Lucas products are trusted by millions of drivers to get back on the road with confidence. If your vehicle has a problem, try Lucas first.

**PROBLEM-SOLVING • TACKLE THE TOUGHEST ISSUES • TRUSTED BY MILLIONS**

### SYNTHETIC BRAKE FLUID DOT 3 & DOT 4

Lucas DOT 3 and DOT 4 Brake Fluids are compatible with all brake system rubber components and other brake fluids. They prevent seal hardening or softening. They also protect against rust and corrosion and provide excellent lubricity. These brake fluids are recommended for use in both disc and drum brake systems and clutch systems where this type of product is called out for.

#### DOT 3

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10825	12X1	12 OZ	15 lbs	160 Cases
10826	12X1	1 Quart	27 lbs	66 Cases
10826-6	6X1	1 Quart	13.5 lbs	132 Cases

#### DOT 4

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10827	12X1	12 OZ	15 lbs	160 Cases
10788-6	6X1	1 Quart	13.5 lbs	132 Cases



### POWER STEERING FLUID WITH CONDITIONERS

Lucas Power Steering Fluid with Conditioners is formulated with the highest quality synthetic base oils and unique Lucas additive chemistry to prevent power steering leaks, provide smooth operation and eliminate squealing. This product is compatible with both synthetic and conventional power steering fluids and provides excellent performance in both domestic and foreign vehicles including Hondas. It can be used as makeup or as a complete change out and has excellent cold temperature properties.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10442	12X1	1 Pint	13 lbs	132 Cases



### POWER STEERING FLUID

Lucas Power Steering Fluid is a general purpose product. It is formulated with special base oils and additives that add lubricity to help stop wear and improve performance. It contains mild seal conditioning agents that condition o-rings and seals to help prevent small leaks. Maintains smooth power steering operation and helps stop pump squealing. Contains supplemental oxidation inhibitors and foam inhibitors to help extend fluid life.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	INT'L MEASURE	U.S. WEIGHT	QTY. PER PALLET
10823	12X1	12 OZ	355 mL	9 lbs	132 Cases
10824-6	6X1	1 Quart	946 mL	13 lbs	168 Cases



### 5TH WHEEL & SLIDER LUBE

Lucas 5th Wheel & Slider Lube is a clean easy-to-use, inexpensive solution to the problem of dry 5th wheels and sliders. This long lasting product can easily be applied to slider rails on both tractors and trailers. Since it is virtually waterproof it doesn't wash off trailer sliders on wet roads.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10030	12X1	1 Pint	13 lbs	140 Cases



### POWER STEERING STOP LEAK

Lucas Power Steering Stop Leak is also effective at removing hard spots and tightness in worn rack and pinions and the noisy whine in some Ford pumps. To correct these problems empty the reservoir and refill it with Lucas Power Steering Stop Leak (usually 12 oz). Compatible with all power steering fluids. Contains no harmful solvents. **100% GUARANTEED TO STOP SEAL LEAKS IN POWER STEERING UNITS OR YOUR MONEY BACK.**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10008	12X1	12 OZ	10 lbs	160 Cases	5 GAL PAIL 10143
10011	12X1	1 Quart	25 lbs	70 Cases	55 GAL DRUM 10145



### TRANSMISSION FIX

Lucas Transmission Fix stops slipping in worn transmissions. It also cleans and lubricates sticking valves for proper shifting. This product will extend fluid life up to three times longer. It completely stops most seal leaks and controls heat and foaming. It's the perfect preventative maintenance product to stop initial wear in newer transmissions. A must for motor homes, towing vehicles, and all other hard working transmissions. Compatible with all transmissions and transmission fluids with the exception of CVT transmissions and transmission fluids. Will not void new car warranties. Contains no harmful solvents. Use also in light duty manual transmissions. (Results are usually immediate.)

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10009	12X1	24 OZ	19 lbs	70 Cases	55 GAL DRUM 10141



### SUPER COOLANT

Lucas Super Coolant has been scientifically formulated to provide the ultimate protection in automotive and racing cooling systems. It protects the entire system from rust, corrosion and electrolysis including aluminum and has been proven to reduce coolant temperatures up to 20°F. Its unique formula prevents deposits that can cause overheating. Lower cylinder head temperatures means advanced ignition time and more horsepower. This product is also good for motorcycles/ATVs. **MOLYBDATE FREE FORMULA**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10640	12X1	1 Pint	13 lbs	132 Cases



### TB ZINC PLUS ENGINE BREAK-IN OIL ADDITIVE

Lucas TB Zinc Plus Engine Break-In Oil Additive is specially formulated with ZDDP to protect camshaft, lifters and valve train during the break in period of a motor. Extreme pressure additives enhance protection in any engine. Excellent for flat tappet camshafts during break-in or as an additive to any motor oil to prevent premature wear. Use it with every oil change to increase the zinc content of your motor oil.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10063	12X1	16 OZ	13 lbs	132 Cases	55 GAL DRUM 10472



### HUB OIL

Hub Oil is over-worked and often neglected. It's also hard to change and prone to leak. Lucas Hub Oil is a heavy duty blend of special oils and additives designed to compensate for these problems. It totally stops most hub seal leaks and allows hubs to operate on a marginal amount of oil in case of poor maintenance or a totally blown seal. Available in larger containers for fleet maintenance.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10088	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10089



### PENETRATING OIL

Lucas Penetrating Oil is packaged in an aerosol can. This product can be used on nuts, bolts, bearings, hinges, sliding doors or a million other home and shop uses. The formula is petroleum based and designed to provide a microscopic film that rust proofs for up to a year inside or out. In addition to its non-silicone formula, it is fortified with anti-seize agents to be a truly superior penetrant to dissolve corrosion and rust without drying. The low odor formula has a locking pop-up tube and 360° application range, even upside down. The lubricating qualities are similar to a heavy oil but have the penetrating qualities of a solvent. The petroleum base provides excellent water protection even against salt water. A body shop safe product that is compliant in all 50 states.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11043	12X1	11 OZ NET	11 lbs	108 Cases



### TOOL BOX BUDDY

Lucas Tool Box Buddy is formulated with a unique Lucas additive chemistry that lubricates, penetrates, dissolves rust and provides indoor and outdoor rust protection against water, even salt water. It lubricates better, penetrates deeper and cuts rust faster than any other products. Excellent for locks, air tools, or anything exposed to moisture. Fits easily in any tool box. Excellent for household use. Does not contain harmful solvents.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10070	18X1	2 OZ	3.6 lbs	252 Cases



### AIR TOOL LUBRICANT

Lucas Heavy Duty Air Tool Lubricant is a long lasting, super slick product that allows air tools to run easier and last longer. It's a complex blend of pure petroleum oils and additives specially formulated to combat rust and varnish for the working professional. It coats the working parts with a cushion of water-proof lubricants that resist "blow-out," enabling it to lube the tool, not the floor.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10216	12X1	1 Pint	13 lbs	140 Cases
10200	12X1	1 Quart	25 lbs	70 Cases



### CHAIN LUBRICANT

Lucas Chain Lubricant has excellent high temperature stability and clinging qualities. It contains organic Moly plus a complex blend of special additives and select base oils. It is a long lasting, all-weather, all-temperature lubricant and protectant for chains, sprockets, cables and open gears. It has a stronger lubricant film than grease and is impervious to salt water.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10014	12X1	1 Quart	25 lbs	70 Cases



### CHAIN LUBE AEROSOL

Lucas Chain Lube is formulated with unique Lucas additive chemistry that penetrates deeply into the pins and bushings of the chains and provides excellent rust and corrosion protection as well as outstanding water resistance. Our product does not sling off and resists rust. It has been tested by professional motorcycle riders and can be used on all chain types. It sprays in any direction, even upside down, and has a unique foam property.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10393	12X1	11 OZ NET	11 lbs	108 Cases



### MULTI-PURPOSE PARTS CLEANER & DEGREASER

Lucas Multi-Purpose Parts Cleaner and Degreaser is formulated with advanced Polyetheramine (PEA) detergents to clean and degrease carburetors, chokes, brake calipers, rotors, air intakes, throttle bodies and all unpainted metal parts. PEA is a highly effective cleaning agent that helps remove unwanted deposits such as gum, varnish, oil, brake fluid, grease, dirt and sludge. It is a fast drying, multi-purpose product suitable for all automotive cleaning and degreasing. It removes any build-up that can cause loss of power, rough idle, high emissions and hard starting, and cleans brakes for better performance and smoother operation. One product for all your degreasing and solvent cleaning jobs. Does not contain CFC's or chlorinated solvents. 50 States VOC compliance.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11115	12X1	16 OZ NET	12.5 lbs	90 Cases



### BRAKE PARTS CLEANER

Lucas Non-Chlorinated Brake Parts Cleaner is manufactured with the highest quality components to provide excellent performance without leaving any residue. It effectively removes brake fluid, grease, brake dust, and other contaminants from brake linings, pads, cylinders, springs and drums. Professional strength and powerful spray pattern improves performance of the product. For use on all ABS, disc and drum brakes. Quiets noise associated with excessive brake dust. 10% VOC (50 States)

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10906	12X1	14 OZ NET	12.5 lbs	90 Cases



### SURE START PREMIUM STARTING FLUID

Lucas Sure Start Premium Starting Fluid is a 50% ether blend, more than the leading national brand. Helps start stubborn engines fast in cold weather, saves batteries and contains upper cylinder lubricant. Performs to -65°F. For use in passenger cars, diesel engines, lawn mowers, chain saws, outboard motors and fractional horsepower engines. This diesel fuel additive complies with federal low sulfur content requirements for use in diesel motor vehicles and non-road engines. **GASOLINE OR DIESEL**



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11238	12X1	10.7 OZ NET	11.5 lbs	108 Cases

### TIRE INFLATOR

Lucas Tire Inflator with hose applicator is an easy to use non-flammable tire inflator and sealer for use in all passenger vehicles. It will quickly seal punctures and re-inflate a damaged tire. Safe for temporary emergency tire repair to get you back on the road, no tools required! It is tire sensor safe and VOC compliant in all 50 states.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11180	12X1	16 OZ NET	12 lbs	108 Cases



# GEAR OIL & TRANSMISSION



Lucas gear oil offers exceptional protection against wear, heat, and corrosion, ensuring prolonged gear life, formulated with the highest quality additives and available in several different weights. Trusted in industrial, heavy duty, and high-performance markets for superior shifting and durability.



Transmission products, are specially formulated blends that eliminate chatter, prevent slipping, leaks, wear, rough shifting and greatly extend transmission life in a diverse range of applications. Lucas transmission products are ideal for worn transmissions, agricultural equipment, passenger cars, lawn mowers, heavy duty trucks and other vehicles, providing a reliable solution for smoother and more reliable gear shifts.

**PROTECTION • SUPERIOR SHIFTING • PREVENTION**

## HEAVY DUTY GEAR OILS

Lucas Heavy Duty Gear Oils are blended with an extra additive package, over and above the normal gear oil additives. With these products, you can expect longer oil life, lower oil temperatures, longer component life, fewer seal leaks and LESS NOISE. This is what gear oil was meant to be. **COOLS & QUIETS**

### SAE 80W-90

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10043	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10066
10046	4x1	1 Gallon	33 lbs	60 Cases	55 GAL DRUM 10069

### SAE 85W-140

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10042	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10061
10045	4X1	1 Gallon	33 lbs	60 Cases	55 GAL DRUM 10064



## PURE SYNTHETIC GEAR OILS

Lucas Pure Synthetic Gear Oils are super-slick, long lasting lubricants designed especially for heavy duty or high performance applications where conventional lubricants just aren't enough. They contain a special premium additive package that increases lubricity and ensures less gear noise and longer bearing life. Designed to stand up to high temperatures without losing its lubricity. Excellent for use in limited slip differentials. **COOLS & QUIETS**

### SYNTHETIC SAE 75W-90

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10047	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10072
10048	4x1	1 Gallon	33 lbs	60 Cases	55 GAL DRUM 10074

### SYNTHETIC SAE 75W-140

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10121	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10123
10122	4X1	1 Gallon	33 lbs	60 Cases	



## INDUSTRIAL GEAR OILS

Lucas Industrial Gear Oils are blended with the highest quality base oils and additives to provide extreme pressure protection, resistance to foam and excellent rust, corrosion and oxidation protection. Non-corrosive to brass, bronze, steel and other copper alloys. These oils can be used in chain drives, sprockets, plain and anti-friction bearings, slide guides and flexible couplings. They can be used in manual transmissions, gear cases and worm gears on mobile contractor type equipment. They provide excellent shock loading properties and are designed to withstand heavy loads. Meets AGMA (American Gear Manufacturers Association) gear specifications. Recommended for use in bevel, spur, herringbone, planetary, worm and industrial hypoid gears.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
ISO 150 11164	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM-10673 330 GAL TOTE-11119
ISO 220 10589	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM-10590 330 GAL TOTE-10508
ISO 320 10591	1x1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM-10592 330 GAL TOTE-11120
ISO 460					330 GAL TOTE-11121
ISO 680 11158	1x1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM-10496 330 GAL TOTE-11122



## "SURE-SHIFT" SEMI-SYNTHETIC AUTOMATIC TRANSMISSION FLUID

Lucas "Sure-Shift" Semi-Synthetic Automatic Transmission Fluid has been developed to give smooth precise shifts and it extends a degree of protection not found in any other ATF. It will stop wear and tear like nothing you've ever tried, and it's very long lasting. It's compatible with most transmissions and transmission fluids and it's excellent for Allison Transmissions. Not recommended for use in CVT and Ford Type F transmissions.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10052	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 10166



## SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

Lucas Synthetic Multi-Vehicle Automatic Transmission Fluid is blended with a special Lucas additive package to insure longer fluid life and long transmission life. It provides smooth shifting, excellent heat resistance and the highest performance in both foreign and domestic transmissions. Recommended for use in most cars, trucks and SUVs and is compatible with synthetic and conventional fluids. It is truly a versatile fluid. Not recommended for use in CVT, Ford Type F and Dual-Clutch transmissions.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10418	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10424



## FULL SYNTHETIC MULTI-VEHICLE LOW VISCOSITY AUTOMATIC TRANSMISSION FLUID

Lucas Synthetic Multi-Vehicle Low-Viscosity ATF contains the highest quality synthetic base stocks combined with a state of the art additive system to provide superior performance in automatic transmissions. It can be used in most vehicles and is compatible with a wide range of seal materials to prevent transmission leaks. Outstanding anti-wear performance for protection of transmission parts, excellent cold temperature flow properties and superior oxidation and thermal stability. Its excellent sludge and varnish resistance promotes clean trouble-free performance. Meets or exceeds DEXRON® VI, MERCON® SP & LV AND TOYOTA® WS.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
11255	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11257
11256	4X1	1 Gallon	32 lbs	65 Cases	55 GAL DRUM 11258



## SYNTHETIC MULTI-VEHICLE CVT FLUID

Lucas Synthetic Multi-Vehicle CVT Fluid is a premium, full synthetic transmission fluid specifically designed for use in passenger cars with steel belt-driven or chain continuously variable transmissions. It guards against wear and corrosion. It resists shear thinning better than typical CVT fluids. Provides superior cooling and excellent low-temperature fluidity for smoother operation in cold weather. Protects against sludge and varnish formation. Excellent oxidation resistance and thermal stability. It has a low coefficient of friction between steel and clutch material to eliminate shudder. It has been specifically engineered to have the unique frictional properties required for use in this type transmission.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10111	6X1	1 Quart	13 lbs	168 Cases
10112	4X1	1 Gallon	32 lbs	65 Cases



## FULL SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

Lucas Full Synthetic Multi-Vehicle Automatic Transmission Fluid - TES 295®, is blended with a balanced additive package and the highest quality synthetic base oils to provide today's transmissions with excellent oxidation stability, foam resistance, rust and corrosion inhibition properties, wear protection and heat resistance. This multi-vehicle ATF provides smooth shifting and eliminates chatter. Lucas ATF is recommended for use in both new and older vehicles including Japanese and European transmissions. It is compatible with synthetic and conventional fluids and has outstanding seal compatibility. Recommended for use in high performance trucks, buses, utility vehicles, haulers and recreational vehicles.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10658	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10659

## HYDROSTATIC TRANSMISSION FLUID SYNTHETIC BLEND SAE 20W-50

Especially formulated to withstand the unique demands of hydrostatic transmissions in zero-turn, stand-on or ride-on mowers. Hydrostatic drive is what makes this possible; the ability to apply variable torque to the left or right wheel. These systems require a versatile and robust hydraulic system and thus, an equally robust hydrostatic drive fluid. Lucas Oil has just the product for these mowers. This SAE 20W-50 multi-grade viscosity oil provides excellent protection against all lubricated parts, has added detergency, dispersancy and rust protection over motor oils, that are sometimes used in this application, and will not shear thin over time. Additionally, Lucas Synthetic Blend Hydrostatic Drive Fluid contains a seal conditioner to discourage leaks, so the fluid stays in the mower, not on the grass. Together, these attributes result in a long-life fluid that truly holds up over time and extends equipment life. Recommended for all hydrostatic drive systems where the manufacturer recommends SAE 20W-50 fluid. Not recommended for engine crankcase.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11300	6X1	1 Quart	13 lbs	168 Cases

## PURE SYNTHETIC 50 WT. TRANSMISSION OIL

Lucas Pure Synthetic 50 WT. Transmission Oil is especially designed for heavy duty truck transmissions but can be used in many other applications. It contains an exclusive additive concentrate derived from synthetic oil that ensures lower operating temperatures and better lubrication, especially to upper bearings and gears. This is a long lasting fluid that is far superior to conventional synthetic 50 WT's.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10146	4X1	1 Gallon	33 lbs	60 Cases	5 GAL PAIL 10147 55 GAL DRUM 10149



## ANTI-SQUAWK / ANTI-SHUDDER ADDITIVE

Lucas Anti-Squawk/Anti-Shudder Additive was developed to specifically address squawk noise in gear and transmissions of agricultural equipment at initial startup. It eliminates the noise and is suitable for use in temperatures well below freezing. It has been proven to be effective in reducing shudder in automotive transmissions including Hondas. As a Limited Slip Additive: For rear axles equipped with limited-slip differentials that chatter, or scrub around hard turns, add 4-8 oz to the differential for smooth, quiet turning.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10599	12X1	1 Pint	13 lbs	132 Cases



## AUTOMATIC TRANSMISSION FLUID CONDITIONER

Lucas Automatic Transmission Fluid Conditioner is designed to provide ATF's with enhanced performance. A unique Lucas additive chemistry prolongs fluid life, reduces wear, conditions seals, reduces noise and shudder and maintains cold temperature properties even under the most adverse conditions. Designed as a preventative measure in both new and older foreign and domestic transmissions and is compatible with both synthetic and conventional ATF's. Not recommended for use in CVT and Ford Type F transmissions.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10441	12X1	20 OZ	16 lbs	108 Cases	55 GAL DRUM 10989



# GREASE



Our high-quality grease provides exceptional protection and long-lasting performance, ensuring smooth operation and reduced friction. Featuring formulas fortified with superior water resistance, anti-wear agents, rust and oxidation inhibitors, Lucas Oil Grease keeps your machinery running smoothly, preventing wear and extending equipment life.

**EXCEPTIONAL PROTECTION • SUPERIOR WATER RESISTANCE**

## RED "N" TACKY GREASE

Lucas Red "N" Tacky® is a premium-quality, complex grease fortified with extreme pressure (EP) lubricant additives. This proprietary formula effectively prevents rust, corrosion, and oxidation, setting it apart from similar greases.

Always follow the proper grease changeover procedures.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10318	10x1	3 OZ	6 lbs	120 Cases	35 LB PAIL 10027
10005-30	30X1	14 OZ	30 lbs	60 Cases	120 LB KEG 10028
10574	12x1	16 OZ	14 lbs	100 Cases	400 LB DRUM 10029



## RED "N" TACKY® SPRAY GREASE

Lucas Red "N" Tacky® Spray Grease is a high-quality spray grease in a convenient aerosol package with an impressive ability to cling to applied surfaces, resistance to water washout, and broad temperature use range. The application is ideal for putting grease in those hard-to-reach areas. It's excellent for cars, trucks, RVs, industrial or farm equipment and around the house. It can be used wherever a grease is the preferred lubricant.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11025	12X1	11 OZ	11 lbs	90 Cases



## RED "N" TACKY / 5TH WHEEL LUBE

Lucas Red "N" Tacky® 5th Wheel Lube is a heavy duty, water resistant lubricant containing rust and corrosion inhibitors and is specifically designed for 5th wheel applications. This 2.5 ounce bag is easy to handle creating little or no mess. For best results put one packet on each side of the king pin. Eco-Friendly bag will disintegrate, leaving no waste.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10676	192X1	2.5 OZ	31 lbs	24 Cases



## MULTI-PURPOSE GREASE COMBO PACK

Lucas Grease Combo Pack is a convenient combined pack for your different needs. It includes two 3-ounce cartridges of X-Tra Heavy Duty Grease and one 3-ounce cartridge of Red "N" Tacky® Grease. Both greases have excellent water resistance, they provide effective corrosion protection and are NLGI GC-LB certified.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10315	10X1	3 OZ	6 lbs	120 Cases



## WHITE LITHIUM GREASE

Lucas White Lithium Grease is formulated with the highest quality base oils and additives to provide mild anti-wear properties. Packaged in 8 ounce squeeze tubes for ease of application. Recommended for use in plain and anti-friction bearings operating under moderate load conditions, as well as for use in automotive chassis, trucks, tractors and contractor equipment. Not recommended for use in wheel bearings. A truly versatile grease with applications in industrial, automotive and household, including garage door openers, springs, hinges, etc.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10533	12X1	8 OZ	7.4 lbs	192 Cases	35 LB PAIL 10535



## X-TRA HEAVY DUTY GREASE

Lucas X-Tra Heavy Duty Grease is the end result of years of research and a brand new technology. This is the only grease we've found that completely recovers after being extremely overheated. It's virtually wash-out proof (goes off the chart for high speed bearings) and lasts up to four times longer than conventional grease. Fortified with an extreme pressure additive package, it exceeds OEM "Lube For Life" specifications.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10301-30	30X1	14.5 OZ	32 lbs	60 Cases	35 LB PAIL 10305
10330	12x1	16 OZ	14 lbs	100 Cases	400 LB DRUM 10335



## HEAVY DUTY MINING & CONSTRUCTION GREASE

Lucas Heavy Duty Mining and Construction Grease is a smooth, dark gray, lithium complex grease fortified with 5% molybdenum disulfide to provide excellent shock loading protection in the most adverse operating conditions. Protects wrist pins and booms from wear. It extends equipment life, reduces down time and improves productivity. It can be used with grease guns as well as in centralized dispensing systems found in industrial plants and heavy duty equipment. Recommended in Caterpillar 994 series loaders and 5130 and 5230 series shovels, off-road trucks, construction equipment, agricultural equipment, logging equipment, mining equipment (heavy duty top loaders), rock crushers, oil field equipment, off shore drilling equipment and marine equipment. Also recommended in 5th wheels, chassis and steering linkages. Meets or exceeds OEM specifications.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10881-30	30X1	14 OZ	30 lbs	60 Cases	120LB KEG 10922



## MARINE GREASE

Lucas Marine Grease is a premium grease of the over-based calcium sulfonate type with inherently superior corrosion resistance, resistance to water washout, mechanical stability and extreme pressure lubrication. Due to these properties, it is ideally suited for marine applications where these important properties are intrinsic to the grease and not the result of fortification with additives. Additionally, it has excellent load-carrying capacity and resistance to oxidation. It contains no heavy metals (e.g. lead, arsenic or antimony) or other environmentally harmful additives such as phosphorus, chlorine or zinc. Lucas Marine Grease meets NLGI Certification GC-LB. Not recommended for centralized dispensing systems requiring NLGI consistency number of 1 or less.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10320-30	30X1	14 OZ net	30 lbs	70 Cases	35 LB PAIL 10321
11148	12x1	16 OZ net	14 lbs	60 Cases	120 LB KEG 10322
10682	10x1	3 OZ net	6 lbs	60 Cases	400 LB DRUM 10660



# HEAVY DUTY TRUCKING



We understand the challenges that heavy-duty truckers and freight operators face every day. That's why we have developed a range of top-quality oil additives specifically designed to meet the demanding needs of the trucking industry. With Lucas products, you can enhance the fuel efficiency, performance and reliability of your heavy-duty fleets, ensuring they go the extra mile without the extra budget.



**PERFORMANCE • ENHANCED FUEL EFFICIENCY • RELIABILITY**

**SAE 15W-40 MAGNUM HIGH TBN CI-4**

Lucas SAE 15W-40 Magnum CI-4 oil was designed to last up to twice as long as plain 15W-40 oils. It's a blend of high quality base oils and an additive package that allows extended drain intervals and a much higher degree of protection from metal to metal contact. It holds much more soot in suspension than conventional 15W-40 oils. Expect less oil consumption and higher oil pressure. It guarantees a cool, quiet performance, a higher degree of lubricity, longer engine life and no dry starts. It is also the perfect lubricant for hard working hydrostat transmissions.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES		
10075	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10077	55 GAL DRUM 10078	330 GAL TOTE 10175
10076	4X1	1 Gallon	32 lbs	65 Cases			

**SYNTHETIC BLEND SAE 10W-30 FA-4 MAX FE (FUEL EFFICIENCY) HEAVY DUTY MOTOR OIL**

Lucas Synthetic Blend SAE 10W-30 API FA-4 Max FE (Fuel Efficiency) Heavy Duty Motor Oil is specifically designed for newer model year diesel engines which are designed for maximum fuel efficiency, employing engine oils with lower High Temperature High Shear Viscosity than standard CK-4 HD motor oils. It provides protection and oxidation resistance for highly rated diesel engines running in severe service conditions. It also provides enhanced protection against engine wear, piston deposits, particulate filter blocking, oil oxidation, catalyst poisoning, and viscosity increase related to soot. It's not backward compatible with CK-4 or CJ-4 standards.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES		
10759	4X1	1 Gallon	32 lbs	65 Cases	5 GAL PAIL 10761	55 GAL DRUM 10762	330 GAL TOTE 10760

**HEAVY DUTY CK-4 MOTOR OILS**

Lucas Heavy Duty CK-4 Motor Oils are premium oils blended with high quality API Group II and Group III base oils and a cutting-edge additive package providing the robust performance required by modern diesel engines while assuring good fuel economy. Much improved oxidation resistance means this oil lasts longer and protects engines better than previous heavy duty motor oils. They provide excellent soot control and TBN retention as well as shear stability.



**SAE 15W-40 CK-4**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES		
10287	4X1	1 Gallon	32 lbs	65 Cases	5 GAL PAIL 10288	55 GAL DRUM 10289	330 GAL TOTE 10292

**SYN BLEND 10W-30 CK-4**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES		
10282	4X1	1 Gallon	32 lbs	65 Cases	5 GAL PAIL 10283	55 GAL DRUM 10284	330 GAL TOTE 10285

**SYNTHETIC SAE 15W-40 CK-4**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES		
11246	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11248	55 GAL DRUM 11249	330 GAL TOTE 11250
11247	4X1	1 Gallon	32 lbs	65 Cases			

**SYNTHETIC SAE 10W-30 CK-4**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE		
						330 GAL TOTE 10573	

**SYNTHETIC SAE 5W-40 CK-4**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES		
11178	4X1	1 Gallon	32 lbs	65 Cases	5 GAL PAIL 11165	55 GAL DRUM 11166	330 GAL TOTE 11167



# HYDRAULICS

---



These highly effective additives and fluids provide excellent wear protection in hydraulic systems. Designed to meet or exceed the most stringent OEM standards, Lucas hydraulic fluids ensure smooth machine operation, reduce friction and extend the lifespan of critical hydraulic parts, increasing fluid life, stopping leaks and increasing hydraulic pressure.



**REDUCE FRICTION • EXTEND PARTS LIFESPAN • INCREASE HYDRAULIC PRESSURE**

### HYDRAULIC OIL BOOSTER & STOP LEAK

Lucas Hydraulic Oil Booster & Stop Leak is an inexpensive solution to your hydraulic problems. It's the perfect preventative maintenance product for new equipment and the best solution for worn hydraulics and transmissions in older equipment. A 5-10% addition will condition seals to stop leaks and restore load pressure in old equipment, or prevent leaks and wear in new equipment. It renews worn fluids, removes varnish from wet brakes and clutches; stopping slippage and lowering operating temperatures. It's impregnated with anti-foam agents. This product does not contain harmful solvents. More may be added in badly worn equipment.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10019	12X1	1 Quart	25 lbs	70 Cases	5 GAL PAIL 10039
10018	4X1	1 Gallon	33 lbs	60 Cases	55 GAL DRUM 10040

### UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

Lucas Universal Hydraulic & Transmission Fluid is blended with the highest quality oils and special additives that assure equipment owners reduced down-time and extended equipment life. It is a multi-purpose, power-shift transmission/hydraulic fluid intended for a wide range of power driven equipment and excellent for long term economy. It meets or exceeds performance requirements for agricultural, construction and other off-highway and industrial equipment, as well as, all OEM specifications for powershift transmissions including gears, pumps, differentials, final drives, bearings, wet brakes, transmissions and PTO clutch applications. Also available in larger containers.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10017	4X1	1 Gallon	33 lbs	60 Cases	5 GAL PAIL 10037 55 GAL DRUM 10038

### SYNTHETIC UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

Lucas Synthetic Universal Hydraulic Fluid is a blend of the finest synthetic base stocks and a Lucas additive package that meets or exceeds the most stringent manufacturers' specifications, including Caterpillar TO2. Expect longer fluid life and longer component life, as well as, more hydraulic pressure, faster response and smoother operation. It is blended under ultra clean conditions and passed through a finite filtration system that guarantees it to be clean of any foreign matter. It's designed for all temperature extremes and eliminates the need for warm-up time in extreme cold temperatures. It also eliminates slippage, loss of pressure; premature oil breakdown and component wear due to higher than normal operating temperatures.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10100	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10524 330 GAL TOTE 10851

### ANTI-WEAR HYDRAULIC OILS

Lucas Anti-Wear Hydraulic Oils are manufactured with the highest quality paraffinic base oils and special Lucas additives to provide maximum hydraulic service performance. They provide excellent wear protection in critical hydraulic pump parts and eliminate rust and corrosion problems as well as minimize foam, and have excellent demulsibility properties. Designed for use in hydraulic systems operating over 1,000 psi and for use in machine tools, presses, die casting, airline lubricators, reciprocating air compressors, circulating systems, hydraulic control systems and plain and anti-friction bearings. Can be used in all pump designs including vane, gear, axial and radial pumps. Lucas hydraulic fluids are filtered before packaging to an ISO Cleanliness rating of 16/14/11 and will outlast standard hydraulic oil by double, up to 12,000 hours of service.



ISO 22					
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
11169	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 11171 330 GAL TOTE 11172

ISO 32					
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10401	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10403 330 GAL TOTE 10414

ISO 46					
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10404	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10406 330 GAL TOTE 10415

ISO 68					
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10407	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10409 330 GAL TOTE 10416

ISO 100					
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10503	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 11188 330 GAL TOTE 11189

ISO 150					
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
11106	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10672 330 GAL TOTE 11126

ISO 220					
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10961	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10962 330 GAL TOTE 10963

### MULTI-VISCOSITY ANTI-WEAR ISO 32 HYDRAULIC OIL

Lucas Multi-Viscosity AW Hydraulic Oil ISO 32 is a premium product blended with highest quality synthetic base stocks and Lucas special additives to provide anti-wear protection and maximum performance. The extremely high viscosity index and low pour point permit this fluid to be used in wide operating temperatures. Recommended for use in mobile construction equipment, vane, gear, and piston type hydraulic pumps. Suitable for use in all industrial hydraulic systems operating up to 3000 psi. Can also be used in plain and anti-friction bearings, airline lubricators and reciprocating air compressors.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10569	1X1	5 Gallon	40 lbs	56 Pails	55 GAL DRUM 10577 330 GAL TOTE 11129

## R&O HYDRAULIC OILS

Lucas R&O Industrial Oils are manufactured with the highest quality paraffinic base oils and special Lucas additives to provide excellent rust, corrosion and oxidation protection. Excellent demulsibility allows product to separate from water quickly. They contain effective foam inhibitors to stop foaming. They're designed for use in air compressors and hydraulic systems operating under 1,000 psi that do not require anti-wear additives. They also have applications in plain and anti-friction bearings, vacuum pumps, electric motors as well as centrifugal, turbine and deep well pumps. They truly function as a general purpose lubricant.



ISO 32					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10447	1X1	5 Gallon	40 lbs	56 Pails	10449	11130

ISO 46					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10450	1X1	5 Gallon	40 lbs	56 Pails	10452	11131

ISO 68					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10453	1X1	5 Gallon	40 lbs	56 Pails	10455	11132

## HEAVY DUTY TRANS & DRIVE TRAIN OILS

Lucas Heavy Duty Transmission & Drive Train Oils are formulated to meet Caterpillar TO-4 specification as well as Allison C-4 and Komatsu Micro-Clutch specifications. Designed for use in Caterpillar power shift transmissions, clutches, brakes, final drives, bevel gears and differentials. Formulated with unique Lucas Oil additive systems to provide the highest performance for extended oil life. They minimize foam, provide excellent copper corrosion and rust protection and have excellent low temperature properties, shear and oxidative stability.



SAE 10					LARGER SIZE
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	330 GAL TOTE
10585	1X1	5 Gallon	40 lbs	56 Pails	10846

SAE 30					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10443	1X1	5 Gallon	40 lbs	56 Pails	10445	10446

SAE 50					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10671	1X1	5 Gallon	40 lbs	56 Pails	10856	10857

## SYNTHETIC NON-CONDUCTIVE ANTI-WEAR HYDRAULIC OILS

Lucas Synthetic Non-Conductive Anti-Wear Hydraulic Oil is formulated with pure base oils and an additive chemistry that provides excellent oxidative and thermal stability. It provides excellent wear protection and reduces deposits and sludge. It contains an effective foam inhibitor which minimizes foam. Dielectric strength of 38 kV makes it an excellent non-conductive fluid. The minimum value required is 35 kV. Dielectric strength is extremely sensitive to humidity and contamination. Once the containers are opened, the dielectric strength cannot be expected to remain at its original value. Containers should be kept tightly sealed and stored in a dry environment.



Our product is recommended for use wherever non-conductive fluids are required. Typical uses include cherry pickers and firetruck snorkels. High flash point reduces danger of fire.

ISO 22					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10691	1X1	5 Gallon	40 lbs	56 Pails	10692	11127

ISO 32					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
11107	1X1	5 Gallon	40 lbs	56 Pails	11108	11109

ISO 46					LARGER SIZE
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	330 GAL TOTE
10917	1X1	5 Gallon	40 lbs	56 Pails	11128



## SYNTHETIC COMPRESSOR OILS

Lucas Synthetic Compressor Oils are high quality, 100% synthetic lubricants based on PAO/diester technology. They offer extended service life in rotary screw compressors and reduce deposits in single and multi-stage reciprocating air compressors. Lucas Synthetic Compressor Oils provide excellent oxidative and thermal stability. They provide excellent wear protection and reduce deposits and sludge. Lucas unique formula reduces foam and minimizes air entrainment.

ISO 32					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10836	1X1	5 Gallon	40 lbs	56 Pails	10505	11124

ISO 46					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10497	1X1	5 Gallon	40 lbs	56 Pails	10498	10499

ISO 68					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
10837	1X1	5 Gallon	40 lbs	56 Pails	10413	11125

ISO 100					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
11041	1X1	5 Gallon	40 lbs	56 Pails	11044	10485

ISO 200					LARGER SIZES	
PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	55 GAL DRUM	330 GAL TOTE
11162	1X1	5 Gallon	40 lbs	56 Pails	10486	10487

# MOTOR OIL



The ultimate performance and protection for all engine types – this advanced, comprehensive line of the highest-quality motor oils provides superior lubrication, reduces friction and wear, while maximizing engine performance and fuel efficiency. Fortified with a precise blend of additives that provide better thermal stability, oxidation resistance, and viscosity control, ensuring optimal lubrication even under extreme operating conditions.

**SUPERIOR LUBRICATION • REDUCES FRICTION AND WEAR • MAXIMIZING FUEL EFFICIENCY**

## SYNTHETIC API SP MOTOR OILS

In upgrading our line of synthetic API licensed motor oils to the API SP and ILSAC GF-6 standards, Lucas Oil established a premium line of engine oils that provide maximum protection and performance from oil change to oil change. Lucas Synthetic API SP Passenger Car Motor Oils (PCMO) are blended from the highest quality API Group III and Group IV base oils and combined with a cutting-edge additive package of detergents, dispersants, antioxidants, and corrosion inhibitors. Shear stable viscosity modifiers insure multi-grade performance throughout the life of the oil. With the advent of API SP/ILSAC GF-6, enhanced performance and improvements can be seen specifically in: low speed pre-ignition (LSPI) protection, maintaining piston cleanliness, oxidation control, engine oil sludge prevention, timing chain wear protection, improved fuel economy, turbocharger protection in turbocharged gasoline direct injection (TGDI) engines, as well as proven performance in Hybrid applications. Lucas Synthetic SAE 0W-16 API SP Motor Oil is our low-viscosity, fuel saving formula with viscosity modifiers that is well suited to late model cars. It's a low-drag lubricant that outlasts conventional motor oil. *\*Available with GM Dexos1® Gen 3 specification.*



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
Syn SAE 0W-16 <b>11181</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11183 55 GAL DRUM 11184
*Syn SAE 0W-20 <b>10564</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10567
Syn SAE 0W-30 <b>10179</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10183
Syn SAE 5W-20 <b>10082</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10084
*Syn SAE 5W-30 <b>10049</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10209
Syn SAE 5W-50 <b>10101</b>	6X1	1 Quart	13 lbs	168 Cases	
Syn SAE 10W-30 <b>10050</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10119
Syn SAE 5W-40 <b>10189</b>	6X1	1 Quart	13 lbs	168 Cases	
Syn SAE 20W-50 <b>10054</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10108

## HIGH MILEAGE SYNTHETIC BLEND API SP MOTOR OILS

Lucas High Mileage Synthetic Blend API SP Motor Oils are formulated to the API SP and ILSAC GF-6 standards\* to create a premium line of engine oils that provide maximum protection and performance from oil change to oil change. They're blended from the highest quality API Group II and Group III (synthetic) base oils and combined with a cutting-edge additive package of detergents, dispersants, antioxidants, and corrosion inhibitors, in addition to seal conditioners suitable for high mileage cars and trucks. Shear stable viscosity modifiers insure multi-grade performance throughout the life of the oil. With the advent of API SP/ILSAC GF-6, enhanced performance and improvements can be seen specifically in: maintaining piston cleanliness, oxidation control, engine oil sludge prevention, timing chain wear protection and fuel economy benefits. Our High Mileage Synthetic Blend API SP Motor Oils are a more economical option to synthetic motor oils, but still provide the benefits of a high quality, API certified SP engine oil and with added seal protection. For even more performance and longer drain intervals, consider Lucas Synthetic API SP Motor Oils.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
HM SAE 5W-20 <b>11261</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11263 55 GAL DRUM 11264
HM SAE 5W-30 <b>11266</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11268 55 GAL DRUM 11269
HM SAE 10W-30 <b>11271</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11273 55 GAL DRUM 11274
HM SAE 10W-40 <b>11276</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11278 55 GAL DRUM 11279
HM SAE 20W-50 <b>11281</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11283 55 GAL DRUM 11284

## CONVENTIONAL API SP MOTOR OILS

Lucas Conventional API SP Motor Oils are blended from the highest quality API Group II base oils and combined with a cutting-edge additive package of detergents, dispersants, antioxidants, and corrosion inhibitors. In upgrading our line of API licensed motor oils to the API SP and ILSAC GF-6 standards, Lucas Oil established a premium line of engine oils that provide maximum protection and performance throughout the oil change interval. Shear stable viscosity modifiers insure multi-grade performance throughout the life of the oil. With the advent of API SP/ILSAC GF-6, enhanced performance and improvements can be seen specifically in: maintaining piston cleanliness, oxidation control, engine oil sludge prevention, timing chain wear protection and fuel economy benefits. Our Conventional API SP Passenger Car Motor Oils (PCMO) are an economical alternative to synthetic motor oils, but still provide the benefits of a high quality, API certified SP engine oil. For even more performance and longer drain intervals, consider Lucas Synthetic API SP Motor Oils.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
SAE 30 <b>10053</b>	6X1	1 Quart	13 lbs	168 Cases	330 GAL TOTE 10556
SAE 5W-20 <b>10516</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10518 330 GAL TOTE 10642
SAE 5W-30 <b>10474</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10479 330 GAL TOTE 10482
SAE 5W-30 <b>10530</b>	3X1	5 Quart	30 lbs	65 Cases	
SAE 10W-30 <b>10276</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10217 330 GAL TOTE 10644
SAE 10W-30 <b>10341</b>	3X1	5 Quart	30 lbs	65 Cases	
SAE 10W-40 <b>10275</b>	6X1	1 Quart	13 lbs	168 Cases	
SAE 20W-50 <b>10252</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 10257 55 GAL DRUM 10259 330 GAL TOTE 10260

## HOT ROD & CLASSIC OILS

Lucas Hot Rod & Classic Car Motor Oils are manufactured with the highest quality paraffinic base oils and fortified with a unique additive package containing high levels of zinc, molybdenum and phosphorus, which provides a tougher, thicker additive film for maximum protection even under the most severe conditions. They improve the film strength between the cylinder wall and piston rings. They have good cold temperature properties and stand up to high operating temperatures. Compatible with methanol and all racing fuels, as well as with synthetic and non-synthetic oils. Recommended for muscle, showroom, classic and trophy cars without catalytic converters. Can be used in racing applications. Not recommended for passenger car use.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
SAE 10W-30 <b>10687</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10681
SAE 10W-30 <b>10679</b>	3X1	5 Quart	30 lbs	65 Cases	
SAE 10W-40 <b>10688</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 11027
SAE 10W-40 <b>10683</b>	3X1	5 Quart	30 lbs	65 Cases	
SAE 20W-50 <b>10689</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 11028
SAE 20W-50 <b>10684</b>	3X1	5 Quart	30 lbs	65 Cases	

## HIGH PERFORMANCE EUROPEAN SYNTHETIC MOTOR OILS

Lucas High Performance European Synthetic Motor Oils are proven to withstand the toughest conditions on the road or the track. A blend of high quality synthetic oils and a proprietary additive package provides maximum protection against extreme heat and friction, including cold weather dry starts. These oils allow engines to run cooler and stronger and increase the interval between oil changes. Perfect for gasoline, diesel and turbo-charged engines.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
Synthetic SAE 0W-20 <b>11302</b>	6X1	1 Litre	13 lbs	168 Cases	5 GAL PAIL 10213 6 GAL BIB 18022 55 GAL DRUM 10215 6 GAL BIB 18020 55 GAL DRUM 11193 6 GAL BIB 18016 55 GAL DRUM 11194 330 GAL TOTE 11163 5 GAL PAIL 10222 55 GAL DRUM 10224 6 GAL BIB 18023 55 GAL DRUM 10251 330 GAL TOTE 10250
Synthetic SAE 0W-20 <b>11303</b>	3X1	5 Litre	33 lbs	65 Cases	
Synthetic SAE 0W-40 <b>10210</b>	6X1	1 Litre	13 lbs	168 Cases	
Synthetic SAE 0W-40 <b>10327</b>	3X1	5 Litre	33 lbs	65 Cases	
Synthetic SAE 5W-30 <b>10051</b>	6X1	1 Litre	13 lbs	168 Cases	
Synthetic SAE 5W-30 <b>10206</b>	3X1	5 Litre	33 lbs	65 Cases	
Synthetic SAE 5W-40 <b>10186</b>	6X1	1 Litre	13 lbs	168 Cases	
Synthetic SAE 5W-40 <b>10187</b>	3X1	5 Litre	33 lbs	65 Cases	
Synthetic SAE 10W-40 <b>10229</b>	6X1	1 Litre	13 lbs	168 Cases	
Synthetic SAE 10W-40 <b>10230</b>	3X1	5 Litre	33 lbs	65 Cases	
Synthetic SAE 10W-60 <b>10248</b>	6X1	1 Litre	13 lbs	168 Cases	
Synthetic SAE 10W-60 <b>10231</b>	3X1	5 Litre	33 lbs	65 Cases	



## LUCAS MOTOR OIL & MOTORCYCLE OIL TYPICAL ZINC VALUES

Part #	Description	Zinc PPM
<b>HOT ROD &amp; CLASSIC OILS</b>		
10687	SAE 10W-30	1,677
10688	SAE 10W-40	1,686
10689	SAE 20W-50	1,667
<b>MOTOR OILS</b>		
10564	Synthetic SAE 0W-20 DEXOS	889
10179	Synthetic SAE 0W-30 API SP	755
10082	Synthetic SAE 5W-20 API SP	755
10049	Synthetic SAE 5W-30 API SP	889
10101	Synthetic SAE 5W-50	1,529
10189	Synthetic SAE 5W-40 API SP	755
10050	Synthetic SAE 10W-30 API SP	755
10054	Synthetic SAE 20W-50 API SP	755
10516	SAE 5W-20 API SP	755
10474	SAE 5W-30 API SP	755
10276	SAE 10W-30 API SP	755
10275	SAE 10W-40 API SP	755
10252	SAE 20W-50 API SP	755
10053	SAE 30 WT	840
<b>EXTREME DUTY MARINE OILS</b>		
10653	SAE 20W-50	2,741
10661	Synthetic SAE 10W-30 Outboard	838
10662	Synthetic SAE 10W-40 Outboard	837
10677	SAE 25W-40 Inboard 4-Stroke	832
10807	Marine SAE 15W-40 CK-4 API	1,042
<b>ENGINE BREAK-IN OIL ADDITIVE</b>		
10063	TB Zinc Plus	43,008

Part #	Description	Zinc PPM
<b>HEAVY DUTY DIESEL OILS</b>		
10075	SAE 15W-40 CI-4 Magnum	1,615
10282	Semi-Synthetic HD 10W-30	1042
11168	Synthetic HD 5W-40	1215
<b>DIESEL OILS</b>		
10287	SAE 15W-40	1042
11246	Synthetic 15W-40	1042
<b>BREAK-IN OILS</b>		
10630	SAE 30	4,401
10635	SAE 20W-50	4,413
11033	SAE 5W-20	1,339
<b>RACING ONLY OILS</b>		
10610	Synthetic SAE 10W-30	3,165
10615	Synthetic SAE 20W-50	2,932
10306	Semi-Synthetic SAE 20W-50	807
10620	SAE 20W-50	2,998
10347	SAE 50 Plus Racing	3,205
10910	SAE 60 Plus Racing	3,684
10348	70 Plus Racing	5,538
10942	Synthetic SAE 10W-40	2,254
<b>MOTORCYCLE OILS</b>		
10700	SAE 20W-50	944
10702	Synthetic SAE 20W-50	944
10708	Synthetic SAE 10W-30	944
10710	Semi-Synthetic SAE 10W-40	944
10712	SAE 50 WT	944
10716	Synthetic SAE 10W-50	944
10720	Semi-Synthetic SAE 10W-40 ATV	944
10765	Synthetic 50W	2,791
10767	SAE 10W-40	944
10777	Synthetic SAE 10W-40 w/Moly	1,058

# MOTORCYCLE



When it's time to ride, Lucas keeps you moving. Our dedicated motorcycle product line offers riders a range of premium oils, fuel additives, and lubricants for any two-wheeled adventure. With Lucas products in the tank, expect better engine performance, extended lifespan, improved fuel efficiency and effortless maintenance, allowing you the peace of mind to disconnect and just ride.




**EFFORTLESS MAINTENANCE • BETTER ENGINE PERFORMANCE • IMPROVED FUEL EFFICIENCY**



### HIGH PERFORMANCE MOTORCYCLE OILS

Lucas Motorcycle Oils are built for endurance. These oils will lower oil temperatures, extend the life of vital components, reduce noise and leaks and increase performance. SAE 20W-50 is also an excellent gear oil and primary oil. All Lucas High Performance Motorcycle Oils meet or exceed API SM/SL/SJ, JASO MA-2 and ACEA A3 specifications.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES	
Syn SAE 5W-20 <b>10704</b>	6X1	1 Quart	13 lbs	168 Cases		
Syn SAE 10W-30 <b>10708</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 10741	55 GAL DRUM 10743
Syn SAE 0W-40 <b>10718</b>	6X1	1 Quart	13 lbs	168 Cases		
Syn SAE 10W-40 <b>10793</b>	6X1	1 Quart	13 lbs	168 Cases		
Syn SAE 10W-40 <b>10777</b> JASO MB W/MOLY	6X1	1 Quart	13 lbs	168 Cases		
Syn SAE 10W-50 <b>10716</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10755	
Syn SAE 20W-50 <b>10702</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 10732	
Semi-Syn SAE 10W-40 <b>10710</b>	6X1	1 Quart	13 lbs	168 Cases		
SAE 50 <b>10712</b>	6X1	1 Quart	13 lbs	168 Cases		
SAE 10W-40 <b>10767</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10769	
SAE 20W-50 <b>10700</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 10729	



### SxS/UTV 4-STROKE ENGINE OILS

Lucas Synthetic and Synthetic Blend SxS/UTV 4-Stroke Engine Oils are a high-performance, all-temperature and all-weather-ready engine oils that are recommended by Lucas Oil for use in side-by-side (SxS), ATVs, UTVs and virtually all off-road recreational vehicles. They're blended with high-quality synthetic base stocks, premium additives and shear-stable viscosity modifiers to provide unmatched performance. Formulated and proven to provide premium lubrication, resist oxidation, exhibit improved cold-weather fluidity and stay-in-grade viscosity, no matter how much the oil is sheared. Premium dispersants and detergents keep engines clean and free of deposits. Suitable for use in all popular SxS makes and models.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES	
Synthetic SAE 0W-40 <b>11200</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11202	55 GAL DRUM 11203
Synthetic SAE 0W-40 <b>11201</b>	4X1	1 Gallon	32 lbs	65 Cases		
Synthetic SAE 5W-50 <b>11208</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11210	55 GAL DRUM 11211
Synthetic SAE 5W-50 <b>11209</b>	4X1	1 Gallon	32 lbs	65 Cases		
Synthetic SAE 10W-30 <b>11204</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11206	55 GAL DRUM 11207
Synthetic SAE 10W-30 <b>11205</b>	4X1	1 Gallon	32 lbs	65 Cases		
Synthetic SAE 10W-50 <b>11212</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11214	55 GAL DRUM 11215
Synthetic SAE 10W-50 <b>11213</b>	4X1	1 Gallon	32 lbs	65 Cases		
Synthetic Blend SAE 10W-40 <b>11196</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11198	55 GAL DRUM 11199
Synthetic Blend SAE 10W-40 <b>11197</b>	4X1	1 Gallon	32 lbs	65 Cases		

### SxS/UTV COMMAND DRIVE FRONT DIFFERENTIAL FLUID

Lucas SxS/UTV Command Drive Fluid is blended from premium synthetic base oils only (API Groups III & V), combined with shear stable synthetic polymers, a high-quality additive package that includes anti-wear, anti-oxidants, friction modifiers and corrosion inhibitors to produce a truly superior fluid for the front differential of Polaris vehicles, including ACE, Sportsman, Ranger and RZR and may be used safely as a substitute for Polaris Demand Drive Fluid. Contains a friction modifier for smooth and rapid engagement of the front differential. This fluid will not permanently shear thin, ensuring that viscosity remains constant over the life of the fluid. It provides superior anti-wear protection and reduces the effects of shock loading. It will hold-up under heat and stress.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
<b>11220</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11222
<b>11221</b>	4X1	1 Gallon	32 lbs	65 Cases	55 GAL DRUM 11223



### SxS TRANSMISSION FLUID

Lucas SxS/UTV Transmission Fluid is blended from premium synthetic base oils only (API Groups III & V), combined with shear stable synthetic polymers and a high-quality additive package that includes anti-wear, anti-oxidants and corrosion inhibitors, producing a truly superior SxS transmission fluid. It was designed specifically to meet the requirements of Polaris vehicles' transmission/gearcase and may be used safely as a substitute for AGL. This fluid will not permanently shear thin, ensuring that viscosity remains constant over the life of the fluid. It provides superior chain and gear wear protection, reduces the effects of shock loading and will hold-up under heat and stress.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
<b>11216</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11218
<b>11217</b>	4X1	1 Gallon	32 lbs	65 Cases	55 GAL DRUM 11219



### SxS/UTV MULTI-PURPOSE GEARCASE AND DIFFERENTIAL FLUID

Lucas SxS/UTV Multi-Purpose Gearcase and Differential Fluid is blended from premium synthetic base oils only (API Groups III, IV & V), combined with shear stable synthetic polymers, a high-quality additive package that include anti-wear, anti-oxidants and corrosion inhibitors to produce a truly superior multi-purpose SxS lubricant, suitable for the transmission/gearcase, front and rear differentials of most SxS, UTV and ATV available today. This fluid contains a friction modifier for smooth engagement of the front differential and low wear. It will not permanently shear thin, ensuring that viscosity remains constant over the life of the fluid. It provides superior chain and gear wear protection. It reduces the effects of shock loading and will hold-up under heat and stress. Our CleanGear formula fights lacquer, deposits and corrosion. Suitable for applications requiring gear and wet brake fluid.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
<b>11224</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11226
<b>11225</b>	4X1	1 Gallon	32 lbs	65 Cases	55 GAL DRUM 11227



### SEMI-SYNTHETIC SAE 10W-40 ATV/UTV ENGINE OIL

Lucas Semi-Synthetic SAE 10W-40 ATV/UTV Engine Oil is a long lasting oil that stands up to the high temperatures of slow moving, hard working, air-cooled engines. It exceeds manufacturer specifications and meets JASO specifications. *Air-cooled/Water-cooled*



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10720	6X1	1 Quart	13 lbs	168 Cases

### PRIMARY CHAINCASE OIL

Lucas Primary Chaincase Oil is a blend of easy flowing base oils and a Lucas additive package designed to carry away more heat from the clutch and friction plates. This assures a longer, more trouble-free clutch life. Expect a smooth clutch action, less slippage, longer chain and sprocket life and much longer oil life. 100% petroleum designed for heavy duty and high performance situations. It can also be used as a Sportster transmission fluid.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10790	6X1	1 Quart	13 lbs	168 Cases

### SYNTHETIC SAE 50 WT. V-TWIN OIL

Lucas Synthetic SAE 50 WT. V-Twin Oil is blended specifically for 4-stroke, air-cooled V-Twin/Opposed-Twin/Slant-Twin engines made after 1984. Lucas Oil's race bred technology makes this oil help your engine run cooler, smoother, longer. Excellent for V-Twin power plants from Harley Davidson, BMW, Ducati, Motoguzzi and many others. Contains special Lucas additive chemistry to provide the highest performance possible. Designed for engine applications only.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10765	6X1	1 Quart	13 lbs	168 Cases

### SYNTHETIC SAE 75W-140 V-TWIN GEAR OIL

Lucas Synthetic SAE 75W-140 V-Twin Gear Oil is blended with the highest quality synthetic base oils and a Lucas synthetic additive package making it superior to any other motorcycle gear oil. Expect a cool, quiet performance with minimum drag and wear. Stands up to high horse power and high temperature. Designed especially for V-Twins but excellent for use in any heavy duty or high performance transmission. Safe for all metals including bronze and brass.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10791	6X1	1 Quart	13 lbs	168 Cases

### MOTORCYCLE OIL STABILIZER

Lucas Motorcycle Oil Stabilizer is a 100% petroleum product developed specifically for motorcycle applications. Its 12 ounce size makes it perfect for fitting into saddle bags or other on board storage areas. It virtually eliminates dry starts and wear. It extends oil life and lowers oil temperatures, especially in Harley Davidson's. It's designed to improve oil pressure, reduce smoking, eliminate oil leaks and blow-by in older engines. It also quiets engines and can be used in gear boxes and primaries.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10727	12X1	12 OZ	10 lbs	160 Cases

### SYNTHETIC FORK OILS

Lucas High Performance Synthetic Fork Oils come in five different grades depending on the application. They are formulated with the highest quality synthetic base oils and unique Lucas additive chemistry to provide more responsive handling, less static friction, wear protection and prevent seal hardening. Compatible with both synthetic and conventional fork oils and can be used in all systems including damping rods, cartridges, bladder, conventional and inverted forks.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
Medium 10 WT. 10772	12X1	1 Pint	13 lbs	132 Cases	
Heavy 15 WT. 10773	12X1	1 Pint	13 lbs	132 Cases	
7.5 WT.					SPECIAL ORDER TOTE 11157

### HIGH PERFORMANCE FOAM FILTER OIL

Lucas Foam Filter Oil is a unique low solvent, low viscosity formula designed to penetrate the filter media and trap dust, dirt and sand while improving air flow. Because it has a slight tackiness it stays in place throughout the service life. Its waterproof formula helps block out moisture and water. Will not clog foam filters even in colder temperature applications. Its blue color ensures coverage across the entire filter area.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10798	12X1	1 Quart	25 lbs	70 Cases

### CONTACT CLEANER AEROSOL

Lucas Contact Cleaner aerosol is a unique blend of solvents, cleaning agents and propellants designed to remove oil, dirt and moisture from contact points in small electrical equipment, controls, ignition systems, motors, relays and thermostats. This non-conductive, non-chlorinated, CFC free, 50-state VOC compliant formula dries quickly and leaves no residue.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10799	12X1	14 OZ NET	12.5 lbs	90 Cases

# 2-CYCLE OIL



The perfect companion for small engines – Lucas 2-Cycle Oils ensure optimal performance in motorcycles, ATVs, karts, watercraft, outboard motors, lawn equipment, and additional two-stroke engines providing superior lubrication, reducing smoke, and extending the life of equipment overall. Add Lucas for a smooth, reliable operation every time.

**SMOOTH • OPTIMAL PERFORMANCE • EXTENDS LIFE**



## SEMI-SYNTHETIC TC-W3® 2-CYCLE LAND & SEA™ OIL

Lucas Semi-Synthetic TC-W3® 2-Cycle Land & Sea™ Oil was specifically formulated to address the performance requirements of water-cooled outboards and personal watercraft. It is fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition, and ring sticking. It also has applications in motorcycles requiring API TC oils, chain saws, snowmobiles, golf carts and lawn mowers. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems. NMMA® Certified. Not recommended for use in air-cooled 2-cycle applications requiring JASO FC, FD oils.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10467	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10470
10557	4X1	1 Gallon	32 lbs	65 Cases	



## SEMI-SYNTHETIC 2-CYCLE OIL

Lucas Semi-Synthetic 2-Cycle Oil's clean burning formulation is what the world has needed for years. It is smokeless because the "would be" emissions are burned, thereby increasing performance and fuel economy. Expect less filter clogging and longer engine life.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10058	24X1	2.6 OZ	6 lbs	200 Cases	55 GAL DRUM 10125
10059	24X1	6.4 OZ	13 lbs	128 Cases	
10120	12x1	1 Pint	12 lbs	152 Cases	
10110	6x1	1 Quart	13 lbs	168 Cases	
10115	4x1	1 Gallon	32 lbs	65 Cases	



## SYNTHETIC 2-CYCLE SNOWMOBILE OIL

Lucas Synthetic 2-Cycle Snowmobile Oil has been formulated with a special blend of synthetic oils and a low ash additive package to lower exhaust emissions. It also contains a special package of detergents and lubricants exclusive to this formula alone. Especially designed for snowmobile applications but can be used in all 2-cycle applications where low ash systems are required. Contains supplemental additives to provide high performance in equipment with power valves as well as excellent cold temperature properties.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10835	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10904
10847	4X1	1 Gallon	32 lbs	65 Cases	



# MARINE

---



Get ready for the water with Lucas's wide range of high-performance marine oils, additives and appearance products. Engineered to optimize engine performance and protection in marine environments, our meticulously crafted oil and fuel additives are designed to keep your vessel running smoothly.

**OPTIMIZE PERFORMANCE • PROTECT • RUN SMOOTHLY**

## MARINE ENGINE OILS

Lucas Marine Engine Oils are produced with the highest quality base oils and an exclusive Lucas high performance additive package that assures maximum protection under the most extreme operating conditions. They are compatible with both synthetic and non-synthetic oils and can be used with methanol and other racing fuels. These oils are long lasting and designed to cling to metal parts during long-term storage to protect from harmful dry starts.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
SAE 20W-50 <b>10653</b>	6X1	1 Quart	13 lbs	168 Cases



## OUTBOARD AND INBOARD MARINE ENGINE OILS

Lucas Outboard and Inboard Marine Engine Oils are formulated especially for the harsh conditions of high-speed watercraft. These oils are catalyst compatible but work well in any 4-stroke application, inboard, outboard or personal watercraft. They are long lasting and fortified with a special blend of synthetic additives that coat all moving parts to guard against rust and moisture during long periods of storage. Meets industry standard API SM (automotive) as well as JASO MA standards for air-cooled motorcycles and all-terrain vehicles. NMMA® certified to meet or exceed FC-W (CAT) performance. **CATALYST COMPATIBLE**

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
Synthetic SAE 10W-30 <b>10661</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10817
Synthetic SAE 10W-30 <b>10812</b>	3X1	5 Quart	30 lbs	65 Cases	
Synthetic SAE 10W-40 <b>10662</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10526
Synthetic SAE 10W-40 <b>10813</b>	3X1	5 Quart	30 lbs	65 Cases	
SAE 25W-40 <b>10677</b>	6X1	1 Quart	13 lbs	168 Cases	
SAE 25W-40 <b>10814</b>	3X1	5 Quart	30 lbs	65 Cases	



## HEAVY DUTY MARINE DIESEL ENGINE OILS SAE 15W-40

Lucas Marine Diesel Engine Oils resist oxidation and thermal breakdown for total protection in new and older marine engines. They provide increased lubricity and lower oil temperature. They reduce engine noise, increase oil pressure and reduce soot levels. Suitable for use in gasoline and diesel powered engines. Meets/Exceeds API CK-4, CJ-4, CI-4.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
Marine SAE 15W-40 <b>10991</b>	4X1	1 Gallon	32 lbs	65 Cases
Marine Synthetic SAE 15W-40 <b>10992</b>	4X1	1 Gallon	32 lbs	65 Cases



## MARINE 2-CYCLE OIL

Lucas Marine 2-Cycle Oil is specifically formulated to address the performance requirements of water-cooled 2-cycle outboards and personal watercraft. It is fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition and ring sticking. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems. Synthetic Blend 2-Cycle Oil is NMMA® TC-W3® certified (RL-13125P).

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
Syn Blend 2-Cycle Oil <b>10860</b>	6X1	1 Quart	13 lbs	168 Cases
Syn Blend 2-Cycle Oil <b>10861</b>	4X1	1 Gallon	32 lbs	65 Cases
Full Synthetic 2-Cycle Oil <b>11149</b>	4X1	1 Gallon	32 lbs	65 Cases



## M8 MARINE GEAR OILS

Lucas M8 Marine Gear Oils are non-foaming, super slick, long-lasting lubricants designed for marine applications. Excellent for use in stern drives, v-drives, gear boxes, trailer wheel bearings and superchargers, and meet or exceed API GL-5 performance requirements.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
Synthetic SAE 75W-90 <b>10652</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 10664 55 GAL DRUM 10818
SAE 80W-90 <b>11153</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11154



## SYNTHETIC MARINE ATF TYPE FA

Lucas Marine ATF Type FA is a blend of high quality synthetic base oils and a specific Lucas additive package. It is a long lasting product designed for use in high performance boat transmissions calling for Ford ESW-M2C33-F.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
<b>10651</b>	6X1	1 Quart	13 lbs	168 Cases	5 GAL PAIL 11099



## FISHING REEL OIL

Lucas Fishing Reel Oil is a special blend of oil and additives specifically designed to lubricate all moving parts in fresh water and salt water fishing reels. This product provides protection against rust and corrosion even under the most adverse conditions. The new leak proof one-drop applicator allows just the right amount of lubricant to be applied in hard to reach areas. Packaged in an attractive counter top display.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
<b>10690</b>	20X1	1 OZ	2 lbs	315 Cases



### MARINE FUEL TREATMENT

Lucas Marine Fuel Treatment is designed specifically to address the issues watercraft owners experience with their engines and fuel systems. Lucas Marine Fuel Treatment fights corrosion, keeps fuel lines, carburetors or fuel injectors clean and free of deposits while lubricating and protecting vital engine parts. Powerful detergents, including polyether amines, improve cleanliness in the fuel system and internal engine parts. It's designed for gasoline and diesel engines, 4-stroke or 2-stroke. Upper cylinder lubricants insure smooth operation and longer engine life.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10150	12X1	1 Pint	13 lbs	132 Cases

### MARINE GREASE

Lucas Marine Grease is a premium grease of the over-based calcium sulfonate type with inherently superior corrosion resistance, resistance to water washout, mechanical stability and extreme pressure lubrication. Due to these properties, it is ideally suited for marine applications where these important properties are intrinsic to the grease and not the result of fortification with additives. Additionally, it has excellent load-carrying capacity and resistance to oxidation. It contains no heavy metals (e.g. lead, arsenic or antimony) or other environmentally harmful additives such as phosphorus, chlorine or zinc. Lucas Marine Grease meets NLGI Certification GC-LB. Not recommended for centralized dispensing systems requiring NLGI consistency number of 1 or less.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10682	10x1	3 OZ	6 lbs	60 Cases	35 LB PAIL 10321
10320-30	30X1	14 OZ	30 lbs	70 Cases	120 LB KEG 10322
11148	12x1	16 OZ	14 lbs	60 Cases	400 LB DRUM 10660

### SLICK MIST® MARINE SPEED WAX

Lucas Oil Slick Mist® is a polymer paint gloss intensifier, which can be used on other surfaces such as glass, chrome and vinyl decals. Use Slick Mist® as a traditional wax, quick detail spray or spray it on your boat between rinsing and drying for the easiest polish job ever. Just spray it on a wet or dry surface and wipe it off. Slick Mist® out performs the competition and will leave your finish slicker and shinier than any product on the market, with long lasting protection. Great at removing hard water deposits and is ideal in saltwater and freshwater applications.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10980	12X1	24 OZ	22 lbs	90 Cases

**ATTENTION:** Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels), motorcycle seats or tire treads, bicycle seats or tire treads, brake drums and any other surfaces where slipperiness may be hazardous. SHAKE WELL BEFORE USING.



# OUTDOOR



Whether you're in the backcountry tailing an 8-pointer or gearing up the ATV or boat for the weekend, be ready with Lucas's adventure-forward oils and additives. Find high-performance, all-weather-ready engine oils, firearm cleaners and more to keep your outdoor equipment in safe and reliable working order.



**SAFE • RELIABLE • HIGH-PERFORMANCE**

### HUNTING GUN OIL The Original

Lucas Gun Oil is a special blend of oil and petroleum extracted additives. It's super slick, yet clings to metal parts for easier operations and zero wear. It resists "burn off" many times longer than conventional oils and will not dry off during long periods of storage. Odorless all-purpose firearm lubrication, ideal for hunting firearms, bows and general household use. Packaged in an attractive counter top display.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
10006	18X1	2 OZ	3.6 lbs	252 Cases	55 GAL DRUM 10560

### EXTREME DUTY GUN OIL

Lucas Extreme Duty Gun Oil is designed for firearms that experience high volume, full auto and suppressed fire. It provides unmatched, burnoff-resistant protection unlike any other multi-purpose gun oil. Polymeric film protects metal parts from rust, wear and moisture during extreme conditions. It neutralizes acids caused by contact from human hands and resists drying during long periods of storage. Provides maximum heat resistance. For use on bolt carrier groups and all other moving parts.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10875	20X1	1 OZ	2 lbs	315 Cases	5 GAL PAIL 10901
10877	12X1	4 OZ	3 lbs	360 Cases	55 GAL DRUM 10890
10870	12x1	8 OZ	7 lbs	272 Cases	
10876	4x1	1 Gallon	32 lbs	65 Cases	

### EXTREME DUTY CLP

Lucas Extreme Duty CLP Cleans, lubricates and protects firearms in one simple step, in a liquid or aerosol formula. Cleans: Dissolves powder, residue and contaminants and effectively cuts rust on neglected firearms. Lubricates: Contains effective anti-wear additives to reduce friction and wear, which extends the life of the firearm and its runtime. Protects: Fast drying formula is designed to protect against rust and corrosion during long storage periods, minimizes fingerprints and effectively repels water.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
10915	12X1	4 OZ	3 lbs	360 Cases	5 GAL PAIL 11155
10916	12x1	11 OZ NET	11 lbs	108 Cases	55 GAL DRUM 10908

### EXTREME DUTY GUN GREASE

Lucas Extreme Duty Gun Grease is a premium, heavy duty grease. Formulated with a unique additive system designed to provide maximum lubrication under the most severe operating conditions. Developed for full-auto firearms and anywhere else a thicker lube is desired. This is a true firearms grease, developed to lubricate and protect under the harshest heat, friction and pressures of sustained firing while reducing friction and wear. Its unique formulation is designed to prevent rust and corrosion from rain and moisture in fresh and saltwater environments. Recommended for all firearms types.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10889	6X1	1 OZ	2 lbs	279 Cases

### GUN METAL POLISH & TUMBLER MEDIA ADDITIVE

Lucas Gun Metal Polish & Tumbler Media Additive is easy to use, long lasting, safe on most metals, and contains no acid or ammonia. Cleans and polishes factory firearm finishes and bores. Not designed for use on cold bluing. Keep away from heat and flames. Always shake well before and during use. Great for all types of firearms. An excellent additive for media. Reduces tumbling time and improves results.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10878	12X1	4 OZ	3 lbs	378 Cases
10880	12X1	16 OZ	15.5 lbs	125 Cases

### EXTREME DUTY BORE SOLVENT & ULTRASONIC GUN CLEANER

Lucas Extreme Duty Bore Solvent and Ultrasonic Gun Cleaner is a premium blend of cleaning solvents and corrosion inhibitors. Formulated to remove carbon, powder residue, copper and lead fouling, by hand or in an ultrasonic cleaner. It is pleasantly scented, it is not drying and is mild toward the multiple materials common on modern firearms. It will not attack polymeric or factory finishes. This product is a solvent based formula therefore there is no need to dilute or mix with anything.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10907	12X1	4 OZ	3.8 lbs	264 Cases
10909	6X1	64 OZ	24 lbs	100 Cases

### EXTREME DUTY GUN CLEANER

Lucas Oil Extreme Duty Gun Cleaner's high pressure spray contains a unique blend of solvents, cleaning and drying agents designed to blast away powder residue, grease, oil and other debris from firearm actions, slides, barrels and parts, leaving zero residue. This product is safe on your firearm's metal finishes and will not harm polymers subjected to incidental contact. Its unique formula effectively displaces water, which is great if you are caught outside in a rain or snow storm.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10905	12X1	11 OZ NET	11 lbs	108 Cases

### APPLICATOR BOTTLE

Holding up to 1 ounce, this American made, leak free, needle applicator bottle allows precise application of lubricants or solvents.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10879	50X1	1 OZ (Empty)	1.4 lbs	154 Cases

# RACING



The Lucas Racing Only product line embodies the expertise and precision of the Lucas R&D team, drawing on more than 30 years of racing experience. Optimizing the delicate balance of power and durability in high-performance engines, the Racing Only line empowers teams to achieve the best competitive edge possible through a comprehensive selection of expertly crafted motor oils, gear oils, additives and more.

The stylized No. 8 is a trademark and the RCR checkered flag logo is a registered trademark of RCR Enterprises, LLC. All trademarks and the likeness of the No. 8 race car are used under license from their owners.

**PRECISION • EXPERTLY CRAFTED • HIGH-PERFORMANCE**

## SYNTHETIC RACING ENGINE OILS

Lucas Synthetic Racing Engine Oils are the class of the field with viscosities ranging from 5W-20 to 20W-50 with a maximum temperature/viscosity range demanded by many late model engines like the supercharged Ford Modular, Chrysler and GM LS engines. Whatever your competition lubrication demands are, Lucas has oil specifically designed to meet your requirements.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
Synthetic SAE 5W-50 <b>10101</b>	6X1	1 Quart	13 lbs	168 Cases	LARGER SIZES
Synthetic SAE 10W-40 <b>10942</b>	6X1	1 Quart	13 lbs	168 Cases	
Synthetic SAE 10W-40 <b>10911</b>	3X1	5 Quart	30 lbs	65 Cases	5 GAL PAIL 10618
Synthetic SAE 20W-50 <b>10615</b>	6X1	1 Quart	13 lbs	168 Cases	
Synthetic SAE 20W-50 <b>10616</b>	3X1	5 Quart	30 lbs	65 Cases	



## SEMI-SYNTHETIC RACING ENGINE OILS

Lucas Semi-Synthetic Racing Engine Oils blend the best of both worlds to create an excellent combination of protection and power with an eye toward the budget. This blend guarantees lower oil temperatures through a high-tech blend of new ZINC technology that should be required use on all high performance flat tappet cam engines. Semi-synthetic is also compatible with all fuels, including E85 and methanol and with its higher lubricity offers outstanding benefits like quicker acceleration rates. In addition to increased thermal stability, semi-synthetics also offer reduced cavitation which improves oil pump performance.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
Semi-Synthetic SAE 10W-40 <b>10943</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10951
Semi-Synthetic SAE 10W-40 <b>10913</b>	3X1	5 Quart	30 lbs	65 Cases	
Semi-Synthetic SAE 20W-50 <b>10306</b>	6X1	1 Quart	13 lbs	168 Cases	55 GAL DRUM 10951
Semi-Synthetic SAE 20W-50 <b>10378</b>	3X1	5 Quart	30 lbs	65 Cases	



## PLUS CONVENTIONAL RACING ENGINE OILS

The "PLUS" is for the extra additives above and beyond those found in ordinary racing oils. These true high performance lubricants were developed especially for top fuel and top alcohol engines. These products contain special Lucas additives that resist fuel dilution like no other oil possibly can. Just like our other high performance oils, these racing oils contain Moly and friction modifiers. More importantly, the PLUS formula resists squeezing out of the bearings under heavy load.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
SAE 20W-50 <b>10621</b>	3X1	5 Quart	30 lbs	65 Cases	5 GAL PAIL 10623
SAE 50 PLUS <b>10347</b>	3X1	5 Quart	30 lbs	65 Cases	5 GAL PAIL 55 GAL DRUM 10095 10107
SAE 60 PLUS <b>10910</b>	3X1	5 Quart	30 lbs	65 Cases	5 GAL PAIL 55 GAL DRUM 10697 10696
70 PLUS <b>10348</b>					5 GAL PAIL 55 GAL DRUM 10266 10268



## ASSEMBLY LUBE

Lucas Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. It's perfect for engine building. The semi-synthetic formula contains zinc, Moly and other high pressure additives which offer maximum protection during engine break-in. Super slick and easy to use, it will eliminate dry starts and prevent seizing galling and scuffing.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
<b>10152</b>	12X1	4 OZ	3 lbs	360 Cases	55 GAL DRUM 10559
<b>10153</b>	12x1	8 OZ	7 lbs	272 Cases	



## SYNTHETIC SAE 5W-20 JR. DRAGSTER RACING ENGINE OIL

Lucas Synthetic 5W-20 Jr. Dragster Oil was developed for high RPM naturally aspirated gasoline and alcohol engines in Jr. Dragsters, Go Karts, and Quarter Midgets. It is also excellent for use in Outlaw 330 alcohol engines. Contains a high level of ZINC and phosphorus to protect cylinder walls, cams and lifters in splash only oil systems.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
<b>10471</b>	3X1	5 Quart	30 lbs	65 Cases



## ENGINE BREAK-IN OILS

Lucas Racing Break-In Oils help seal new rings while providing excellent extreme pressure properties that protect the entire valve train and of course, the camshaft. Especially designed for flat tappet camshafts, but can be used wherever you need the extra wear protection in the form of zinc. Zinc levels typically at 3600 PPM, which is much higher than commercial passenger car oils. Recommended for use in racing applications only. Not recommended for passenger cars requiring API service oil.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZES
E 20W-50 <b>10636</b>	3X1	5 Quart	30 lbs	65 Cases	5 GAL PAIL 10633 55 GAL DRUM 10634
E 30 <b>10630</b>	6X1	1 Quart	13 lbs	168 Cases	
E 30 <b>10631</b>	3X1	5 Quart	30 lbs	65 Cases	



### SYNTHETIC SAE 140 & 250 RACING GEAR OILS

Lucas Synthetic SAE 140 and 250 Gear Oils are designed for high horsepower, high torque conditions. Made from the highest quality heavy synthetic base oils, Lucas Racing Gear Oils contain a proprietary package of additives and extreme pressure lubricants specially engineered for shear stability and the demands of severe racing conditions. This synthetic formulation provides a barrier cushion between metal surfaces. It absorbs impact by creating a barrier coating on gear surfaces for the critical line of protection against wear, pitting and scoring. These oils are long lasting and perfect for any heavy duty application.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
Synthetic SAE 140					5 GAL PAIL 10433
Synthetic SAE 250 <b>10646</b>	<b>3X1</b>	<b>5 Quart</b>	<b>30 lbs</b>	<b>65 Cases</b>	5 GAL PAIL 10648

### SEMI-SYNTHETIC TYPE F AUTOMATIC TRANSMISSION FLUID

Lucas Semi-Synthetic Type F ATF is blended from premium paraffinic and synthetic base oils (Groups II+ and III), with shear stable synthetic polymers and viscosity modifiers, combined with a high-quality additive package that includes anti-wear, anti-oxidants and corrosion inhibitors. It is not friction modified so the shift character is "sport" or "hard shift," ideal for racing or wherever a fast, positive shift is required. It resists shear thinning and will hold-up under heat and stress, just the properties that racers require from their ATF. For non-racing applications, these benefits are realized as long-life for the fluid and the transmission equipment, since it resists oxidation, reducing lacquer and deposits. For use in Drag Racing, Stock, Super Stock, Super Gas, Super Comp, Comp, classic cars requiring a Type F Automatic Transmission Fluid.



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET	LARGER SIZE
<b>11020</b>	<b>6X1</b>	<b>1 Quart</b>	<b>13 lbs</b>	<b>168 Cases</b>	5 GAL PAIL 10864

### L9, L10 & L11 RACING GEAR OILS

Lucas Gear Oils provide excellent thermal stability and longevity throughout the entire drive train system. Recommended for use in both transmissions and differentials. These formulas were specifically developed with special anti-wear agents and lubricity agents to control wear and drag as well as special additives to control heat. This feature is not found in ordinary gear oils. They're excellent for race cars and any heavy-duty application where plain gear oils just aren't good enough. The L-Series gear oils feature lightweight viscosities specially blended for road racing and closed-course use in three different blends depending upon your requirements. They use the latest additive package technology that offers improved heat transfer characteristics, improving gear and bearing life even in the most severe applications.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
L9-7.5 WT <b>10456</b>	<b>12X1</b>	<b>1 Quart</b>	<b>25 lbs</b>	<b>70 Cases</b>
L9-7.5 WT <b>10458</b>	<b>1X1</b>	<b>5 Gallon</b>	<b>40 lbs</b>	<b>48 Cases</b>
L10-5 WT <b>10462</b>	<b>1X1</b>	<b>5 Gallon</b>	<b>40 lbs</b>	<b>48 Cases</b>
L11-2.5 WT <b>10540</b>	<b>1X1</b>	<b>5 Gallon</b>	<b>40 lbs</b>	<b>48 Cases</b>



Lifestyle Photo Racing?

# APPEARANCE



Enhance the look of your vehicle with Lucas appearance products. From high-gloss tire shine to ceramic speed wax, our products deliver professional-grade results that are easy to achieve. Restore shine, clean, and protect against UV damage with detailers that provide a long-lasting finish and are excellent on cars, trucks, and boats and safe for use on vinyl wraps, decals, leather, plastic or aluminum surfaces.



**RESTORE • CLEAN • PROTECT**

### SLICK MIST® CERAMIC SPEED WAX

Slick Mist® Ceramic Speed Wax is a professional SiO2 Hybrid ceramic paint sealant and durable protectant anyone can use. It's UV resistant, easy to use and provides super glossy appearance, beading and protection with long lasting, instant results. May be used on gel coat, glass and chromed surfaces. Also works great on aluminum surfaces, vinyl wraps, Paint Protection Films (PPF,) matte finishes and ceramic coated surfaces. Overspray will not harm rubber and plastic trim. We recommend use every one to two months. 100% compatible with Lucas Slick Mist® Speed Wax.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
11294	6X1	24 OZ	11 lbs	170 Cases



### SLICK MIST® SPEED WAX

Slick Mist® Speed Wax is a fast and easy wax that is great for shining cars, motorcycles, ATV's, trucks, boats, and airplanes. It helps keep mud, bugs and tar from sticking to your vehicle. It can be easily used in direct sunshine and on wet or dry surfaces. It will not harm leather, rubber, plastic or aluminum surfaces. Great for a quick showroom shine between washes. The 2 ounce bottles are packaged in an attractive counter top display.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10161	20X1	2 OZ	4 lbs	270 Cases
10160-6	6X1	24 OZ	11 lbs	170 Cases
10160	12X1	24 OZ	22 lbs	90 Cases



### SLICK MIST® INTERIOR DETAILER

Slick Mist® Interior Detailer is a water based, pH neutral product that restores interiors to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent cracking and fading caused by direct sunlight and has a pleasant bubble gum smell.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10514	6X1	24 OZ	11 lbs	170 Cases



### SLICK MIST® TIRE & TRIM SHINE

Slick Mist® Tire & Trim Shine is a water based, pH neutral product that restores tires, bumpers and trim to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent fading caused by direct sunlight and has a pleasant citrus smell.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10513	6X1	24 OZ	11 lbs	170 Cases



### SLICK MIST® DETAILING KIT

Everything needed to make your vehicle showroom ready!

- Slick Mist® Detailing Kit contains:
- 1 - 24 oz. Speed Wax
  - 1 - 24 oz. Interior Detailer
  - 1 - 24 oz. Tire & Trim Shine
  - 1 - 16"x16" Microfiber Towel
  - 1 - No Mess Applicator

PRODUCT NUMBER	PER CASE	U.S. WEIGHT	QTY. PER PALLET
10558	4X1	25 lbs	60 Cases



### METAL POLISH

Lucas Metal Polish cleans, polishes and protects aluminum and other metals including chrome, magnesium, stainless steel, silver, brass and gold. It gives a deep shine and maximum luster with little effort. This fast acting metal polish is simple to use and is safe on all metals. It contains no acid or ammonia.

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
10155	12X1	1 Pint	15.5 lbs	125 Cases



**ATTENTION:** Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels), motorcycle seats or tire treads, bicycle seats or tire treads, brake drums and any other surfaces where slipperiness may be hazardous. SHAKE WELL BEFORE USING.



# BAG IN A BOX



Lucas Oil's "Bag in a Box" oil program is specifically designed to be used by dealerships, auto repair shops, and quick lubes for their ability to carry multiple oil grades and specialty items for faster lube servicing and dispensing. The packaging is 100% recyclable with an eco-friendly design that reduces waste by using less plastic and utilizing every drop from the oil. Lucas Oil's most common motor oils are available in "Bag in a Box".



**PROFESSIONAL • 100% RECYCLABLE AND ECO-FRIENDLY**

## Bag in a Box System



PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
BIB JUG KIT (EMPTY) <b>17999</b>	6X1	ONE SIZE	N/A	N/A
BIB Oil Rack (EMPTY) <b>18000</b>	1X1	ONE SIZE	ONE SIZE	N/A
SAE 5W-20 API SP <b>18001</b>	1X1	6 Gallon	46 lbs	40 Cases
SAE 10W-30 API SP <b>18002</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 0W-20 Dexos1 Gen3 <b>18003</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 5W-20 API SP <b>18004</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 5W-30 Dexos1 Gen3 <b>18005</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 75W-90 Gear Oil <b>18006</b>	1X1	6 Gallon	46 lbs	40 Cases
Multi-Vehicle ATF <b>18007</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 0W-30 API SP <b>18008</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn Blend SAE 10W-30 FA-4 MAX FE <b>18009</b>	1X1	6 Gallon	46 lbs	40 Cases
SAE 5W-30 API SP <b>18010</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 5W-40 Diesel CK-4 <b>18011</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 5W-40 API SP <b>18012</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 10W-30 API SP <b>10813</b>	1X1	6 Gallon	46 lbs	40 Cases
SAE 15W-40 Diesel CK-4 <b>10814</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 5W-50 EP <b>18015</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 5W-40 European <b>18016</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn Blend 10W-30 Diesel CK-4 <b>18017</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 5W-30 European <b>18020</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 0W-30 European <b>18021</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 0W-40 European <b>18022</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 10W-60 European <b>18023</b>	1X1	6 Gallon	46 lbs	40 Cases
Hot Rod Oil SAE 10W-30 <b>18025</b>	1X1	6 Gallon	46 lbs	40 Cases
Hot Rod Oil SAE 10W-40 <b>18026</b>	1X1	6 Gallon	46 lbs	40 Cases
Hot Rod Oil SAE 20W-50 <b>18027</b>	1X1	6 Gallon	46 lbs	40 Cases
Break-In Oil SAE 30 <b>18028</b>	1X1	6 Gallon	46 lbs	40 Cases
SAE 50 Motorcycle Oil <b>18029</b>	1X1	6 Gallon	46 lbs	40 Cases
70 WT Motorcycle Oil <b>18030</b>	1X1	6 Gallon	46 lbs	40 Cases

PRODUCT NUMBER	PER CASE	U.S. MEASURE	U.S. WEIGHT	QTY. PER PALLET
SAE 10W-40 Motorcycle Oil <b>18031</b>	1X1	6 Gallon	46 lbs	40 Cases
SAE 20W-50 Motorcycle Oil <b>18032</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Semi-Syn 10W-40 <b>18033</b>	1X1	6 Gallon	46 lbs	40 Cases
Semi-Syn 10W-40 Motorcycle Oil <b>18034</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn 50 WT V-Twin Motorcycle Oil <b>18035</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 0W-40 Motorcycle Oil <b>18036</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn Multi-Vehicle Low Viscosity ATF <b>18037</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 10W-30 Motorcycle Oil <b>18039</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 10W-40 Motorcycle Oil <b>18040</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 10W-50 Motorcycle Oil <b>18042</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 20W-50 Motorcycle Oil <b>18043</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 75W-140 V-Twin Gear Oil <b>18044</b>	1X1	6 Gallon	46 lbs	40 Cases
Primary Chaincase Oil <b>18045</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Syn SAE 0W-40 <b>18046</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Syn SAE 10W-30 <b>18047</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Syn SAE 5W-50 <b>18048</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Syn SAE 10W-50 <b>18049</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Syn Transmission Fluid <b>18050</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Syn Command Drive <b>18051</b>	1X1	6 Gallon	46 lbs	40 Cases
SXS/UTV Syn Multi-Purpose Gearcase & Diff <b>18052</b>	1X1	6 Gallon	46 lbs	40 Cases
SAE 30 Plus API SM <b>18053</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 75W-140 Gear Oil <b>18054</b>	1X1	6 Gallon	46 lbs	40 Cases
SAE 20W-50 API SP <b>18055</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 0W-16 API SP <b>18056</b>	1X1	6 Gallon	46 lbs	40 Cases
AW ISO 32 Hydraulic Oil <b>18057</b>	1X1	6 Gallon	46 lbs	40 Cases
ISO 220 Industrial Gear Oil <b>18060</b>	1X1	6 Gallon	46 lbs	40 Cases
ISO 320 Industrial Gear Oil <b>18061</b>	1X1	6 Gallon	46 lbs	40 Cases
ISO 680 Industrial Gear Oil <b>18064</b>	1X1	6 Gallon	46 lbs	40 Cases
Syn SAE 15W-40 HDMO API CK-4 <b>18065</b>	1X1	6 Gallon	46 lbs	40 Cases



**SELL MORE WITH THESE POWERFUL MARKETING TOOLS!**



**DISPLAY RACK**

PART #10400 – Red



**DEMONSTRATOR & INSERTS**

PART #10500 - DEMONSTRATOR  
PART #60061 - INSERT

This interactive gear demonstrator should be placed on the counter where your customers can play with it and ask questions! It promotes the Lucas Oil Heavy Duty Oil Stabilizer, the most versatile and profitable additive in your store.

(10001 - Heavy Duty Oil Stabilizer sold separately.)

**COUNTER DISPLAYS**



**FUEL TREATMENT**

PART #10674



**EXTREME DUTY GUN OIL**

PART #10875



**ORIGINAL GUN OIL**

PART #10006



**FISHING REEL OIL**

PART #10690



**SLICK MIST<sup>®</sup> SPEED WAX**

PART #10161



**TOOL BOX BUDDY**

PART #10070



**MOTORCYCLE OCTANE BOOSTER**

PART #10725



**RED "N" TACKY / 5TH WHEEL LUBE**

PART #10676

**UNITED STATES**

*LucasOil.com*

**Corporate Headquarters**  
3610 River Crossing Parkway | Indianapolis, IN 46240  
Toll Free: 800.342.2512

**Manufacturing Facility**  
3199 Harrison Way NW | Corydon, IN 47112-6903

**CANADA**

*LucasOil.ca*

Toll Free: 800.342.2512  
Fax: 888.281.7373

**MEXICO**

*LucasOil.mx*

Toll Free: 800.342.2512

**UNITED KINGDOM**

*LucasOil.co.uk*

**Lucas Oil Products UK LTD**  
Unit 4 Cunliffe Drive  
Llangefni Industrial Estate | Llangefni | Anglesey, LL77 7JA  
Phone: +44 (0) 1248-723-666

**EUROPE**

*LucasOil.eu.com*

**Lucas Oil Products Europe Ltd**  
Block 3 Harcourt Centre  
Harcourt Road | Dublin 2 | Ireland  
Phone: +44 344 225 5400

The logo for Lucas Oil, featuring the words "LUCAS OIL" in a bold, italicized, red sans-serif font with a registered trademark symbol.

***LUCAS OIL***<sup>®</sup>

**LUCASOIL.COM**



60048

Copyright © 08/2024 Lucas Oil Products, Inc.