



LUCAS OIL®



PROTECT • PREVENT • OPTIMISE • RESTORE • CLEAN

PRODUCT CATALOGUE

WHICH LUBRICANT DOES MY VEHICLE NEED?



SCAN AND ENTER MAKE AND MODEL TO FIND OUT THE PERFECT MATCH FOR YOUR VEHICLE

ENGINE OIL ADDITIVES

Heavy Duty Oil Stabilizer	5
Pure Synthetic Oil Stabilizer	5
Engine Oil Stop Leak	5

FUEL TREATMENTS

Upper Cylinder Lubricant Fuel Treatment	7
Deep Clean® Fuel System Cleaner	7
Diesel Deep Clean®	7
Octane Booster	8
Safeguard® Ethanol Fuel Conditioner	8
Lead Replacer	8

PROBLEM SOLVERS & UTILITY

Power Steering Stop Leak	11
Transmission Fix	11
Diesel EGR & Turbo Cleaner	11
Air Tool Lubricant	11

GEAR OILS & TRANSMISSION FLUIDS

Heavy Duty Gear Oil	13
Pure Synthetic Gear Oils	13
Manual Transmission Fluid	14
Multi-Vehicle ATF & DCT Fluid	15

ENGINE OILS

Synthetic Engine Oils	17
Semi-Synthetic Engine Oils	21
Hot Rod & Engine Oils	21

MOTORCYCLE

Engine Oil & Motorcycle Oil Typical Zinc Values	22
High Performance Motorcycle Oils	24
Semi-Synthetic SAE 10W-40 ATV/UTV Oil	25
Primary Chaincase Oil	25
Synthetic SAE 75W-140 V-Twin Gear Oil	25

RACING

Assembly Lube	27
Engine Break-In Oil	27
Mineral Based Racing Engine Oil	27

APPEARANCE

Slick Mist® Ceramic Speed Wax	29
Slick Mist® Speed Wax	29
Slick Mist® Interior Detailer	29
Slick Mist® Tire & Trim Shine	29

MARKETING MATERIALS

Marketing Materials & Display Kits	30
------------------------------------	----



ENGINE OIL ADDITIVES



Oil additives help reduce friction and wear, prolonging the lifespan of engine components and promoting smoother operation. Lucas Oil additives can improve fuel economy, enhance engine cleanliness by preventing deposits, and provide better protection against oxidation and corrosion, improving overall vehicle performance and efficiency.

With specialised blends for high-mileage, heavy duty and new vehicles, find the best additive for your needs.

**IMPROVE FUEL ECONOMY • ENHANCE ENGINE CLEANLINESS
IMPROVING OVERALL VEHICLE PERFORMANCE AND EFFICIENCY**

HEAVY DUTY OIL STABILIZER

Lucas Heavy Duty Oil Stabilizer is the #1 heavy duty and high performance oil supplement in the world. It eliminates dry starts and resists thermal breakdown for total protection in new engines. It stops smoking, knocking and oil consumption in worn engines. It raises oil pressure, adds lubricity, lowers oil temperatures and stops leaks. It also extends oil life by at least 50%. Use it in any manual transmission or differential to stop wear, leaks, heat, noise and hard shifting. This product safely blends with all petroleum products, even synthetics. It will not void new car warranties when used as directed.

PRODUCT NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40686	12X1	355 mL e	4.5 kg	160 Cases
40001	12X1	1 Litre e	11.34 kg	84 Cases
40002	4X1	3.79 Litre e	14.97 kg	60 Cases
40091	1X1	208 Litre e	190.11 kg	4 Drums



PURE SYNTHETIC OIL STABILIZER

Lucas Pure Synthetic Oil Stabilizer is perfect for use in new equipment that requires synthetic oils or any equipment that needs enhanced performance. It's the perfect addition to race cars, new cars and four-cylinder cars. Controls heat and wear in motorcycles, air-cooled engines and all drive-train components. This product greatly reduces friction, improving vehicle performance and fuel economy.

PRODUCT NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40130	12X1	1 Litre e	11.34 kg	84 Cases
40134	1X1	208 Litre e	190.11 kg	4 Drums



ENGINE OIL STOP LEAK

Lucas Engine Oil Stop Leak is a unique formulation of Lucas additives and base stocks designed to stop leaks in engines. It is also an exceptional additive for worn and older engines, reducing engine noise and oil consumption while raising oil pressure. It contains no harmful solvents and can actually extend engine oil life by 50% or more.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40278	12X1	1 Litre e	11.34 kg	84 Cases
40279	4X1	3.79 Litre e	14.97 kg	60 Cases





FUEL TREATMENTS



Our easy-to-use pour-in solutions optimise a vehicle's performance and fuel efficiency.

With a powerful blend of additives, Lucas Oil fuel treatments clean and lubricate a fuel system, improving fuel economy and reducing emissions.

**IMPROVE FUEL ECONOMY • REDUCE EMISSIONS
CLEAN AND LUBRICATE FUEL SYSTEM**

UPPER CYLINDER LUBRICANT FUEL TREATMENT

Lucas Upper Cylinder Lubricant Fuel Treatment is formulated for petrol and diesel engines. It contains no harmful solvents or alcohol. This product is a blend of heat resistant, super slick oils and additives with a high detergent action that cleans as it lubricates the fuel system. It also causes the fuel to burn more efficiently for greater fuel economy and fewer emissions. It negates the harmful effects of "reformulated petrol" especially in older automobiles and 2-cycle engines. Use in diesel engines to neutralise the harmful effects of ultra low sulfur diesel fuel. This product WILL raise MPG.



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	TREATS UP TO
40020	24X1	155 mL e	4.5 kg	224 Cases	95 Litres
40003	12X1	1 Litre e	11.34 kg	84 Cases	600 Litres
40013	4x1	3.79 Litre e	14.97 kg	60 Cases	2274 Litres

DEEP CLEAN® FUEL SYSTEM CLEANER

Lucas Deep Clean® Fuel System Cleaner lubricates and cleans the entire fuel system, reduces green house gas emissions (carbon monoxide, hydrocarbons, NOx), increases power and acceleration, and improves MPG. This product is alcohol free and oxygen sensor safe. Deep Clean®, a REAL fuel system cleaner.



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	TREATS UP TO
40669	24X1	155 mL e	4.5 kg	224 Cases	70 Litres
40512	12X1	473 mL e	5.9 kg	132 Cases	115 Litres

DIESEL DEEP CLEAN®

Lucas Diesel Deep Clean® is a new Lucas technology developed to reduce the cost and hassle of particulate filter maintenance. It's an excellent preventative maintenance product. It causes the fuel to burn much cleaner, thus eliminating a lot of particulate matter that would otherwise go into the exhaust system causing "regens." It cleans out much of the matter already trapped in the filter. This eliminates exhaust back pressure allowing the engine to run easier and cooler as well as lowering the aggravation and down time associated with particulate filters.



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	TREATS UP TO
41030	24X1	155 mL e	4.5 kg	224 Cases	70 Litres
40872	12X1	473 mL e	5.9 kg	132 Cases	115 Litres

OCTANE BOOSTER

Lucas Octane Booster is a GENUINE Performance Enhancer! Tested and proven to deliver three times more boost than most other brands. Stops knocks and raises MPG in high compression engines. Safe for any gasoline engine. Not recommended in 2-stroke engines.



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	TREATS UP TO
40930	24X1	155 mL e	4.5 kg	224 Cases	60 Litres
40026	12X1	444 mL e	5.67 kg	132 Cases	94 Litres

SAFEGUARD® ETHANOL FUEL CONDITIONER

Lucas Safeguard® Ethanol Fuel Conditioner was specially developed to prevent corrosion and degradation in ethanol based fuels caused by fuel separation. It protects your engine oil from the harmful side effects of alcohol combustion. It can be used in E-5, E-10, E-15, E-85, pure alcohol or any alcohol petrol combination, even pure petrol. For use in 2 and 4 stroke engines.



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	TREATS UP TO
40576	12X1	473 mL e	5.9 kg	132 Cases	320 Litres

LEAD REPLACER

Lucas Oil Lead Replacer provides valve seat recession protection in the absence of leaded fuels. It provides a cushion between the exhaust valve and valve seat insert to prevent the valve from sinking or receding into the seat insert, which adversely affects compression.

Lucas Oil Lead Replacer also contains the same chemistry found in fuel treatment to improve fuel economy, lubricate upper cylinders and effectively clean injectors. Improved combustion reduces NOx emissions in petrol, the leading cause of smog.



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	TREATS UP TO
40065	12X1	1 Litre e	11.34 kg	84 Cases	450 Litres

MORE MILES. MORE SMILES.



CLEANS & LUBRICATES
Increases the life of pumps and injectors

TUNE-UP IN A BOTTLE
High detergent action allows for maximum efficiency

INCREASED POWER AND MPGs
Burn fuel and excess exhaust emissions more thoroughly

AS EASY AS ...

- POUR DIRECTLY INTO FUEL TANK.**
- DRIVE!**

TREATMENT RATE

155 mL Bottle - treats up to **95 litres of fuel**

1 Litre Bottle - treats up to **600 litres of fuel**

3.79 Litre Bottle - treats up to **2274 litres of fuel**

Exceeding the recommended dosage is not harmful to your vehicle.





PROBLEM SOLVING & UTILITY



These problem-solving products are made to tackle your toughest automotive or equipment issues. Whether you're dealing with a leak, squawky transmission, fuel system complications, power steering problems, sticky shifting, reduced fuel efficiency, flat tire or more, Lucas products are trusted by millions of drivers to get back on the road with confidence. If your vehicle has a problem, try Lucas first.

**PROBLEM SOLVING • TACKLE THE TOUGHEST ISSUES
TRUSTED BY MILLIONS**

POWER STEERING STOP LEAK

Lucas Power Steering Stop Leak is also effective at removing hard spots and tightness in worn rack and pinions and the noisy whine in some Ford pumps. To correct these problems empty the reservoir and refill it with Lucas Power Steering Stop Leak (usually 355 mL). Contains no harmful solvents. **Money Back Guarantee on Seal Leaks Only.**

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40008	12x1	355 mL e	4.5 kg	160 Cases
40011	12X1	1 Litre e	11.34 kg	84 Cases



TRANSMISSION FIX

Lucas Transmission Fix stops slipping in worn transmissions. It also cleans and lubricates sticking valves for proper shifting. This product will extend fluid life up to three times longer. It completely stops most seal leaks and controls heat and foaming. It's the perfect preventative maintenance product to stop initial wear in newer transmissions. A must for motor homes, towing vehicles, and all other hard working transmissions. Compatible with all transmissions and transmission fluids with the exception of CVT transmissions and transmission fluids and DSG/DCT transmissions. Will not void new car warranties when used as directed. Contains no harmful solvents. Use also in light duty manual transmissions. (Results are usually immediate.)

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40009	12X1	710 mL e	9.07 kg	84 Cases



DIESEL EGR & TURBO CLEANER

Lucas Oil Diesel EGR & Turbo Cleaner is a specialised product designed to clean carbon deposits from the EGR system and turbocharger in diesel engines. This improves airflow, restores performance, and enhances fuel efficiency. Regular use of Lucas Oil Diesel EGR & Turbo Cleaner helps maintain engine health and longevity.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
41019	12X1	500 mL e	5.76 kg	114 Cases



AIR TOOL LUBRICANT

Lucas Heavy Duty Air Tool Lubricant is a long lasting, super slick product that allows air tools to run easier and last longer. It's a complex blend of pure petroleum oils and additives specially formulated to combat rust and varnish for the working professional. It coats the working parts with a cushion of water-proof lubricants that resist "blow-out," enabling it to lube the tool, not the floor.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40216	12X1	473 mL e	5.88 kg	132 Cases



GEAR OIL & TRANSMISSION

Lucas Oil gear oil offers exceptional protection against wear, heat, and corrosion, ensuring prolonged gear life, formulated with the highest quality additives and available in several different weights. Trusted in industrial, heavy duty, and high-performance markets for superior shifting and durability.

Transmission products, are specially formulated blends that eliminate chatter, prevent slipping, leaks, wear, rough shifting and greatly extend transmission life in a diverse range of applications. Lucas Oil transmission products are ideal for worn transmissions, agricultural equipment, passenger cars, lawn mowers, heavy duty trucks and other vehicles, providing a reliable solution for smoother and more reliable gear shifts.

PROTECTION • SUPERIOR SHIFTING • PREVENTION

HEAVY DUTY GEAR OIL

Lucas Heavy Duty Gear Oil is blended with an extra additive package, over and above the normal gear oil additives. With this product, you can expect longer oil life, lower oil temperatures, longer component life, fewer seal leaks and LESS NOISE. This is what gear oil was meant to be.
Cools & Quiets

SAE 80W-90 HEAVY DUTY GEAR OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40043	12X1	1 Litre e	11.4 kg	84 Cases



PURE SYNTHETIC GEAR OILS

Lucas Pure Synthetic Gear Oils are super-slick, long lasting lubricants designed especially for heavy duty or high performance applications where conventional lubricants just aren't enough. They contain a special premium additive package that increases lubricity and ensures less gear noise and longer bearing life. Designed to stand up to high temperatures without losing its lubricity. Excellent for use in limited slip differentials.
Cools & Quiets

SYNTHETIC SAE 75W-90

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40047	12X1	1 Litre e	11.4 kg	84 Cases

SYNTHETIC SAE 75W-140

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40121	12x1	1 Litre e	11.4 kg	84 Cases
40122	4X1	3.79 Litre e	14.96 kg	60 Cases



GEAR OILS & TRANSMISSION FLUIDS

MANUAL TRANSMISSION FLUID

Lucas Oil Manual Transmission Fluid is expertly engineered to deliver superior performance for manual transmissions in passenger cars and light-duty vehicles. Formulated for modern synchromesh systems, this premium synthetic fluid provides outstanding gear and bearing protection while enhancing synchroniser performance for smooth, reliable shifting.

Designed for optimal operation across a wide temperature range, this fluid ensures excellent cold-weather fluidity, superior cleanliness, and robust corrosion resistance. Its advanced synthetic formulation enhances durability and efficiency, making it the ideal choice for maintaining peak transmission performance in any driving condition.

Lucas Oil Manual Transmission Fluid meets API GL-4 specifications and the requirements of most OEMs, including European and Asian manufacturers. It is a versatile lubricant specifically designed for synchromesh manual gearboxes and transaxles, excelling in high-load applications where superior protection is essential.

SYNTHETIC SAE 75W-80 MTF

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47093	12X1	1 Litre e	11.66 kg	52 Cases
47094	4X1	5 Litre e	14.20 kg	40 Cases
47095	1x1	20 Litre e	18.34 kg	36 Drums
47096	1x1	208 Litre e	195.31 kg	4 Drums



SYNTHETIC SAE 75W-90 MTF

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47097	12X1	1 Litre e	11.66 kg	52 Cases
47098	4X1	5 Litre e	14.20 kg	40 Cases
47099	1x1	20 Litre e	18.44 kg	36 Drums
47100	1x1	208 Litre e	196.35 kg	4 Drums



MINERAL SAE 80W-90 MTF

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47101	12X1	1 Litre e	11.66 kg	52 Cases
47102	4X1	5 Litre e	14.20 kg	40 Cases
47103	1x1	20 Litre e	18.94 kg	36 Drums
47104	1x1	208 Litre e	201.55 kg	4 Drums



SYNTHETIC MULTI VEHICLE ATF DXVI

Lucas Oil Synthetic Multi-Vehicle ATF DXVI is a low-viscosity, ultra-high-performance automatic transmission fluid designed for a wide range of step-type transmission applications. With outstanding cold-temperature fluidity and exceptional durability, this advanced ATF extends drain intervals by 50% compared to standard Dexron III H oil while providing superior shear stability, friction performance, oxidation resistance, film strength, and wear protection.

Engineered for slip-controlled lock-up automatic transmissions, this versatile ATF is also suitable for power steering, hydraulic systems, and select manual transmissions requiring ATF. Recommended for nearly all modern passenger car automatic transmissions, it meets the requirements of Volvo 97342, ZF Lifeguard fluid 5, 6, and 8, and GM Dexron VI, while remaining fully backward compatible with all previous Dexron applications.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47105	12X1	1 Litre e	11.66 kg	52 Cases
47106	4X1	5 Litre e	14.20 kg	40 Cases
47107	1x1	20 Litre e	17.09 kg	36 Drums
47108	1x1	208 Litre e	190.74 kg	4 Drums



SYNTHETIC MULTI-VEHICLE DCT FLUID

Lucas Oil Synthetic Multi-Vehicle DCT Fluid is a premium synthetic multi-vehicle transmission fluid engineered for modern dual-clutch automatic transmissions, including DCT (Dual Clutch Transmission) and DSG (Direct Shift Gearbox) systems. Designed to meet the rigorous demands of leading European manufacturers such as VAG (DSG & S-Tronic), BMW, and Ford (Powershift), this high-performance fluid ensures smooth shifting, superior wear protection, and optimal thermal stability across a wide range of temperatures.

For those seeking maximum performance, durability, and reliability, Lucas Oil Synthetic Multi-Vehicle DCT Fluid is the ultimate choice - ideal for both high-performance and hybrid vehicles requiring uncompromising transmission protection.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47109	12X1	1 Litre e	11.66 kg	52 Cases
47110	4X1	5 Litre e	14.20 kg	40 Cases
47111	1x1	20 Litre e	18.02 kg	36 Drums
47112	1x1	208 Litre e	191.98 kg	4 Drums





ENGINE OIL



The ultimate performance and protection for all engine types – this advanced, comprehensive line of the highest-quality engine oils provides superior lubrication, reduces friction and wear, while maximising engine performance and fuel efficiency. Fortified with a precise blend of additives that provide better thermal stability, oxidation resistance, and viscosity control, ensuring optimal lubrication even under extreme operating conditions.

**SUPERIOR LUBRICATION • REDUCES FRICTION AND WEAR
MAXIMISING FUEL EFFICIENCY**

SYNTHETIC ENGINE OILS

Lucas Oil Synthetic Engine Oils are formulated from the finest quality synthetic base oils and enriched with premium performance additives that guarantee exceptional protection and efficiency.

Designed to meet and exceed the stringent specifications set by leading automotive manufacturers, these engine oils ensure seamless operation, reduce friction, and enhance fuel efficiency.

TRY OUR OIL FINDER



SYNTHETIC 0W-20 C5 ECO-V ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47000	12X1	1 Litre e	11.66 kg	52 Cases
47001	4X1	5 Litre e	14.20 kg	40 Cases
47002	1x1	20 Litre e	17.92 kg	36 Drums
47003	1x1	208 Litre e	190.94 kg	4 Drums



SYNTHETIC 0W-20 ECO ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47004	12X1	1 Litre e	11.66 kg	52 Cases
47005	4X1	5 Litre e	14.20 kg	40 Cases
47006	1x1	20 Litre e	17.92 kg	36 Drums
47007	1x1	208 Litre e	190.94 kg	4 Drums



SYNTHETIC 0W-30 C2 ECO-FD ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47008	12X1	1 Litre e	11.66 kg	52 Cases
47009	4X1	5 Litre e	14.20 kg	40 Cases
47010	1x1	20 Litre e	17.52 kg	36 Drums
47011	1x1	208 Litre e	190.11 kg	4 Drums



SYNTHETIC 0W-30 C2 ECO ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47012	12X1	1 Litre e	11.66 kg	52 Cases
47013	4X1	5 Litre e	14.20 kg	40 Cases
47014	1x1	20 Litre e	17.88 kg	36 Drums
47015	1x1	208 Litre e	190.53 kg	4 Drums



SYNTHETIC 0W-40 ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47016	12X1	1 Litre e	11.66 kg	52 Cases
47017	4X1	5 Litre e	14.20 kg	40 Cases
47018	1x1	20 Litre e	17.86 kg	36 Drums
47019	1x1	208 Litre e	190.32 kg	4 Drums



SYNTHETIC 5W-30 C2/C3 ECO ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47036	12X1	1 Litre e	11.66 kg	52 Cases
47037	4X1	5 Litre e	14.20 kg	40 Cases
47038	1x1	20 Litre e	18.06 kg	36 Drums
47039	1x1	208 Litre e	192.45 kg	4 Drums



SYNTHETIC 5W-20 ECO-FD ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47020	12X1	1 Litre e	11.66 kg	52 Cases
47021	4X1	5 Litre e	14.20 kg	40 Cases
47022	1x1	20 Litre e	18.00 kg	36 Drums
47023	1x1	208 Litre e	191.78 kg	4 Drums



SYNTHETIC 5W-40 A3/B4 ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47040	12X1	1 Litre e	11.66 kg	52 Cases
47041	4X1	5 Litre e	14.20 kg	40 Cases
47042	1x1	20 Litre e	18.12 kg	36 Drums
47043	1x1	208 Litre e	193.02 kg	4 Drums



SYNTHETIC 5W-30 C3 ECO ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47024	12X1	1 Litre e	11.66 kg	52 Cases
47025	4X1	5 Litre e	14.20 kg	40 Cases
47026	1x1	20 Litre e	18.08 kg	36 Drums
47027	1x1	208 Litre e	192.61 kg	4 Drums



SYNTHETIC 5W-40 C3 ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47044	12X1	1 Litre e	11.66 kg	52 Cases
47045	4X1	5 Litre e	14.20 kg	40 Cases
47046	1x1	20 Litre e	18.04 kg	36 Drums
47047	1x1	208 Litre e	193.02 kg	4 Drums



SYNTHETIC 5W-30 ECO-FD ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47028	12X1	1 Litre e	11.66 kg	52 Cases
47029	4X1	5 Litre e	14.20 kg	40 Cases
47030	1x1	20 Litre e	17.96 kg	36 Drums
47031	1x1	208 Litre e	191.36 kg	4 Drums



SYNTHETIC 10W-60 ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47056	12X1	1 Litre e	11.66 kg	52 Cases
47057	4X1	5 Litre e	14.20 kg	40 Cases
47058	1x1	20 Litre e	18.04 kg	36 Drums
47059	1x1	208 Litre e	192.19 kg	4 Drums



SYNTHETIC 5W-30 C3 ECO-V ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47032	12X1	1 Litre e	11.66 kg	52 Cases
47033	4X1	5 Litre e	14.20 kg	40 Cases
47034	1x1	20 Litre e	18.00 kg	36 Drums
47035	1x1	208 Litre e	191.78 kg	4 Drums



SYNTHETIC 5W-30 C4 ECO ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47089	12X1	1 Litre e	11.66 kg	52 Cases
47090	4X1	5 Litre e	14.20 kg	40 Cases
47091	1x1	20 Litre e	18.00 kg	36 Drums
47092	1x1	208 Litre e	191.78 kg	4 Drums



SYNTHETIC 0W-20 C5/C6 ECO

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47113	12X1	1 Litre e	11.66 kg	52 Cases
47114	4X1	5 Litre e	14.20 kg	40 Cases
47115	1x1	20 Litre e	17.09 kg	36 Drums
47116	1x1	208 Litre e	190.74 kg	4 Drums



SYNTHETIC 0W-30 C3 ECO-V

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47117	12X1	1 Litre e	11.66 kg	52 Cases
47118	4X1	5 Litre e	14.20 kg	40 Cases
47119	1x1	20 Litre e	17.86 kg	36 Drums
47120	1x1	208 Litre e	190.32 kg	4 Drums



SYNTHETIC 5W-30 C2/C3 ECO PLUS

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47121	12X1	1 Litre e	11.66 kg	52 Cases
47122	4X1	5 Litre e	14.20 kg	40 Cases
47123	1x1	20 Litre e	18.00 kg	36 Drums
47124	1x1	208 Litre e	191.78 kg	4 Drums



SYNTHETIC 5W-30 ECO-FPW

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47125	12X1	1 Litre e	11.66 kg	52 Cases
47126	4X1	5 Litre e	14.20 kg	40 Cases
47127	1x1	20 Litre e	18.00 kg	36 Drums
47128	1x1	208 Litre e	191.78 kg	4 Drums



SEMI-SYNTHETIC ENGINE OILS

Lucas Oil Semi-Synthetic Engine Oils are formulated from the finest quality base oils and enriched with premium performance additives that guarantee exceptional protection and efficiency.

Designed to meet and exceed the stringent specifications set by leading engine oil ensures seamless operation, reduces friction, and enhances fuel efficiency.

SEMI-SYNTHETIC 10W-40 ENGINE OIL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
47068	12X1	1 Litre e	11.66 kg	52 Cases
47069	4X1	5 Litre e	14.20 kg	40 Cases
47070	1x1	20 Litre e	18.38 kg	36 Drums
47071	1x1	208 Litre e	195.73 kg	4 Drums



HOT ROD ENGINE OILS

Lucas Hot Rod & Classic Car Engine Oils are manufactured with the highest quality paraffinic base oils and fortified with a unique additive package containing high levels of zinc, molybdenum and phosphorus, which provides a tougher, thicker additive film for maximum protection even under the most severe conditions. They improve the film strength between the cylinder wall and piston rings. They have good cold temperature properties and stand up to high operating temperatures. Compatible with methanol and all racing fuels, as well as with synthetic and non-synthetic oils. Recommended for muscle, showroom, classic and trophy cars without catalytic converters. Can be used in racing applications.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
SAE 10W-30 40679	3X1	5 Litre e	14.40 kg	65 Cases	1677



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
SAE 10W-40 40683	3X1	5 Litre e	14.40 kg	65 Cases	1686



PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
SAE 20W-50 40684	3X1	5 Litre e	14.40 kg	65 Cases	1667





MOTORCYCLE



When it's time to ride, Lucas Oil keeps you moving. Our dedicated motorcycle product line offers riders a range of premium oils, fuel additives, and lubricants for any two-wheeled adventure. With Lucas Oil products in the tank, expect better engine performance, extended lifespan, improved fuel efficiency and effortless maintenance, allowing you the peace of mind to disconnect and just ride.

LUCAS ENGINE OIL & MOTORCYCLE OIL TYPICAL ZINC VALUES

PART #	DESCRIPTION	ZINC PPM
HOT ROD & CLASSIC OILS		
40679	SAE 10W-30	1,677
40686	SAE 10W-40	1,686
40684	SAE 20W-50	1,667
BREAK-IN OILS		
40636	SAE 20W-50	4,413
RACING ONLY OILS		
40621	SAE 20W-50	2,998

PART #	DESCRIPTION	ZINC PPM
MOTORCYCLE OILS		
40700	SAE 20W-50	944
40702	Synthetic SAE 20W-50	944
40708	Synthetic SAE 20W-50	944
40710	Semi-Synthetic SAE 10W-40	944
40712	SAE 50 WT	944
40714	SAE 70 WT	944
40716	Synthetic SAE 10W-50	944
40720	Semi-Synthetic SAE 10W-40 ATV	944

**EFFORTLESS MAINTENANCE • BETTER ENGINE PERFORMANCE
IMPROVED FUEL EFFICIENCY**

HIGH PERFORMANCE MOTORCYCLE OILS

Lucas Motorcycle Oils are built for endurance. These oils will lower oil temperatures, extend the life of vital components, reduce noise and leaks and increase performance. SAE 20W-50 is also an excellent gear oil and primary oil. All Lucas High Performance Motorcycle Oils meet or exceed API SM/SL/SJ, JASO MA-2 specifications.

SYNTHETIC

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
SAE 10W-30 40708	6X1	1 Litre e	5.67 kg	168 Cases	944
SAE 10W-40 40793	6X1	1 Litre e	5.67 kg	168 Cases	944
SAE 10W-50 40716	6x1	1 Litre e	5.67 kg	168 Cases	944
SAE 20W-50 40702	6x1	1 Litre e	5.67 kg	168 Cases	944

SEMI-SYNTHETIC

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
SAE 10W-40 40710	6X1	1 Litre e	5.67 kg	168 Cases	944

MINERAL

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
SAE 20W-50 40700	6X1	1 Litre e	5.67 kg	168 Cases	944
SAE 50WT 40712	6X1	1 Litre e	5.67 kg	168 Cases	944
SAE 70WT 40714	6x1	1 Litre e	5.67 kg	168 Cases	944



SEMI-SYNTHETIC SAE 10W-40 ATV/UTV ENGINE OIL

Lucas Semi-Synthetic SAE 10W-40 ATV/UTV Engine Oil is a long lasting oil that stands up to the high temperatures of slow moving, hard working, air-cooled engines. It exceeds manufacturer specifications and meets JASO specifications. *Air-cooled/Water-cooled*

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
40720	6X1	1 Litre e	5.67 kg	168 Cases	944



PRIMARY CHAINCASE OIL

Lucas Primary Chaincase Oil is a blend of easy flowing base oils and a Lucas additive package designed to carry away more heat from the clutch and friction plates. This assures a longer, more trouble-free clutch life. Expect a smooth clutch action, less slippage, longer chain and sprocket life and much longer oil life. 100% petroleum designed for heavy duty and high performance situations. It can also be used as a Sportster transmission fluid.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40790	6X1	1 Litre e	5.67 kg	168 Cases




SYNTHETIC SAE 75W-140 V-TWIN GEAR OIL

Lucas Synthetic SAE 75W-140 V-Twin Gear Oil is blended with the highest quality synthetic base oils and a Lucas synthetic additive package making it superior to any other motorcycle gear oil. Expect a cool, quiet performance with minimum drag and wear. Stands up to high horse power and high temperature. Designed especially for V-Twins but excellent for use in any heavy duty or high performance transmission. Safe for all metals including bronze and brass.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40791	6X1	1 Litre e	5.67 kg	168 Cases





The stylized No. 8 is a trademark and the HCR checkered flag logo is a registered trademark of HCR Enterprises, LLC. All trademarks and the likeness of the No. 8 race car are used under license from their owners.

RACING



The Lucas Oil Racing Only product line embodies the expertise and precision of the Lucas Oil R&D team, drawing on more than 30 years of racing experience. Optimising the delicate balance of power and durability in high-performance engines, the Racing Only line empowers teams to achieve the best competitive edge possible through a comprehensive selection of expertly crafted engine oils, gear oils, additives and more.

**PRECISION • EXPERTLY CRAFTED
HIGH-PERFORMANCE**

ASSEMBLY LUBE

Lucas Assembly Lube is designed for mechanics and technicians to pre lube bearings, cams, lifters and valve train. It's perfect for engine building. The semi-synthetic formula contains zinc, Moly and other high pressure additives which offer maximum protection during engine break-in. Super slick and easy to use, it will eliminate dry starts and prevent seizing galling and scuffing.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40152	12X1	118 mL e	1.32 kg	360 Cases



ENGINE BREAK-IN OIL

Lucas Racing Break-In Oil helps seal new rings while providing excellent extreme pressure properties that protect the entire valve train and of course, the camshaft. Especially designed for flat tappet camshafts, but can be used wherever you need the extra wear protection in the form of zinc. Zinc levels typically at 4413 PPM, which is much higher than commercial passenger car oils. Recommended for use in racing applications only. Not recommended for passenger cars requiring API service oil.

PRODUCT NUMBER	PER CASE	UK MEASURE	WEIGHT	QTY. PER PALLET	ZINC PPM
40636	3X1	5 Litre e	4.69 kg	65 Cases	4413



MINERAL BASED RACING ENGINE OIL

The "PLUS" is for the extra additives above and beyond those found in ordinary racing oils. These true high performance lubricants were developed especially for top fuel and top alcohol engines. These products contain special Lucas additives that resist fuel dilution like no other oil possibly can. Just like our other high performance oils, these racing oils contain Moly and friction modifiers. More importantly, the PLUS formula resists squeezing out of the bearings under heavy load.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET	ZINC PPM
40621	3X1	5 Litre e	13.6 kg	65 Cases	2998





APPEARANCE



Enhance the look of your vehicle with Lucas Oil appearance products. From high-gloss tire shine to ceramic speed wax, our products deliver professional-grade results that are easy to achieve. Restore shine, clean, and protect against UV damage with detailers that provide a long-lasting finish and are excellent on cars, trucks, and boats and safe for use on vinyl wraps, decals, leather, plastic or aluminum surfaces.

RESTORE • CLEAN • PROTECT

SLICK MIST® SPEED WAX

Slick Mist® Speed Wax is a fast and easy wax that is great for shining cars, motorcycles, ATV's, trucks, boats, and airplanes. It helps keep mud, bugs and tar from sticking to your vehicle. It can be easily used in direct sunshine and on wet or dry surfaces. It will not harm leather, rubber, plastic or aluminum surfaces. Great for a quick showroom shine between washes.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40160	12X1	710 mL e	9.99 kg	90 Cases



SLICK MIST® TIRE & TRIM SHINE

Slick Mist® Tire & Trim Shine is a water based, pH neutral product that restores tyres, bumpers and trim to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent fading caused by direct sunlight and has a pleasant citrus smell.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40513	6X1	710 mL e	4.99 kg	170 Cases



SLICK MIST® INTERIOR DETAILER

Slick Mist® Interior Detailer is a water based, pH neutral product that restores interiors to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent cracking and fading caused by direct sunlight and has a pleasant bubble gum smell.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
40514	6X1	710 mL e	4.99 kg	170 Cases



SLICK MIST® CERAMIC SPEED WAX

Slick Mist® Ceramic Speed Wax is a professional SiO2 Hybrid ceramic paint sealant and durable protectant anyone can use. It's UV resistant, easy to use and provides super glossy appearance, beading and protection with long lasting, instant results. May be used on gel coat, glass and chromed surfaces. Also works great on aluminum surfaces, vinyl wraps, Paint Protection Films (PPF,) matte finishes and ceramic coated surfaces. Overspray will not harm rubber and plastic trim. We recommend use every one to two months. 100% compatible with Lucas Slick Mist® Speed Wax.

PART NUMBER	PER CASE	UNIT VOLUME	WEIGHT	QTY. PER PALLET
41294	6X1	710 mL e	4.99 kg	170 Cases



ATTENTION: Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels), motorcycle seats or tyre treads, bicycle seats or tyre treads, brake drums and any other surfaces where slipperiness may be hazardous. SHAKE WELL BEFORE USING.

SELL MORE WITH THESE POWERFUL MARKETING TOOLS!



DEMONSTRATOR & INSERTS

PART #10500 - DEMONSTRATOR

This interactive gear demonstrator should be placed on the counter where your customers can play with it and ask questions! It promotes the Lucas Oil Heavy Duty Oil Stabilizer, the most versatile and profitable additive in your store.

40001 - Heavy Duty Oil Stabilizer
60064 - Brochure Insert Pack
sold separately



LUCAS ADDITIVE CDU

PART # 46301

Back Row

40001 - Heavy Duty Oil Stabilizer
40130 - Pure Synthetic Oil Stabilizer
40278 - Engine Oil Stop Leak
40009 - Transmission Fix

Front Row

40576 - Safeguard® Ethanol Fuel Conditioner
40026 - Octane Booster
40512 - Deep Clean® Fuel System Cleaner
40872 - Diesel Deep Clean®
40020 - Upper Cylinder Lubricant™ Fuel Treatment
40008 - Power Steering Stop Leak™

UNITED KINGDOM

LucasOil.co.uk | LucasOil.eu.com

UK & European Headquarters

Unit 4 Cunliffe Drive
Llangefni Industrial Estate | Llangefni | Anglesey, LL77 7JA, UK
Phone: +44 (0) 1248-723-666

EUROPE

Lucas Oil Products Europe Ltd

LucasOil.eu.com
Phone: +44 (0) 344 225 540

UNITED STATES

LucasOil.com

Corporate Headquarters

3610 River Crossings Pkwy | Indianapolis, IN 46240

Manufacturing Facility

3199 Harrison Way NW | Corydon, IN 47112-6903



Copyright © 01/2026 Lucas Oil Products, Inc.
60068

LUCAS OIL®

WWW.LUCASOIL.EU.COM